American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Telephone: (714)985-3434
Attn: Tom Tatnall

Page: 67

Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34603	09/15/2005	H&A

Method: (6010B.LEAD), Lead, ICP

QC Batch No: 091605-1

Our Lab I.D.			Method Blank	34603.17	34603.19		
Client Sample I.D.				XR0180-SS-0020-01	XR0180-SS-0040-01		
Date Sampled				09/14/2005	09/14/2005		
Date Prepared			09/16/2005	09/16/2005	09/16/2005		
Preparation Method			3050B	3050B	3050B		
Date Analyzed			09/16/2005	09/16/2005	09/16/2005		
Matrix			Soil	Soil	Soil		
Units			mg/Kg	mg/Kg	mg/Kg		
Dilution Factor			1	1	1		
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**		
Lead	2.5	5.0	ND	11.4	5.95		

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 68

Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34603	09/15/2005	H&A

Method: 8260B, Volatile Organic Compounds by GC/MS (SW846)

QC Batch No: 091505

Our Lab I.D.			Method Blank	**34603.36**	**34603.38**		
Client Sample I.D.				EB091405A	Trip Blank		
Date Sampled				09/14/2005	09/14/2005		
Date Prepared			09/15/2005	09/15/2005	09/15/2005		
Preparation Method			5030B	5030B	5030B		
Date Analyzed			09/15/2005	09/15/2005	09/15/2005		
Matrix			Aqueous	Aqueous	Aqueous		
Units			ug/L	ug/L	ug/L		
Dilution Factor			1	1	1		
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**		
Acetone	10	10	ND	ND	ND		
Benzene	0.5	1.0	ND	ND	ND		
Bromobenzene (Phenyl bromide)	0.5	1.0	ND	ND	ND		
Bromochloromethane	0.5	1.0	ND	ND	ND		
Bromodichloromethane	0.5	1.0	ND	ND	ND		
Bromoform (Tribromomethane)	2.5	5.0	ND	ND	ND		
Bromomethane (Methyl bromide)	1.5	3.0	ND	ND	ND		
2-Butanone (MEK)	5.0	5.0	ND	ND	ND		
n-Butylbenzene	0.5	1.0	ND	ND	ND		
sec-Butylbenzene	0.5	1.0	ND	ND	ND		
tert-Butylbenzene	0.5	1.0	ND	ND	ND		
Carbon Disulfide	0.5	1.0	ND	ND	ND		
Carbon tetrachloride	0.5	1.0	ND	ND	ND		
Chlorobenzene	0.5	1.0	ND	ND	ND		
Chloroethane	1.5	3.0	ND	ND	ND		
2-Chloroethyl vinyl ether	2.5	5.0	ND	ND	ND		
Chloroform (Trichloromethane)	0.5	1.0	ND	ND	ND		
Chloromethane (Methyl chloride)	1.5	3.0	ND	ND	ND		
2-Chlorotoluene	0.5	1.0	ND	ND	ND		
4-Chlorotoluene	0.5	1.0	ND	ND	ND		
1,2-Dibromo-3-chloropropane (DBCP)	2.5	5.0	ND	ND	ND		
Dibromochloromethane	0.5	1.0	ND	ND	ND		
1,2-Dibromoethane (EDB)	0.5	1.0	ND	ND	ND		
Dibromomethane	0.5	1.0	ND	ND	ND		
1,2-Dichlorobenzene	0.5	1.0	ND	ND	ND		
1,3-Dichlorobenzene	0.5	1.0	ND	ND	ND		
1,4-Dichlorobenzene	0.5	1.0	ND	ND	ND		

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34603	09/15/2005	H&A

Method: 8260B, Volatile Organic Compounds by GC/MS (SW846)

QC Batch No: 091505

Our Lab I.D.			Method Blank	**34603.36**	**34603.38**		
Client Sample I.D.				EB091405A	Trip Blank		
Date Sampled				09/14/2005	09/14/2005		
Date Prepared			09/15/2005	09/15/2005	09/15/2005		
Preparation Method			5030B	5030B	5030B		
Date Analyzed			09/15/2005	09/15/2005	09/15/2005		
Matrix			Aqueous	Aqueous	Aqueous		
Units			ug/L	ug/L	ug/L		
Dilution Factor			1	1	1		
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**		
Dichlorodifluoromethane	1.5	3.0	ND	ND	ND		
1,1-Dichloroethane	0.5	1.0	ND	ND	ND		
1,2-Dichloroethane (EDC)	0.5	1.0	ND	ND	ND		
1,1-Dichloroethene	0.5	1.0	ND	ND	ND		
cis-1,2-Dichloroethene	0.5	1.0	ND	ND	ND		
trans-1,2-Dichloroethene	0.5	1.0	ND	ND	ND		
1,2-Dichloropropane	0.5	1.0	ND	ND	ND		
1,3-Dichloropropane	0.5	1.0	ND	ND	ND		
2,2-Dichloropropane	0.5	1.0	ND	ND	ND		
1,1-Dichloropropene	0.5	1.0	ND	ND	ND		
cis-1,3-Dichloropropene	0.5	1.0	ND	ND	ND		
trans-1,3-Dichloropropene	0.5	1.0	ND	ND	ND		
Ethylbenzene	0.5	1.0	ND	ND	ND		
Hexachlorobutadiene	1.5	3.0	ND	ND	ND		
2-Hexanone	2.5	5.0	ND	ND	ND		
Isopropylbenzene	0.5	1.0	ND	ND	ND		
p-Isopropyltoluene	0.5	1.0	ND	ND	ND		
4-Methyl-2-pentanone (MIBK)	2.5	5.0	ND	ND	ND		
Methyl-tert-butyl ether (MTBE)	0.5	1.0	ND	ND	ND		
Methylene chloride (DCM)	2.0	4.0	ND	ND	ND		
Naphthalene	0.5	1.0	ND	ND	ND		
n-Propylbenzene	0.5	1.0	ND	ND	ND		
Styrene	0.5	1.0	ND	ND	ND		
1,1,1,2-Tetrachloroethane	0.5	1.0	ND	ND	ND		
1,1,2,2-Tetrachloroethane	0.5	1.0	ND	ND	ND		
Tetrachloroethene	0.5	1.0	ND	ND	ND		
Toluene (Methyl benzene)	0.5	1.0	ND	ND	ND		
1,2,3-Trichlorobenzene	0.5	1.0	ND	ND	ND		
1,2,4-Trichlorobenzene	0.5	1.0	ND	ND	ND		
1,1,1-Trichloroethane	0.5	1.0	ND	ND	ND		
1,1,2-Trichloroethane	0.5	1.0	ND	ND	ND		
Trichloroethene	0.5	1.0	ND	ND	ND		
Trichlorofluoromethane	0.5	1.0	ND	ND	ND		
1,2,3-Trichloropropane	0.5	1.0	ND	ND	ND		

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34603	09/15/2005	H&A

Method: 8260B, Volatile Organic Compounds by GC/MS (SW846)

QC Batch No: 091505

Our Lab I.D.			Method Blank	**34603.36**	**34603.38**		
Client Sample I.D.				EB091405A	Trip Blank		
Date Sampled				09/14/2005	09/14/2005		
Date Prepared			09/15/2005	09/15/2005	09/15/2005		
Preparation Method			5030B	5030B	5030B		
Date Analyzed			09/15/2005	09/15/2005	09/15/2005		
Matrix			Aqueous	Aqueous	Aqueous		
Units			ug/L	ug/L	ug/L		
Dilution Factor			1	1	1		
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**		
1,2,4-Trimethylbenzene	0.5	1.0	ND	ND	ND		
1,3,5-Trimethylbenzene	0.5	1.0	ND	ND	ND		
Vinyl Acetate	0.5	5.0	ND	ND	ND		
Vinyl chloride (Chloroethene)	0.5	3.0	ND	ND	ND		
o-Xylene	0.5	1.0	ND	ND	ND		
m,p-Xylenes	1.0	2.0	ND	ND	ND		
Our Lab I.D.				**34603.36**	**34603.38**		
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**	**% Rec.**		
Bromofluorobenzene	75-125		106	108	107		
Dibromofluoromethane	75-125		104	103	105		
Toluene-d8	75-125		103	105	105		

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Telephone: (714)985-3434
Attn: Tom Tatnall

Page: 71

Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34603	09/15/2005	H&A

Method: M8015G, TPH as Gasoline and Light Hydrocarbons Using GC/FID

QC Batch No: 091505

Our Lab I.D.			*Method Blank*	*34603.36*			
Client Sample I.D.				EB091405A			
Date Sampled				09/14/2005			
Date Prepared			09/15/2005	09/15/2005			
Preparation Method			5030B	5030B			
Date Analyzed			09/15/2005	09/15/2005			
Matrix			Aqueous	Aqueous			
Units			mg/L	mg/L			
Dilution Factor			1	1			
Analytes	**MDL**	**PQL**	**Results**	**Results**			
TPH as Gasoline and Light HC. (C4-C12)	0.005	0.010	ND	ND			
Our Lab I.D.				**34603.36**			
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**			
Bromofluorobenzene	75-125		103	100			

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Telephone: (714)985-3434
Attn: Tom Tatnall

Page: 72

Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34603	09/15/2005	H&A

Method: M8015D, TPH as Diesel and Heavy Hydrocarbons Using GC/FID

QC Batch No: 091605

Our Lab I.D.			Method Blank	**34603.36**			
Client Sample I.D.				EB091405A			
Date Sampled				09/14/2005			
Date Prepared			09/16/2005	09/16/2005			
Preparation Method			3510C	3510C			
Date Analyzed			09/22/2005	09/22/2005			
Matrix			Aqueous	Aqueous			
Units			mg/L	mg/L			
Dilution Factor			1	1			
Analytes	**MDL**	**PQL**	**Results**	**Results**			
TPH as Diesel (C13-C22)	0.1	0.5	ND	ND			
TPH as Heavy Hydrocarbons (C23-C40)	0.1	0.5	ND	ND			
TPH Total as Diesel and Heavy HC.C13-C40	0.1	0.5	ND	ND			
Our Lab I.D.				**34603.36**			
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**			
Chlorobenzene	75-125		88	79			

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Telephone: (714)985-3434
Attn: Tom Tatnall

Page: 73

Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34603	09/15/2005	H&A

Method: 8310, Polynuclear Aromatic Hydrocarbons (SW-846)

QC Batch No: 091605

Our Lab I.D.			Method Blank	**34603.36**			
Client Sample I.D.				EB091405A			
Date Sampled				09/14/2005			
Date Prepared			09/16/2005	09/16/2005			
Preparation Method			3510C	3510C			
Date Analyzed			09/29/2005	09/29/2005			
Matrix			Aqueous	Aqueous			
Units			ug/L	ug/L			
Dilution Factor			1	1			
Analytes	**MDL**	**PQL**	**Results**	**Results**			
Benzo(a)anthracene	0.10	0.20	ND	ND			
Benzo(a)pyrene	0.10	0.20	ND	ND			
Benzo(b)fluoranthene	0.10	0.20	ND	ND			
Benzo(k)fluoranthene	0.10	0.20	ND	ND			
Chrysene	0.10	0.20	ND	ND			
Dibenzo(a,h)anthracene	0.10	0.20	ND	ND			
Indeno(1,2,3-cd)pyrene	0.10	0.20	ND	ND			
Acenaphthene	0.10	0.20	ND	ND			
Acenaphthylene	0.10	0.20	ND	ND			
Anthracene	0.10	0.20	ND	ND			
Benzo(g,h,i)perylene	0.10	0.20	ND	ND			
Fluoranthene	0.10	0.20	ND	ND			
Fluorene	0.10	0.20	ND	ND			
Naphthalene	0.10	0.20	ND	ND			
Phenanthrene	0.10	0.20	ND	ND			
Pyrene	0.10	0.20	ND	ND			
Our Lab I.D.				**34603.36**			
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**			
p-Terphenyl-D14	75-125		94	90			

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Telephone: (714)985-3434
Attn: Tom Tatnall

Page: **74**

Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34603	09/15/2005	H&A

Method: 8270C, Semivolatile Organic Compounds by GC/MS (SW-846)

QC Batch No: 092005

Our Lab I.D.			Method Blank	**34603.36**			
Client Sample I.D.				EB091405A			
Date Sampled				09/14/2005			
Date Prepared			09/20/2005	09/20/2005			
Preparation Method			3510C	3510C			
Date Analyzed			09/21/2005	09/21/2005			
Matrix			Aqueous	Aqueous			
Units			ug/L	ug/L			
Dilution Factor			1	1			
Analytes	**MDL**	**PQL**	**Results**	**Results**			
Acenaphthene	5	10	ND	ND			
Acenaphthylene	5	10	ND	ND			
Anthracene	5	10	ND	ND			
Azobenzene	5	10	ND	ND			
Benzidine	5	10	ND	ND			
Benzo(a)anthracene	5	10	ND	ND			
Benzo(a)pyrene	5	10	ND	ND			
Benzo(b)fluoranthene	5	10	ND	ND			
Benzo(g,h,i)perylene	5	10	ND	ND			
Benzo(k)fluoranthene	5	10	ND	ND			
Benzoic Acid	5	10	ND	ND			
Benzyl Alcohol	5	10	ND	ND			
Bis(2-Chloroethoxy)methane	5	10	ND	ND			
Bis(2-Chloroethyl)ether	5	10	ND	ND			
Bis(2-chloroisopropyl) ether	5	10	ND	ND			
Bis(2-ethylhexyl) phthalate	5	10	ND	ND			
4-Bromophenyl phenyl ether	5	10	ND	ND			
Butyl benzyl phthalate	5	10	ND	ND			
4-Chloro-3-methylphenol	5	10	ND	ND			
4-Chloroaniline	5	10	ND	ND			
2-Chloronaphthalene	5	10	ND	ND			
2-Chlorophenol	5	10	ND	ND			
4-Chlorophenyl phenyl ether	5	10	ND	ND			
Chrysene	5	10	ND	ND			
Di-n-butyl phthalate	5	10	ND	ND			
Di-n-octyl phthalate (Dioctyl ester)	5	10	ND	ND			
Dibenzo(a,h)anthracene	5	10	ND	ND			

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34603	09/15/2005	H&A

Method: 8270C, Semivolatile Organic Compounds by GC/MS (SW-846)

QC Batch No: 092005

Our Lab I.D.			Method Blank	**34603.36**			
Client Sample I.D.				EB091405A			
Date Sampled				09/14/2005			
Date Prepared			09/20/2005	09/20/2005			
Preparation Method			3510C	3510C			
Date Analyzed			09/21/2005	09/21/2005			
Matrix			Aqueous	Aqueous			
Units			ug/L	ug/L			
Dilution Factor			1	1			
Analytes	**MDL**	**PQL**	**Results**	**Results**			
Dibenzofuran	5	10	ND	ND			
1,2-Dichlorobenzene	5	10	ND	ND			
1,3-Dichlorobenzene	5	10	ND	ND			
1,4-Dichlorobenzene	5	10	ND	ND			
3,3'-Dichlorobenzidine	5	10	ND	ND			
2,4-Dichlorophenol	5	10	ND	ND			
Diethyl phthalate (Diethyl ester)	5	10	ND	ND			
Dimethyl phthalate (Dimethyl ester)	5	10	ND	ND			
2,4-Dimethylphenol	5	10	ND	ND			
4,6-Dinitro-2-methylphenol	5	10	ND	ND			
2,4-Dinitrophenol	5	10	ND	ND			
2,4-Dinitrotoluene	5	10	ND	ND			
2,6-Dinitrotoluene (2,6-DNT)	5	10	ND	ND			
1,2-Diphenylhydrazine	5	10	ND	ND			
Fluoranthene	5	10	ND	ND			
Fluorene	5	10	ND	ND			
Hexachlorobenzene	5	10	ND	ND			
Hexachlorobutadiene	5	10	ND	ND			
Hexachlorocyclopentadiene	5	10	ND	ND			
Hexachloroethane	5	10	ND	ND			
Indeno(1,2,3-cd)pyrene	5	10	ND	ND			
Isophorone	5	10	ND	ND			
2-Methylnaphthalene	5	10	ND	ND			
4-Methylphenol	5	10	ND	ND			
2-Methylphenol (2-Cresol)	5	10	ND	ND			
3-Methylphenol (3-Cresol)	5	10	ND	ND			
N-Nitroso-Di-n-propylamine	5	10	ND	ND			
Naphthalene	5	10	ND	ND			
2-Nitroaniline	5	10	ND	ND			
3-Nitroaniline	5	10	ND	ND			
4-Nitroaniline	5	10	ND	ND			
Nitrobenzene (NB)	5	10	ND	ND			
4-Nitrophenol	5	10	ND	ND			
2-Nitrophenol (o-Nitrophenol)	5	10	ND	ND			

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34603	09/15/2005	H&A

Method: 8270C, Semivolatile Organic Compounds by GC/MS (SW-846)

QC Batch No: 092005

Our Lab I.D.			Method Blank	**34603.36**			
Client Sample I.D.				EB091405A			
Date Sampled				09/14/2005			
Date Prepared			09/20/2005	09/20/2005			
Preparation Method			3510C	3510C			
Date Analyzed			09/21/2005	09/21/2005			
Matrix			Aqueous	Aqueous			
Units			ug/L	ug/L			
Dilution Factor			1	1			
Analytes	**MDL**	**PQL**	**Results**	**Results**			
N-Nitrosodimethylamine	5	10	ND	ND			
N-nitrosodiphenylamine	5	10	ND	ND			
Pentachlorophenol	5	10	ND	ND			
Phenanthrene	5	10	ND	ND			
Phenol	5	10	ND	ND			
Pyrene	5	10	ND	ND			
1,2,4-Trichlorobenzene	5	10	ND	ND			
2,4,5-Trichlorophenol	5	10	ND	ND			
2,4,6-Trichlorophenol	5	10	ND	ND			
Our Lab I.D.				**34603.36**			
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**			
2-Fluorophenol	25-121		46	35			
2-Fluorobiphenyl	30-115		84	81			
Nitrobenzene-d5	23-120		94	89			
Phenol-d5	24-113		33	25			
p-Terphenyl-D14	18-137		74	74			
2,4,6-Tribromophenol	19-122		94	95			

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Telephone: (714)985-3434
Attn: Tom Tatnall

Page: 77

Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34603	09/15/2005	H&A

Method: 8082, Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 091605

Our Lab I.D.			Method Blank	**34603.36**			
Client Sample I.D.				EB091405A			
Date Sampled				09/14/2005			
Date Prepared			09/16/2005	09/16/2005			
Preparation Method			3510C	3510C			
Date Analyzed			09/20/2005	09/20/2005			
Matrix			Aqueous	Aqueous			
Units			ug/L	ug/L			
Dilution Factor			1	1			
Analytes	**MDL**	**PQL**	**Results**	**Results**			
Aroclor-1016 (PCB-1016)	1.0	2.0	ND	ND			
Aroclor-1221 (PCB-1221)	2.0	4.0	ND	ND			
Aroclor-1232 (PCB-1232)	1.0	2.0	ND	ND			
Aroclor-1242 (PCB-1242)	1.0	2.0	ND	ND			
Aroclor-1248 (PCB-1248)	1.0	2.0	ND	ND			
Aroclor-1254 (PCB-1254)	1.0	2.0	ND	ND			
Aroclor-1260 (PCB-1260)	1.0	2.0	ND	ND			
Aroclor-1262 (PCB-1262)	1.0	2.0	ND	ND			
Aroclor-1268 (PCB-1268)	1.0	2.0	ND	ND			
Our Lab I.D.				**34603.36**			
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**			
Tetrachloro-m-xylene	75-125		57	71			

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Telephone: (714)985-3434
Attn: Tom Tatnall

Page: 78

Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34603	09/15/2005	H&A

Method: 6010/7000CAM, CAM Title 22 Metals (SW-846)

QC Batch No: 091605

Our Lab I.D.			Method Blank	**34603.36**			
Client Sample I.D.				EB091405A			
Date Sampled				09/14/2005			
Date Prepared			09/16/2005	09/16/2005			
Preparation Method			3005A	3005A			
Date Analyzed			09/16/2005	09/16/2005			
Matrix			Aqueous	Aqueous			
Units			mg/L	mg/L			
Dilution Factor			1	1			
Analytes	**MDL**	**PQL**	**Results**	**Results**			
Antimony	0.05	0.10	ND	ND			
Arsenic	0.05	0.10	ND	ND			
Barium	0.03	0.05	ND	ND			
Beryllium	0.01	0.05	ND	ND			
Cadmium	0.01	0.05	ND	ND			
Chromium	0.01	0.05	ND	ND			
Cobalt	0.01	0.05	ND	ND			
Copper	0.01	0.05	ND	ND			
Lead	0.05	0.10	ND	ND			
Mercury (By EPA 7470)	0.001	0.002	ND	ND			
Molybdenum	0.01	0.05	ND	ND			
Nickel	0.01	0.05	ND	ND			
Selenium	0.05	0.10	ND	ND			
Silver	0.01	0.05	ND	ND			
Thallium	0.05	0.10	ND	ND			
Vanadium	0.03	0.05	ND	ND			
Zinc	0.01	0.05	ND	ND			

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page 79
Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34603	09/15/2005	H&A

Analytes			Lead			
Methods of Analyses			6010B.LEAD			
Date Prepared			09/16/2005			
Date Analyzed			09/16/2005			
Matrix			Aqueous			
QC Batch Number			091605			
Units			mg/L			
Method Detection Limit			0.05			
Practical Quantitation Limit			0.10			
Dilution Factor			1			
Lab ID	**Sample ID**	**Sampled**	**Results**			
34603.37	EB091405B	09/14/2005	ND			
N/A	Method Blank	09/14/2005	ND			

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 80
Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34603	09/15/2005	H&A

Method: 6010/7000CAM, CAM Title 22 Metals (SW-846)

QUALITY CONTROL REPORT

QC Batch No: 091605 Sample Spiked: 34603.36 QC Prepared: 09/16/2005 QC Analyzed: 09/16/2005 Units: mg/L

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Antimony	ND	1.00	0.89	89	1.00	0.89	89	<1	80-120	<15
Arsenic	ND	1.00	0.99	99	1.00	0.99	99	<1	80-120	<15
Barium	ND	1.00	0.99	99	1.00	0.99	99	<1	80-120	<15
Beryllium	ND	1.00	0.99	99	1.00	0.99	99	<1	80-120	<15
Cadmium	ND	1.00	0.99	99	1.00	0.98	98	1.0	80-120	<15
Chromium	ND	1.00	0.98	98	1.00	0.97	97	1.0	80-120	<15
Cobalt	ND	1.00	1.00	100	1.00	0.99	99	1.0	80-120	<15
Copper	ND	1.00	0.99	99	1.00	0.99	99	<1	80-120	<15
Lead	ND	1.00	0.98	98	1.00	0.98	98	<1	80-120	<15
Mercury (By EPA 7470)	ND	0.01	0.01	106	0.01	0.01	94	12.0	80-120	<15
Molybdenum	ND	1.00	0.98	98	1.00	0.97	97	1.0	80-120	<15
Nickel	ND	1.00	0.99	99	1.00	0.99	99	<1	80-120	<15
Selenium	ND	1.00	1.04	104	1.00	1.05	105	<1	80-120	<15
Silver	ND	1.00	0.98	98	1.00	0.98	98	<1	80-120	<15
Thallium	ND	1.00	1.00	100	1.00	0.95	95	5.1	80-120	<15
Vanadium	ND	1.00	0.97	97	1.00	0.97	97	<1	80-120	<15
Zinc	ND	1.00	1.03	103	1.00	1.03	103	<1	80-120	<15

QC Batch No: 091605 Sample Spiked: 34603.36 QC Prepared: 09/16/2005 QC Analyzed: 09/16/2005 Units: mg/L

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Antimony	1.00	0.85	85	80-120						
Arsenic	1.00	0.99	99	80-120						
Barium	1.00	1.02	102	80-120						
Beryllium	1.00	0.98	98	80-120						
Cadmium	1.00	0.99	99	80-120						
Chromium	1.00	0.98	98	80-120						
Cobalt	1.00	0.99	99	80-120						
Copper	1.00	0.98	98	80-120						
Lead	1.00	0.98	98	80-120						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Page: 81
Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submittd	Client
34603	09/15/2005	H&A

Method: 6010/7000CAM, CAM Title 22 Metals (SW-846)

QC Batch No: 091605 Sample Spiked: 34603.36 QC Prepared: 09/16/2005 QC Analyzed: 09/16/2005 Units: mg/L

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Mercury (By EPA 7470)	0.01	0.01	90	80-120						
Molybdenum	1.00	0.96	96	80-120						
Nickel	1.00	0.99	99	80-120						
Selenium	1.00	1.02	102	80-120						
Silver	1.00	1.05	105	80-120						
Thallium	1.00	1.04	104	80-120						
Vanadium	1.00	0.98	98	80-120						
Zinc	1.00	1.02	102	80-120						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 82
Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34603	09/15/2005	H&A

Method: 6010B.LEAD, Lead, ICP

QUALITY CONTROL REPORT

QC Batch No: 091605 Sample Spiked: 34603.36 QC Prepared: 09/16/2005 QC Analyzed: 09/16/2005 Units: mg/L

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Lead	ND	1.00	0.98	98	1.00	0.98	98	<1	80-120	<15

QC Batch No: 091605 Sample Spiked: 34603.36 QC Prepared: 09/16/2005 QC Analyzed: 09/16/2005 Units: mg/L

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Lead	1.00	0.98	98	80-120						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 83
Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34603	09/15/2005	H&A

Method: 8082, Polychlorinated Biphenyls (PCBs) by GC

QUALITY CONTROL REPORT

QC Batch No: 091605 Sample Spiked: 091605 QC Prepared: 09/16/2005 QC Analyzed: 09/20/2005 Units: ug/L

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Aroclor-1260 (PCB-1260)	0.0	2.50	2.45	98	2.50	2.35	94	4.2	75-125	<20

QC Batch No: 091605 Sample Spiked: 091605 QC Prepared: 09/16/2005 QC Analyzed: 09/20/2005 Units: ug/L

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Aroclor-1260 (PCB-1260)	2.50	2.40	96	75-125						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 84
Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34603	09/15/2005	H&A

Method: 8260B, Volatile Organic Compounds by GC/MS (SW846)

QUALITY CONTROL REPORT

QC Batch No: 091505 Sample Spiked: 091505 QC Prepared: 09/15/2005 QC Analyzed: 09/15/2005 Units: ug/L

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Benzene	0.0	50.00	51.00	102	50.00	50.50	101	<1	75-125	<20
Chlorobenzene	0.0	50.00	50.00	100	50.00	50.50	101	<1	75-125	<20
1,1-Dichloroethene	0.0	50.00	52.50	105	50.00	51.50	103	1.9	75-125	<20
Methyl-tert-butyl ether (MTBE)	0.0	50.00	53.50	107	50.00	53.00	106	<1	75-125	<20
Toluene (Methyl benzene)	0.0	50.00	49.50	99	50.00	50.00	100	1.0	75-125	<20
Trichloroethene	0.0	50.00	51.50	103	50.00	49.00	98	5.0	75-125	<20

QC Batch No: 091505 Sample Spiked: 091505 QC Prepared: 09/15/2005 QC Analyzed: 09/15/2005 Units: ug/L

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Benzene	50.00	51.00	102	75-125						
Chlorobenzene	50.00	50.50	101	75-125						
1,1-Dichloroethene	50.00	51.50	103	75-125						
Methyl-tert-butyl ether (MTBE)	50.00	55.00	110	75-125						
Toluene (Methyl benzene)	50.00	50.00	100	75-125						
Trichloroethene	50.00	51.00	102	75-125						
LCS										
Chloroform (Trichloromethane)	50.00	54.50	109	75-125						
Ethylbenzene	50.00	52.50	105	75-125						
1,1,1-Trichloroethane	50.00	54.00	108	75-125						
o-Xylene	50.00	54.50	109	75-125						
m,p-Xylenes	100.00	107.00	107	75-125						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 85
Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34603	09/15/2005	H&A

Method: 8270C, Semivolatile Organic Compounds by GC/MS (SW-846)

QUALITY CONTROL REPORT

QC Batch No: 092005 Sample Spiked: 092005 QC Prepared: 09/20/2005 QC Analyzed: 09/21/2005 Units: ug/L

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Acenaphthene	0.0	100.00	73.00	73	100.00	72.00	72	1.4	46-118	<20
4-Chloro-3-methylphenol	0.0	200.00	160.00	80	200.00	160.00	80	<1	39-98	<20
2-Chlorophenol	0.0	200.00	130.00	65	200.00	130.00	65	<1	27-123	<20
1,4-Dichlorobenzene	0.0	100.00	65.00	65	100.00	67.00	67	3.0	36-97	<20
2,4-Dinitrotoluene	0.0	100.00	93.00	93	100.00	93.00	93	<1	24-96	<20
N-Nitroso-Di-n-propylamine	0.0	100.00	99.00	99	100.00	103.00	103	4.0	41-116	<20
4-Nitrophenol	0.0	200.00	74.00	37	200.00	74.00	37	<1	10-80	<20
Pentachlorophenol	0.0	200.00	156.00	78	200.00	152.00	76	2.6	40-125	<20
Phenol	0.0	200.00	62.00	31	200.00	60.00	30	3.3	12-98	<20
Pyrene	0.0	100.00	72.00	72	100.00	70.00	70	2.8	26-127	<20
1,2,4-Trichlorobenzene	0.0	100.00	75.00	75	100.00	77.00	77	2.6	39-98	<20

QC Batch No: 092005 Sample Spiked: 092005 QC Prepared: 09/20/2005 QC Analyzed: 09/21/2005 Units: ug/L

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Acenaphthene	100.00	74.00	74	46-118						
4-Chloro-3-methylphenol	200.00	170.00	85	39-98						
2-Chlorophenol	200.00	150.00	75	27-123						
1,4-Dichlorobenzene	100.00	75.00	75	36-97						
2,4-Dinitrotoluene	100.00	94.00	94	24-96						
N-Nitroso-Di-n-propylamine	100.00	107.00	107	41-116						
4-Nitrophenol	200.00	86.00	43	10-80						
Pentachlorophenol	200.00	160.00	80	40-125						
Phenol	200.00	76.00	38	12-98						
Pyrene	100.00	73.00	73	26-127						
1,2,4-Trichlorobenzene	100.00	84.00	84	39-98						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 86
Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34603	09/15/2005	H&A

Method: 8310, Polynuclear Aromatic Hydrocarbons (SW-846)

QUALITY CONTROL REPORT

QC Batch No: 091605 Sample Spiked: 091605 QC Prepared: 09/16/2005 QC Analyzed: 09/29/2005 Units: ug/L

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Benzo(a)anthracene	0.0	0.50	0.44	88	0.50	0.43	85	3.5	75-125	<20
Benzo(a)pyrene	0.0	0.50	0.39	77	0.50	0.47	93	18.8	75-125	<20
Naphthalene	0.0	5.00	4.20	84	5.00	4.45	89	5.8	70-120	<20

QC Batch No: 091605 Sample Spiked: 091605 QC Prepared: 09/16/2005 QC Analyzed: 09/29/2005 Units: ug/L

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Benzo(a)anthracene	0.50	0.46	92	75-125						
Benzo(a)pyrene	0.50	0.40	79	75-125						
Naphthalene	5.00	4.25	85	70-120						
LCS										
Acenaphthene	5.00	4.05	81	75-125						
Acenaphthylene	10.00	7.80	78	75-125						
Anthracene	0.50	0.49	97	75-125						
Benzo(b)fluoranthene	1.00	0.83	83	75-125						
Benzo(g,h,i)perylene	1.00	0.84	84	75-125						
Benzo(k)fluoranthene	0.50	0.42	84	75-125						
Chrysene	0.50	0.42	84	75-125						
Dibenzo(a,h)anthracene	1.00	0.81	81	75-125						
Fluoranthene	1.00	0.76	76	75-125						
Fluorene	1.00	0.94	94	75-125						
Indeno(1,2,3-cd)pyrene	0.50	0.40	80	75-125						
Phenanthrene	0.50	0.45	89	75-125						
Pyrene	0.50	0.43	85	60-110						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 87
Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34603	09/15/2005	H&A

Method: M8015D, TPH as Diesel and Heavy Hydrocarbons Using GC/FID

QUALITY CONTROL REPORT

QC Batch No: 091605 Sample Spiked: 091605 QC Prepared: 09/16/2005 QC Analyzed: 09/23/2005 Units: mg/L

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
TPH as Diesel (C13-C22)	0.0	500.00	395.00	79	500.00	400.00	80	1.3	75-125	<20

QC Batch No: 091605 Sample Spiked: 091605 QC Prepared: 09/16/2005 QC Analyzed: 09/23/2005 Units: mg/L

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
TPH as Diesel (C13-C22)	500.00	395.00	79	75-125						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 88
Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34603	09/15/2005	H&A

Method: M8015G, TPH as Gasoline and Light Hydrocarbons Using GC/FID

QUALITY CONTROL REPORT

QC Batch No: 091505 Sample Spiked: 091505 QC Prepared: 09/15/2005 QC Analyzed: 09/15/2005 Units: mg/L

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
TPH as Gasoline and Light HC. (C4-C12)	0.0	0.50	0.59	117	0.50	0.52	103	12.7	75-125	<20

QC Batch No: 091505 Sample Spiked: 091505 QC Prepared: 09/15/2005 QC Analyzed: 09/15/2005 Units: mg/L

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
TPH as Gasoline and Light HC. (C4-C12)	0.50	0.56	112	75-125						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 89
Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34603	09/15/2005	H&A

Method: (6010B.LEAD), Lead, ICP

QUALITY CONTROL REPORT

QC Batch No: 091605-1 Sample Spiked: 34603.01 QC Prepared: 09/16/2005 QC Analyzed: 09/16/2005 Units: mg/Kg

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Lead	758	1.00	758.97	97	1.00	758.97	97	<1	80-120	<15

QC Batch No: 091605-1 Sample Spiked: 34603.01 QC Prepared: 09/16/2005 QC Analyzed: 09/16/2005 Units: mg/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Lead	1.00	0.97	97	80-120						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 90
Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34603	09/15/2005	H&A

Method: (6010B/7000CAM), CAM Title 22 Metals (SW-846)

QUALITY CONTROL REPORT

QC Batch No: 091605 Sample Spiked: 34602.01 QC Prepared: 09/16/2005 QC Analyzed: 09/16/2005 Units: mg/Kg

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Antimony	0.383	1.00	1.25	87	1.00	1.28	90	3.4	80-120	<15
Arsenic	0.304	1.00	1.24	94	1.00	1.22	92	2.2	80-120	<15
Barium	1.72	1.00	2.65	93	1.00	2.65	93	<1	80-120	<15
Beryllium	ND	1.00	0.91	91	1.00	0.91	91	<1	80-120	<15
Cadmium	ND	1.00	0.93	93	1.00	0.94	94	1.1	80-120	<15
Chromium	0.336	1.00	1.26	92	1.00	1.26	92	<1	80-120	<15
Cobalt	0.145	1.00	1.07	92	1.00	1.08	93	1.1	80-120	<15
Copper	0.407	1.00	1.47	106	1.00	1.48	107	<1	80-120	<15
Lead	33.5	1.00	34.46	96	1.00	34.47	97	1.0	80-120	<15
Mercury (By EPA 7471)	0.002	0.01	0.01	100	0.01	0.01	100	<1	80-120	<15
Molybdenum	0.068	1.00	1.00	93	1.00	1.01	94	1.1	80-120	<15
Nickel	0.193	1.00	1.10	91	1.00	1.11	92	1.1	80-120	<15
Selenium	ND	1.00	0.81	81	1.00	0.83	83	2.4	80-120	<15
Silver	ND	1.00	1.04	104	1.00	1.05	105	<1	80-120	<15
Thallium	ND	1.00	0.82	82	1.00	0.81	81	1.2	80-120	<15
Vanadium	0.607	1.00	1.54	93	1.00	1.55	94	1.1	80-120	<15
Zinc	1.69	1.00	2.58	89	1.00	2.59	90	1.1	80-120	<15

QC Batch No: 091605 Sample Spiked: 34602.01 QC Prepared: 09/16/2005 QC Analyzed: 09/16/2005 Units: mg/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Antimony	1.00	0.87	87	80-120						
Arsenic	1.00	0.99	99	80-120						
Barium	1.00	1.01	101	80-120						
Beryllium	1.00	0.99	99	80-120						
Cadmium	1.00	0.98	98	80-120						
Chromium	1.00	0.97	97	80-120						
Cobalt	1.00	0.98	98	80-120						
Copper	1.00	0.96	96	80-120						
Lead	1.00	0.96	96	80-120						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Page: 91
Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submittd	Client
34603	09/15/2005	H&A

Method: (6010B/7000CAM), CAM Title 22 Metals (SW-846)

QC Batch No: 091605 Sample Spiked: 34602.01 QC Prepared: 09/16/2005 QC Analyzed: 09/16/2005 Units: mg/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Mercury (By EPA 7471)	0.01	0.01	93	80-120						
Molybdenum	1.00	0.96	96	80-120						
Nickel	1.00	0.98	98	80-120						
Selenium	1.00	1.03	103	80-120						
Silver	1.00	1.04	104	80-120						
Thallium	1.00	0.94	94	80-120						
Vanadium	1.00	0.97	97	80-120						
Zinc	1.00	1.02	102	80-120						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 92
Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34603	09/15/2005	H&A

Method: (6010B/7000CAM), CAM Title 22 Metals (SW-846)

QUALITY CONTROL REPORT

QC Batch No: 091605-1 Sample Spiked: 34603.01 QC Prepared: 09/16/2005 QC Analyzed: 09/16/2005 Units: mg/Kg

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Antimony	39.5	1.00	40.35	85	1.00	40.32	82	3.6	80-120	<15
Arsenic	1.74	1.00	2.63	89	1.00	2.71	97	8.6	80-120	<15
Barium	1.03	1.00	1.96	93	1.00	1.97	94	1.1	80-120	<15
Beryllium	ND	1.00	0.91	91	1.00	0.92	92	1.1	80-120	<15
Cadmium	ND	1.00	0.90	90	1.00	0.91	91	1.1	80-120	<15
Chromium	0.171	1.00	1.06	89	1.00	1.06	89	<1	80-120	<15
Cobalt	0.073	1.00	0.97	90	1.00	0.98	91	1.1	80-120	<15
Copper	0.656	1.00	1.66	100	1.00	1.66	100	<1	80-120	<15
Lead	758	1.00	758.97	97	1.00	758.97	97	<1	80-120	<15
Mercury (By EPA 7471)	0.002	0.01	0.01	100	0.01	0.01	100	<1	80-120	<15
Molybdenum	ND	1.00	0.94	94	1.00	0.95	95	1.1	80-120	<15
Nickel	0.153	1.00	1.04	89	1.00	1.06	91	2.2	80-120	<15
Selenium	ND	1.00	0.84	84	1.00	0.85	85	1.2	80-120	<15
Silver	ND	1.00	1.01	101	1.00	1.02	102	<1	80-120	<15
Thallium	ND	1.00	0.86	86	1.00	0.80	80	7.2	80-120	<15
Vanadium	0.252	1.00	1.16	91	1.00	1.17	92	1.1	80-120	<15
Zinc	0.931	1.00	1.82	89	1.00	1.83	90	1.1	80-120	<15

QC Batch No: 091605-1 Sample Spiked: 34603.01 QC Prepared: 09/16/2005 QC Analyzed: 09/16/2005 Units: mg/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Antimony	1.00	0.85	85	80-120						
Arsenic	1.00	0.96	96	80-120						
Barium	1.00	1.02	102	80-120						
Beryllium	1.00	0.98	98	80-120						
Cadmium	1.00	0.98	98	80-120						
Chromium	1.00	0.97	97	80-120						
Cobalt	1.00	0.98	98	80-120						
Copper	1.00	0.96	96	80-120						
Lead	1.00	0.97	97	80-120						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Page: 93
Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submittd	Client
34603	09/15/2005	H&A

Method: (6010B/7000CAM), CAM Title 22 Metals (SW-846)

QC Batch No: 091605-1 Sample Spiked: 34603.01 QC Prepared: 09/16/2005 QC Analyzed: 09/16/2005 Units: mg/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Mercury (By EPA 7471)	0.01	0.01	93	80-120						
Molybdenum	1.00	0.96	96	80-120						
Nickel	1.00	0.99	99	80-120						
Selenium	1.00	1.05	105	80-120						
Silver	1.00	1.04	104	80-120						
Thallium	1.00	0.86	86	80-120						
Vanadium	1.00	0.97	97	80-120						
Zinc	1.00	1.03	103	80-120						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 94
Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34603	09/15/2005	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QUALITY CONTROL REPORT

QC Batch No: 091505 Sample Spiked: 091505 QC Prepared: 09/15/2005 QC Analyzed: 09/16/2005 Units: mg/Kg

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Aroclor-1260 (PCB-1260)	0.0	500.00	575.00	115	500.00	595.00	119	3.4	75-125	<20

QC Batch No: 091505 Sample Spiked: 091505 QC Prepared: 09/15/2005 QC Analyzed: 09/16/2005 Units: mg/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Aroclor-1260 (PCB-1260)	500.00	470.00	94	75-125						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 95
Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34603	09/15/2005	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QUALITY CONTROL REPORT

QC Batch No: 092105 Sample Spiked: 092105 QC Prepared: 09/21/2005 QC Analyzed: 09/21/2005 Units: mg/Kg

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Aroclor-1260 (PCB-1260)	0.0	500.00	495.00	99	500.00	525.00	105	5.9	75-125	<20

QC Batch No: 092105 Sample Spiked: 092105 QC Prepared: 09/21/2005 QC Analyzed: 09/21/2005 Units: mg/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Aroclor-1260 (PCB-1260)	500.00	500.00	100	75-125						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 96
Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34603	09/15/2005	H&A

Method: (8260B), Volatile Organic Compounds by GC/MS (SW846)

QUALITY CONTROL REPORT

QC Batch No: 091505 Sample Spiked: 091505 QC Prepared: 09/15/2005 QC Analyzed: 09/15/2005 Units: ug/Kg

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Benzene	0.0	50.00	49.00	98	50.00	51.00	102	4.0	75-125	<20
Chlorobenzene	0.0	50.00	43.50	87	50.00	46.50	93	6.7	75-125	<20
1,1-Dichloroethene	0.0	50.00	56.50	113	50.00	56.00	112	<1	75-125	<20
Methyl-tert-butyl ether (MTBE)	0.0	50.00	39.50	79	50.00	40.50	81	2.5	75-125	<20
Toluene (Methyl benzene)	0.0	50.00	56.00	112	50.00	59.00	118	5.2	75-125	<20
Trichloroethene	0.0	50.00	45.50	91	50.00	47.00	94	3.2	75-125	<20

QC Batch No: 091505 Sample Spiked: 091505 QC Prepared: 09/15/2005 QC Analyzed: 09/15/2005 Units: ug/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Benzene	50.00	61.00	122	75-125						
Chlorobenzene	50.00	50.00	100	75-125						
1,1-Dichloroethene	50.00	59.00	118	75-125						
Methyl-tert-butyl ether (MTBE)	50.00	43.50	87	75-125						
Toluene (Methyl benzene)	50.00	60.00	120	75-125						
Trichloroethene	50.00	56.00	112	75-125						
LCS										
Chloroform (Trichloromethane)	50.00	59.00	118	75-125						
Ethylbenzene	50.00	58.00	116	75-125						
1,1,1-Trichloroethane	50.00	61.50	123	75-125						
o-Xylene	50.00	53.50	107	75-125						
m,p-Xylenes	100.00	108.00	108	75-125						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 97
Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34603	09/15/2005	H&A

Method: (8260B), Volatile Organic Compounds by GC/MS (SW846)

QUALITY CONTROL REPORT

QC Batch No: 091605 Sample Spiked: 34603.14 QC Prepared: 09/16/2005 QC Analyzed: 09/16/2005 Units: ug/Kg

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Benzene	0.0	50.00	42.50	85	50.00	46.50	93	9.0	75-125	<20
Chlorobenzene	0.0	50.00	37.50	75	50.00	38.00	76	1.3	75-125	<20
1,1-Dichloroethene	0.0	50.00	55.00	110	50.00	50.00	100	9.5	75-125	<20
Methyl-tert-butyl ether (MTBE)	0.0	50.00	50.00	100	50.00	50.00	100	<1	75-125	<20
Toluene (Methyl benzene)	0.0	50.00	49.50	99	50.00	48.00	96	3.1	75-125	<20
Trichloroethene	0.0	50.00	40.50	81	50.00	39.00	78	3.8	75-125	<20

QC Batch No: 091605 Sample Spiked: 34603.14 QC Prepared: 09/16/2005 QC Analyzed: 09/16/2005 Units: ug/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Benzene	50.00	59.00	118	75-125						
Chlorobenzene	50.00	51.50	103	75-125						
1,1-Dichloroethene	50.00	62.00	124	75-125						
Methyl-tert-butyl ether (MTBE)	50.00	48.00	96	75-125						
Toluene (Methyl benzene)	50.00	52.50	105	75-125						
Trichloroethene	50.00	55.50	111	75-125						
LCS										
Chloroform (Trichloromethane)	50.00	54.00	108	75-125						
Ethylbenzene	50.00	55.50	111	75-125						
1,1,1-Trichloroethane	50.00	57.50	115	75-125						
o-Xylene	50.00	53.50	107	75-125						
m,p-Xylenes	100.00	107.00	107	75-125						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 98
Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34603	09/15/2005	H&A

Method: (8270C), Semivolatile Organic Compounds by GC/MS (SW-846)

QUALITY CONTROL REPORT

QC Batch No: 091505 Sample Spiked: 34603.02 QC Prepared: 09/15/2005 QC Analyzed: 09/16/2005 Units: mg/Kg

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Acenaphthene	0.0	100.00	64.00	64	100.00	57.00	57	11.6	46-118	<20
4-Chloro-3-methylphenol	0.0	200.00	134.00	67	200.00	122.00	61	9.4	39-98	<20
2-Chlorophenol	0.0	200.00	116.00	58	200.00	110.00	55	5.3	27-123	<20
1,4-Dichlorobenzene	0.0	100.00	62.00	62	100.00	59.00	59	5.0	36-97	<20
2,4-Dinitrotoluene	0.0	100.00	63.00	63	100.00	55.00	55	13.6	24-96	<20
N-Nitroso-Di-n-propylamine	0.0	100.00	84.00	84	100.00	75.00	75	11.3	41-116	<20
4-Nitrophenol	0.0	200.00	112.00	56	200.00	98.00	49	13.3	10-80	<20
Pentachlorophenol	0.0	200.00	104.00	52	200.00	92.00	46	12.2	40-125	<20
Phenol	0.0	200.00	118.00	59	200.00	112.00	56	5.2	12-89	<20
Pyrene	0.0	100.00	71.00	71	100.00	66.00	66	7.3	26-127	<20
1,2,4-Trichlorobenzene	0.0	100.00	71.00	71	100.00	66.00	66	7.3	39-98	<20

QC Batch No: 091505 Sample Spiked: 34603.02 QC Prepared: 09/15/2005 QC Analyzed: 09/16/2005 Units: mg/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Acenaphthene	100.00	73.00	73	31-137						
4-Chloro-3-methylphenol	200.00	150.00	75	40-99						
2-Chlorophenol	200.00	128.00	64	25-102						
1,4-Dichlorobenzene	100.00	68.00	68	28-104						
2,4-Dinitrotoluene	100.00	74.00	74	28-89						
N-Nitroso-Di-n-propylamine	100.00	91.00	91	41-126						
4-Nitrophenol	200.00	124.00	62	11-114						
Pentachlorophenol	200.00	116.00	58	17-125						
Phenol	200.00	130.00	65	26-90						
Pyrene	100.00	80.00	80	35-142						
1,2,4-Trichlorobenzene	100.00	79.00	79	38-107						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 99
Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34603	09/15/2005	H&A

Method: (8310), Polynuclear Aromatic Hydrocarbons (SW-846)

QUALITY CONTROL REPORT

QC Batch No: 091505 Sample Spiked: 32603.33 QC Prepared: 09/15/2005 QC Analyzed: 09/15/2005 Units: mg/Kg

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Benzo(a)anthracene	0.0	0.05	0.05	94	0.05	0.04	80	16.1	75-125	<20
Benzo(a)pyrene	0.0	0.05	0.05	91	0.05	0.04	81	11.6	75-125	<20
Naphthalene	0.0	0.50	0.42	84	0.50	0.40	79	6.1	75-125	<20

QC Batch No: 091505 Sample Spiked: 32603.33 QC Prepared: 09/15/2005 QC Analyzed: 09/15/2005 Units: mg/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Benzo(a)anthracene	0.05	0.04	84	75-125						
Benzo(a)pyrene	0.05	0.05	95	75-125						
Naphthalene	0.50	0.43	85	75-125						
LCS										
Acenaphthene	0.50	0.44	87	75-125						
Acenaphthylene	1.00	0.93	93	75-125						
Anthracene	0.05	0.06	112	75-125						
Benzo(b)fluoranthene	0.10	0.09	90	75-125						
Benzo(g,h,i)perylene	0.10	0.09	93	75-125						
Benzo(k)fluoranthene	0.05	0.05	96	75-125						
Chrysene	0.05	0.05	98	75-125						
Dibenzo(a,h)anthracene	0.10	0.10	95	75-125						
Fluoranthene	0.10	0.09	86	75-125						
Fluorene	0.10	0.09	91	75-125						
Indeno(1,2,3-cd)pyrene	0.05	0.04	82	75-125						
Phenanthrene	0.05	0.05	97	75-125						
Pyrene	0.05	0.04	87	75-125						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 100
Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34603	09/15/2005	H&A

Method: (M8015D), TPH as Diesel and Heavy Hydrocarbons Using GC/FID

QUALITY CONTROL REPORT

QC Batch No: 091505 Sample Spiked: 091505 QC Prepared: 09/15/2005 QC Analyzed: 09/16/2005 Units: mg/Kg

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
TPH as Diesel (C13-C22)	0.0	500.00	440.00	88	500.00	435.00	87	1.1	75-125	<20

QC Batch No: 091505 Sample Spiked: 091505 QC Prepared: 09/15/2005 QC Analyzed: 09/16/2005 Units: mg/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
TPH as Diesel (C13-C22)	500.00	440.00	88	75-125						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: **101**
Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34603	09/15/2005	H&A

Method: (M8015G), TPH as Gasoline and Light Hydrocarbons Using GC/FID

QUALITY CONTROL REPORT

QC Batch No: 091505 Sample Spiked: 34603.29 QC Prepared: 09/15/2005 QC Analyzed: 09/15/2005 Units: mg/Kg

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
TPH as Gasoline and Light HC. (C4-C12)	0.0	2.50	2.10	84	2.50	2.00	80	4.9	75-125	<20

QC Batch No: 091505 Sample Spiked: 34603.29 QC Prepared: 09/15/2005 QC Analyzed: 09/15/2005 Units: mg/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
TPH as Gasoline and Light HC. (C4-C12)	2.50	2.00	80	75-125						

American Environmental Testing Laboratory Inc.
2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

Data Qualifiers and Descriptors

Data Qualifier:

*:	In the QC section, sample results have been taken directly from the ICP reading. No preparation factor has been applied.
B:	Analyte was present in the Method Blank.
D:	Result is from a diluted analysis.
E:	Result is beyond calibration limits and is estimated.
H:	Analysis was performed over the allowed holding time due to circumstances which were beyond laboratory control.
J:	Analyte was detected . However, the analyte concentration is an estimated value, which is between the Method Detection Limit (MDL) and the Practical Quantitation Limit (PQL).
M:	Matrix spike recovery is outside control limits due to matrix interference. Laboratory Control Sample recovery was acceptable.
S6:	Surrogate recovery is outside control limits due to matrix interference.
S8:	The analysis of the sample required a dilution such that the surrogate concentration was diluted below the method acceptance criteria.
X:	Results represent LCS and LCSD data.

Definition:

%Limi:	Percent acceptable limits.
%REC:	Percent recovery.
Con.L:	Acceptable Control Limits
Conce:	Added concentration to the sample.
LCS:	Laboratory Control Sample
MDL:	Method Detection Limit is a statistically derived number which is specific for each instrument, each method, and each compound. It indicates a distinctively detectable quantity with 99% probability.
MS:	Matrix Spike
MS DU:	Matrix Spike Duplicate

American Environmental Testing Laboratory Inc.
2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

Data Qualifiers and Descriptors

ND:	Analyte was not detected in the sample at or above MDL.
PQL:	Practical Quantitation Limit or ML (Minimum Level as per RWQCB) is the minimum concentration that can be quantified with more than 99% confidence. Taking into account all aspects of the entire analytical instrumentation and practice.
Recov:	Recovered concentration in the sample.
RPD:	Relative Percent Difference

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

RECEIVED

OCT 0 5 2005

Haley & Aldrich, Inc.

Ordered By

Haley & Aldrich
500 South Kraemer Blvd. Suite 370
Brea, CA 92821-6723

Telephone: (714) 985-3434
Attention: Tom Tatnall

Number of Pages	42
Date Received	09/16/2005
Date Reported	09/20/2005

Job Number	Order Date	Client
34634	09/16/2005	H&A

Project ID: 32486-000
Project Name: Delphi System Corp.
Site: 1201 N. Magnolia Avenue
Anaheim, CA 92801

Enclosed please find results of analyses of 2 water and 3 soil samples which were analyzed as specified on the attached chain of custody. If there are any questions, please do not hesitate to call.

Checked By: _____ Approved By:

Cyrus Razmara, Ph.D.
Laboratory Director

American Environmental Testing Laboratory Inc.
2834 North Naomi Street Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840

CHAIN OF CUSTODY RECORD

№ 38054

AETL JOB No. 34634

Page 1 of 1

COMPANY: Haley & Aldrich
PHONE: 714-985-3434
PROJECT MANAGER: Tom Tatnall
FAX: 714-985-3433
PROJECT NAME: Delphi
PROJECT #: 32486-000
SITE NAME AND ADDRESS: 1201 N. Magnolia Ave, Anaheim

ANALYSIS REQUESTED

	SAMPLE ID	LAB ID	DATE	TIME	MATRIX	CONTAINER NUMBER/SIZE	PRES.	8260B VOC's	SVOC's	TPH-cc 8015	PCB's 8082	PAH's	Cam 17 Metals	Hold				TEST INSTRUCTIONS & COMMENTS
1	GS0001_SS_	0000-01	9-16-05	0745	Soil	(4) 4oz jars + (4) VOA's for VOC's		X	X	X	X	X	X					34634.01
2		-0002-01		0755										X				34634.02
3		-0003-01		0805				X	X	X	X	X	X					34634.03
4		-0005-01		0815		(3)								X				34634.04
5	EB091605			0915	H_2O	(4) Amber 1L Poly (2) VOA's		X	X	X	X	X	X					34634.05
6	GS0002_SS	0002-01		0945	Soil	(3) 4oz jars + (4) VOA's for VOC's		X	X	X	X	X	X					34634.06
7	Trip Blank				H_2O	(2) VOA's	HCL	X										34634.07
8																		
9																		
10																		
11																		
12																		
13																		
14																		
15																		

SAMPLE RECEIPT - TO BE FILLED BY LABORATORY

TOTAL NUMBER OF CONTAINERS		PROPERLY COOLED (Y / N / NA)	
CUSTODY SEALS Y / N / NA		SAMPLES INTACT (Y / N / NA)	
RECEIVED IN GOOD COND. (Y / N)		SAMPLES ACCEPTED (Y / N)	

TURN AROUND TIME

☐ NORMAL ☒ RUSH ☐ SAME DAY ☐ 24 HRS. ☒ 48 HRS. ☐ 72 HRS.

RELINQUISHED BY SAMPLER: 1.	RELINQUISHED BY: 2.	RELINQUISHED BY: 3.
Signature: Glenn Andrasko	Signature:	Signature:
Printed Name: Glenn Andrasko	Printed Name:	Printed Name: Argisht
Date: 9-16-05 Time: 1030	Date: Time:	Date: 9/16/05 Time: 1350
RECEIVED BY: 1.	RECEIVED BY: 2.	RECEIVED BY LABORATORY: 3.
Signature:	Signature:	Signature:
Printed Name: Argisht	Printed Name:	Printed Name:
Date: 9/16/05 Time: 1430	Date: Time:	Date: 09/16/05 Time: 13:50

DISTRIBUTION: WHITE - Laboratory, CANARY - Laboratory, PINK - Project/Account Manager, YELLOW - Sampler/Originator

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Telephone: (714)985-3434
Attn: Tom Tatnall

Page: 2

Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34634	09/16/2005	H&A

Method: (8260B), Volatile Organic Compounds by GC/MS (SW846)

QC Batch No: 092005

Our Lab I.D.			Method Blank	**34634.01**	**34634.03**	**34634.06**
Client Sample I.D.				GS0001-SS-0000-01	GS0001-SS-0003-01	GS0002-SS-0002-01
Date Sampled				09/16/2005	09/16/2005	09/16/2005
Date Prepared			09/20/2005	09/20/2005	09/20/2005	09/20/2005
Preparation Method			5035A	5035A	5035A	5035A
Date Analyzed			09/20/2005	09/20/2005	09/20/2005	09/20/2005
Matrix			Soil	Soil	Soil	Soil
Units			ug/Kg	ug/Kg	ug/Kg	ug/Kg
Dilution Factor			1	1	1	1
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**	**Results**
Acetone	25	50	ND	184	1,340	ND
Benzene	2.0	10.0	ND	ND	ND	ND
Bromobenzene (Phenyl bromide)	5.0	10.0	ND	ND	ND	ND
Bromochloromethane	5.0	10.0	ND	ND	ND	ND
Bromodichloromethane	5.0	10.0	ND	ND	ND	ND
Bromoform (Tribromomethane)	25	50	ND	ND	ND	ND
Bromomethane (Methyl bromide)	15	30	ND	ND	ND	ND
2-Butanone (MEK)	25	50	ND	36.0J	81.1	ND
n-Butylbenzene	5.0	10.0	ND	ND	ND	ND
sec-Butylbenzene	5.0	10.0	ND	ND	ND	ND
tert-Butylbenzene	5.0	10.0	ND	ND	ND	ND
Carbon Disulfide	25	50	ND	ND	ND	ND
Carbon tetrachloride	5.0	10.0	ND	ND	ND	ND
Chlorobenzene	5.0	10.0	ND	ND	ND	ND
Chloroethane	15	30	ND	ND	ND	ND
2-Chloroethyl vinyl ether	50	50	ND	ND	ND	ND
Chloroform (Trichloromethane)	5.0	10.0	ND	ND	ND	ND
Chloromethane (Methyl chloride)	15	30	ND	ND	ND	ND
2-Chlorotoluene	5.0	10.0	ND	ND	ND	ND
4-Chlorotoluene	5.0	10.0	ND	ND	ND	ND
1,2-Dibromo-3-chloropropane (DBCP)	25	50	ND	ND	ND	ND
Dibromochloromethane	5.0	10.0	ND	ND	ND	ND
1,2-Dibromoethane (EDB)	5.0	10.0	ND	ND	ND	ND
Dibromomethane	5.0	10.0	ND	ND	ND	ND
1,2-Dichlorobenzene	5.0	10.0	ND	ND	ND	ND
1,3-Dichlorobenzene	5.0	10.0	ND	ND	ND	ND

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Page: 3

Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34634	09/16/2005	H&A

Method: (8260B), Volatile Organic Compounds by GC/MS (SW846)

QC Batch No: 092005

Our Lab I.D.			Method Blank	**34634.01**	**34634.03**	**34634.06**
Client Sample I.D.				GS0001-SS-0 000-01	GS0001-SS-0 003-01	GS0002-SS-0 002-01
Date Sampled				09/16/2005	09/16/2005	09/16/2005
Date Prepared			09/20/2005	09/20/2005	09/20/2005	09/20/2005
Preparation Method			5035A	5035A	5035A	5035A
Date Analyzed			09/20/2005	09/20/2005	09/20/2005	09/20/2005
Matrix			Soil	Soil	Soil	Soil
Units			ug/Kg	ug/Kg	ug/Kg	ug/Kg
Dilution Factor			1	1	1	1
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**	**Results**
1,4-Dichlorobenzene	5.0	10.0	ND	ND	ND	ND
Dichlorodifluoromethane	15	30	ND	ND	ND	ND
1,1-Dichloroethane	5.0	10.0	ND	24.0	ND	ND
1,2-Dichloroethane (EDC)	5.0	10.0	ND	ND	ND	ND
1,1-Dichloroethene	5.0	10.0	ND	21.8	ND	ND
cis-1,2-Dichloroethene	5.0	10.0	ND	ND	ND	ND
trans-1,2-Dichloroethene	5.0	10.0	ND	ND	ND	ND
1,2-Dichloropropane	5.0	10.0	ND	ND	ND	ND
1,3-Dichloropropane	5.0	10.0	ND	ND	ND	ND
2,2-Dichloropropane	5.0	10.0	ND	ND	ND	ND
1,1-Dichloropropene	5.0	10.0	ND	ND	ND	ND
cis-1,3-Dichloropropene	5.0	10.0	ND	ND	ND	ND
trans-1,3-Dichloropropene	5.0	10.0	ND	ND	ND	ND
Ethylbenzene	2.0	10.0	ND	ND	ND	ND
Hexachlorobutadiene	15	30	ND	ND	ND	ND
2-Hexanone	25	50	ND	ND	ND	ND
Isopropylbenzene	5.0	10.0	ND	ND	ND	ND
p-Isopropyltoluene	5.0	10.0	ND	ND	ND	ND
4-Methyl-2-pentanone (MIBK)	25	50	ND	ND	ND	ND
Methyl-tert-butyl ether (MTBE)	5.0	10.0	ND	ND	ND	ND
Methylene chloride (DCM)	25	50	ND	ND	ND	ND
Naphthalene	5.0	10.0	ND	15.7	ND	ND
n-Propylbenzene	5.0	10.0	ND	ND	ND	ND
Styrene	5.0	10.0	ND	ND	ND	ND
1,1,1,2-Tetrachloroethane	5.0	10.0	ND	ND	ND	ND
1,1,2,2-Tetrachloroethane	5.0	10.0	ND	ND	ND	ND
Tetrachloroethene	5.0	10.0	ND	ND	ND	ND
Toluene (Methyl benzene)	2.0	10.0	ND	2.8J	ND	ND
1,2,3-Trichlorobenzene	5.0	10.0	ND	ND	ND	ND
1,2,4-Trichlorobenzene	5.0	10.0	ND	ND	ND	ND
1,1,1-Trichloroethane	5.0	10.0	ND	ND	ND	ND
1,1,2-Trichloroethane	5.0	10.0	ND	ND	ND	ND
Trichloroethene	5.0	10.0	ND	ND	ND	ND

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34634	09/16/2005	H&A

Method: (8260B), Volatile Organic Compounds by GC/MS (SW846)

QC Batch No: 092005

Our Lab I.D.			Method Blank	**34634.01**	**34634.03**	**34634.06**
Client Sample I.D.				GS0001-SS-0000-01	GS0001-SS-0003-01	GS0002-SS-0002-01
Date Sampled				09/16/2005	09/16/2005	09/16/2005
Date Prepared			09/20/2005	09/20/2005	09/20/2005	09/20/2005
Preparation Method			5035A	5035A	5035A	5035A
Date Analyzed			09/20/2005	09/20/2005	09/20/2005	09/20/2005
Matrix			Soil	Soil	Soil	Soil
Units			ug/Kg	ug/Kg	ug/Kg	ug/Kg
Dilution Factor			1	1	1	1
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**	**Results**
Trichlorofluoromethane	5.0	10.0	ND	ND	ND	ND
1,2,3-Trichloropropane	5.0	10.0	ND	ND	ND	ND
1,2,4-Trimethylbenzene	5.0	10.0	ND	ND	ND	ND
1,3,5-Trimethylbenzene	5.0	10.0	ND	ND	ND	ND
Vinyl Acetate	25	50	ND	ND	ND	ND
Vinyl chloride (Chloroethene)	15	30	ND	ND	ND	ND
o-Xylene	2.0	10.0	ND	ND	ND	ND
m,p-Xylenes	2.0	20.0	ND	ND	ND	ND
Our Lab I.D.				**34634.01**	**34634.03**	**34634.06**
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**	**% Rec.**	**% Rec.**
Bromofluorobenzene	75-125		123	100	111	115
Dibromofluoromethane	75-125		110	116	116	122
Toluene-d8	75-125		106	93	98	99

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Telephone: (714)985-3434
Attn: Tom Tatnall

Page: 5

Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34634	09/16/2005	H&A

Method: (M8015G), TPH as Gasoline and Light Hydrocarbons Using GC/FID

QC Batch No: 091905

Our Lab I.D.			Method Blank	**34634.01**	**34634.03**	**34634.06**
Client Sample I.D.				GS0001-SS-0000-01	GS0001-SS-0003-01	GS0002-SS-0002-01
Date Sampled				09/16/2005	09/16/2005	09/16/2005
Date Prepared			09/19/2005	09/19/2005	09/19/2005	09/19/2005
Preparation Method			5030B	5030B	5030B	5030B
Date Analyzed			09/19/2005	09/19/2005	09/19/2005	09/19/2005
Matrix			Soil	Soil	Soil	Soil
Units			mg/Kg	mg/Kg	mg/Kg	mg/Kg
Dilution Factor			1	1	1	1
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**	**Results**
TPH as Gasoline and Light HC. (C4-C12)	0.500	1.000	ND	3.00	ND	ND
Our Lab I.D.				**34634.01**	**34634.03**	**34634.06**
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**	**% Rec.**	**% Rec.**
Bromofluorobenzene	75-125		93	99	< 75 S6	99

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Telephone: (714)985-3434
Attn: Tom Tatnall

Page: 6

Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34634	09/16/2005	H&A

Method: (M8015D), TPH as Diesel and Heavy Hydrocarbons Using GC/FID

QC Batch No: 091905

Our Lab I.D.			Method Blank	**34634.01**	**34634.03**	**34634.06**
Client Sample I.D.				GS0001-SS-0000-01	GS0001-SS-0003-01	GS0002-SS-0002-01
Date Sampled				09/16/2005	09/16/2005	09/16/2005
Date Prepared			09/19/2005	09/19/2005	09/19/2005	09/19/2005
Preparation Method			3550B	3550B	3550B	3550B
Date Analyzed			09/19/2005	09/19/2005	09/19/2005	09/19/2005
Matrix			Soil	Soil	Soil	Soil
Units			mg/Kg	mg/Kg	mg/Kg	mg/Kg
Dilution Factor			1	1	1	1
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**	**Results**
TPH as Diesel (C13-C22)	5.0	10.0	ND	1,790	ND	ND
TPH as Heavy Hydrocarbons (C23-C40)	5.0	10.0	ND	1,880	ND	ND
TPH Total as Diesel and Heavy HC.C13-C40	5.0	10.0	ND	3,670	ND	ND
Our Lab I.D.				**34634.01**	**34634.03**	**34634.06**
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**	**% Rec.**	**% Rec.**
Chlorobenzene	75-125		102	92	98	100

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Telephone: (714)985-3434
Attn: Tom Tatnall

Page: 7

Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34634	09/16/2005	H&A

Method: (8310), Polynuclear Aromatic Hydrocarbons (SW-846)

QC Batch No: 091905

Our Lab I.D.			Method Blank	**34634.01**	**34634.03**	**34634.06**
Client Sample I.D.				GS0001-SS-0000-01	GS0001-SS-0003-01	GS0002-SS-0002-01
Date Sampled				09/16/2005	09/16/2005	09/16/2005
Date Prepared			09/19/2005	09/19/2005	09/19/2005	09/19/2005
Preparation Method			3550B	3550B	3550B	3550B
Date Analyzed			09/19/2005	09/19/2005	09/19/2005	09/19/2005
Matrix			Soil	Soil	Soil	Soil
Units			mg/Kg	mg/Kg	mg/Kg	mg/Kg
Dilution Factor			1	1	1	1
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**	**Results**
Benzo(a)anthracene	0.010	0.020	ND	0.354	ND	ND
Benzo(a)pyrene	0.010	0.020	ND	0.079	ND	ND
Benzo(b)fluoranthene	0.010	0.020	ND	0.146	ND	ND
Benzo(k)fluoranthene	0.010	0.020	ND	0.085	ND	ND
Chrysene	0.010	0.020	ND	0.321	ND	ND
Dibenzo(a,h)anthracene	0.010	0.020	ND	ND	ND	ND
Indeno(1,2,3-cd)pyrene	0.010	0.020	ND	ND	ND	ND
Acenaphthene	0.010	0.020	ND	0.429	ND	ND
Acenaphthylene	0.010	0.020	ND	ND	ND	ND
Anthracene	0.010	0.020	ND	ND	ND	ND
Benzo(g,h,i)perylene	0.010	0.020	ND	0.070	ND	ND
Fluoranthene	0.010	0.020	ND	ND	ND	ND
Fluorene	0.010	0.020	ND	0.567	ND	ND
Naphthalene	0.010	0.020	ND	0.238	ND	ND
Phenanthrene	0.010	0.020	ND	0.567	ND	ND
Pyrene	0.010	0.020	ND	0.504	ND	ND

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34634	09/16/2005	H&A

Method: (8310), Polynuclear Aromatic Hydrocarbons (SW-846)

Our Lab I.D.				**34634.01**	**34634.03**	**34634.06**	
Surrogates	%Rec.Limit		% Rec.	% Rec.	% Rec.	% Rec.	
p-Terphenyl-D14	75-125		99	> 125 S6	98	98	

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Telephone: (714)985-3434
Attn: Tom Tatnall

Page: 9

Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34634	09/16/2005	H&A

Method: (8270C), Semivolatile Organic Compounds by GC/MS (SW-846)

QC Batch No: 091905

Our Lab I.D.			Method Blank	**34634.01**	**34634.03**	**34634.06**
Client Sample I.D.				GS0001-SS-0 000-01	GS0001-SS-0 003-01	GS0002-SS-0 002-01
Date Sampled				09/16/2005	09/16/2005	09/16/2005
Date Prepared			09/19/2005	09/19/2005	09/19/2005	09/19/2005
Preparation Method			3550B	3550B	3550B	3550B
Date Analyzed			09/20/2005	09/20/2005	09/20/2005	09/20/2005
Matrix			Soil	Soil	Soil	Soil
Units			mg/Kg	mg/Kg	mg/Kg	mg/Kg
Dilution Factor			1	1	1	1
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**	**Results**
Acenaphthene	0.25	0.50	ND	0.267J	ND	ND
Acenaphthylene	0.25	0.50	ND	ND	ND	ND
Anthracene	0.25	0.50	ND	ND	ND	ND
Azobenzene	0.25	0.50	ND	ND	ND	ND
Benzidine	0.25	0.50	ND	ND	ND	ND
Benzo(a)anthracene	0.25	0.50	ND	ND	ND	ND
Benzo(a)pyrene	0.25	0.50	ND	ND	ND	ND
Benzo(b)fluoranthene	0.25	0.50	ND	ND	ND	ND
Benzo(g,h,i)perylene	0.25	0.50	ND	ND	ND	ND
Benzo(k)fluoranthene	0.25	0.50	ND	ND	ND	ND
Benzoic Acid	0.25	0.50	ND	ND	2.56	ND
Benzyl Alcohol	0.25	0.50	ND	ND	ND	ND
Bis(2-Chloroethoxy)methane	0.25	0.50	ND	ND	ND	ND
Bis(2-Chloroethyl)ether	0.25	0.50	ND	ND	ND	ND
Bis(2-chloroisopropyl) ether	0.25	0.50	ND	ND	ND	ND
Bis(2-ethylhexyl) phthalate	0.25	0.50	ND	8.5	ND	ND
4-Bromophenyl phenyl ether	0.25	0.50	ND	ND	ND	ND
Butyl benzyl phthalate	0.25	0.50	ND	ND	ND	ND
4-Chloro-3-methylphenol	0.25	0.50	ND	ND	ND	ND
4-Chloroaniline	0.25	0.50	ND	ND	ND	ND
2-Chloronaphthalene	0.25	0.50	ND	ND	ND	ND
2-Chlorophenol	0.25	0.50	ND	ND	ND	ND
4-Chlorophenyl phenyl ether	0.25	0.50	ND	ND	ND	ND
Chrysene	0.25	0.50	ND	ND	ND	ND
Di-n-butyl phthalate	0.25	0.50	ND	ND	ND	ND
Di-n-octyl phthalate (Dioctyl ester)	0.25	0.50	ND	5.75	ND	ND

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34634	09/16/2005	H&A

Method: (8270C), Semivolatile Organic Compounds by GC/MS (SW-846)

QC Batch No: 091905

Our Lab I.D.			Method Blank	**34634.01**	**34634.03**	**34634.06**
Client Sample I.D.				GS0001-SS-0 000-01	GS0001-SS-0 003-01	GS0002-SS-0 002-01
Date Sampled				09/16/2005	09/16/2005	09/16/2005
Date Prepared			09/19/2005	09/19/2005	09/19/2005	09/19/2005
Preparation Method			3550B	3550B	3550B	3550B
Date Analyzed			09/20/2005	09/20/2005	09/20/2005	09/20/2005
Matrix			Soil	Soil	Soil	Soil
Units			mg/Kg	mg/Kg	mg/Kg	mg/Kg
Dilution Factor			1	1	1	1
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**	**Results**
Dibenzo(a,h)anthracene	0.25	0.50	ND	ND	ND	ND
Dibenzofuran	0.25	0.50	ND	ND	ND	ND
1,2-Dichlorobenzene	0.25	0.50	ND	ND	ND	ND
1,3-Dichlorobenzene	0.25	0.50	ND	ND	ND	ND
1,4-Dichlorobenzene	0.25	0.50	ND	ND	ND	ND
3,3'-Dichlorobenzidine	0.25	0.50	ND	ND	ND	ND
2,4-Dichlorophenol	0.25	0.50	ND	ND	ND	ND
Diethyl phthalate (Diethyl ester)	0.25	0.50	ND	ND	ND	ND
Dimethyl phthalate (Dimethyl ester)	0.25	0.50	ND	ND	ND	ND
2,4-Dimethylphenol	0.25	0.50	ND	4.3	0.300J	ND
4,6-Dinitro-2-methylphenol	0.25	0.50	ND	ND	ND	ND
2,4-Dinitrophenol	0.25	0.50	ND	ND	ND	ND
2,4-Dinitrotoluene	0.25	0.50	ND	ND	ND	ND
2,6-Dinitrotoluene (2,6-DNT)	0.25	0.50	ND	ND	ND	ND
Fluoranthene	0.25	0.50	ND	ND	ND	ND
Fluorene	0.25	0.50	ND	ND	ND	ND
Hexachlorobenzene	0.25	0.50	ND	ND	ND	ND
Hexachlorobutadiene	0.25	0.50	ND	ND	ND	ND
Hexachlorocyclopentadiene	0.25	0.50	ND	ND	ND	ND
Hexachloroethane	0.25	0.50	ND	ND	ND	ND
Indeno(1,2,3-cd)pyrene	0.25	0.50	ND	ND	ND	ND
Isophorone	0.25	0.50	ND	ND	ND	ND
2-Methylnaphthalene	0.25	0.50	ND	0.465J	ND	ND
4-Methylphenol	0.25	0.50	ND	11.2	4.22	ND
2-Methylphenol (2-Cresol)	0.25	0.50	ND	0.300J	ND	ND
3-Methylphenol (3-Cresol)	0.25	0.50	ND	ND	ND	ND
N-Nitroso-Di-n-propylamine	0.25	0.50	ND	ND	ND	ND
Naphthalene	0.25	0.50	ND	0.393J	ND	ND
2-Nitroaniline	0.25	0.50	ND	ND	ND	ND
3-Nitroaniline	0.25	0.50	ND	ND	ND	ND
4-Nitroaniline	0.25	0.50	ND	ND	ND	ND
Nitrobenzene (NB)	0.25	0.50	ND	ND	ND	ND
4-Nitrophenol	0.25	0.50	ND	ND	ND	ND

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34634	09/16/2005	H&A

Method: (8270C), Semivolatile Organic Compounds by GC/MS (SW-846)

QC Batch No: 091905

Our Lab I.D.			Method Blank	**34634.01**	**34634.03**	**34634.06**
Client Sample I.D.				GS0001-SS-0000-01	GS0001-SS-0003-01	GS0002-SS-0002-01
Date Sampled				09/16/2005	09/16/2005	09/16/2005
Date Prepared			09/19/2005	09/19/2005	09/19/2005	09/19/2005
Preparation Method			3550B	3550B	3550B	3550B
Date Analyzed			09/20/2005	09/20/2005	09/20/2005	09/20/2005
Matrix			Soil	Soil	Soil	Soil
Units			mg/Kg	mg/Kg	mg/Kg	mg/Kg
Dilution Factor			1	1	1	1
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**	**Results**
2-Nitrophenol (o-Nitrophenol)	0.25	0.50	ND	ND	ND	ND
N-nitrosodiphenylamine	0.25	0.50	ND	ND	ND	ND
Pentachlorophenol	0.25	0.50	ND	ND	ND	ND
Phenanthrene	0.25	0.50	ND	0.250J	ND	ND
Phenol	0.25	0.50	ND	5.16	3.08	ND
Pyrene	0.25	0.50	ND	ND	ND	ND
1,2,4-Trichlorobenzene	0.25	0.50	ND	ND	ND	ND
2,4,5-Trichlorophenol	0.25	0.50	ND	ND	ND	ND
2,4,6-Trichlorophenol	0.25	0.50	ND	ND	ND	ND
Our Lab I.D.				**34634.01**	**34634.03**	**34634.06**
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**	**% Rec.**	**% Rec.**
2-Fluorophenol	25-121		58	72	66	49
2-Fluorobiphenyl	30-115		88	101	95	81
Nitrobenzene-d5	23-120		82	105	97	64
Phenol-d5	21-113		67	77	76	68
p-Terphenyl-D14	18-137		91	85	83	104
2,4,6-Tribromophenol	19-122		101	37	122	120

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Telephone: (714)985-3434
Attn: Tom Tatnall

Page: 12

Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34634	09/16/2005	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 091905

Our Lab I.D.			Method Blank				
Client Sample I.D.							
Date Sampled							
Date Prepared			09/19/2005				
Preparation Method			3550B				
Date Analyzed			09/20/2005				
Matrix			Soil				
Units			mg/Kg				
Dilution Factor			1				
Analytes	**MDL**	**PQL**	**Results**				
Aroclor-1016 (PCB-1016)	0.04	0.10	ND				
Aroclor-1221 (PCB-1221)	0.07	0.10	ND				
Aroclor-1232 (PCB-1232)	0.04	0.10	ND				
Aroclor-1242 (PCB-1242)	0.04	0.10	ND				
Aroclor-1248 (PCB-1248)	0.04	0.10	ND				
Aroclor-1254 (PCB-1254)	0.04	0.10	ND				
Aroclor-1260 (PCB-1260)	0.04	0.10	ND				
Aroclor-1262 (PCB-1262)	0.04	0.10	ND				
Aroclor-1268 (PCB-1268)	0.04	0.10	ND				
Our Lab I.D.							
Surrogates	**%Rec.Limit**		**% Rec.**				
Tetrachloro-m-xylene	75-125		90				

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Telephone: (714)985-3434
Attn: Tom Tatnall

Page: 13

Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34634	09/16/2005	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 091905

Our Lab I.D.			**34634.01**				
Client Sample I.D.			GS0001-SS-0 000-01				
Date Sampled			09/16/2005				
Date Prepared			09/19/2005				
Preparation Method			3550B				
Date Analyzed			09/20/2005				
Matrix			Soil				
Units			mg/Kg				
Dilution Factor			5000				
Analytes	**MDL**	**PQL**	**Results**				
Aroclor-1016 (PCB-1016)	200	500	ND				
Aroclor-1221 (PCB-1221)	350	500	ND				
Aroclor-1232 (PCB-1232)	200	500	ND				
Aroclor-1242 (PCB-1242)	200	500	ND				
Aroclor-1248 (PCB-1248)	200	500	1,980				
Aroclor-1254 (PCB-1254)	200	500	ND				
Aroclor-1260 (PCB-1260)	200	500	ND				
Aroclor-1262 (PCB-1262)	200	500	ND				
Aroclor-1268 (PCB-1268)	200	500	ND				
Our Lab I.D.			**34634.01**				
Surrogates	**%Rec.Limit**		**% Rec.**				
Tetrachloro-m-xylene	75-125		0 S8				

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Telephone: (714)985-3434
Attn: Tom Tatnall

Page: **14**

Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34634	09/16/2005	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 091905

Our Lab I.D.			**34634.03**	**34634.06**			
Client Sample I.D.			GS0001-SS-0003-01	GS0002-SS-0002-01			
Date Sampled			09/16/2005	09/16/2005			
Date Prepared			09/19/2005	09/19/2005			
Preparation Method			3550B	3550B			
Date Analyzed			09/20/2005	09/20/2005			
Matrix			Soil	Soil			
Units			mg/Kg	mg/Kg			
Dilution Factor			1	1			
Analytes	**MDL**	**PQL**	**Results**	**Results**			
Aroclor-1016 (PCB-1016)	0.04	0.10	ND	ND			
Aroclor-1221 (PCB-1221)	0.07	0.10	ND	ND			
Aroclor-1232 (PCB-1232)	0.04	0.10	ND	ND			
Aroclor-1242 (PCB-1242)	0.04	0.10	ND	ND			
Aroclor-1248 (PCB-1248)	0.04	0.10	3.58	0.040J			
Aroclor-1254 (PCB-1254)	0.04	0.10	ND	ND			
Aroclor-1260 (PCB-1260)	0.04	0.10	ND	ND			
Aroclor-1262 (PCB-1262)	0.04	0.10	ND	ND			
Aroclor-1268 (PCB-1268)	0.04	0.10	ND	ND			
Our Lab I.D.			**34634.03**	**34634.06**			
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**			
Tetrachloro-m-xylene	75-125		106	100			

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Telephone: (714)985-3434
Attn: Tom Tatnall

Page: 15

Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34634	09/16/2005	H&A

Method: (6010B/7000CAM), CAM Title 22 Metals (SW-846)

QC Batch No: 092005-1

Our Lab I.D.			Method Blank	**34634.01**	**34634.03**	**34634.06**
Client Sample I.D.				GS0001-SS-0 000-01	GS0001-SS-0 003-01	GS0002-SS-0 002-01
Date Sampled				09/16/2005	09/16/2005	09/16/2005
Date Prepared			09/20/2005	09/20/2005	09/20/2005	09/20/2005
Preparation Method			3050B	3050B	3050B	3050B
Date Analyzed			09/20/2005	09/20/2005	09/20/2005	09/20/2005
Matrix			Soil	Soil	Soil	Soil
Units			mg/Kg	mg/Kg	mg/Kg	mg/Kg
Dilution Factor			1	1	1	1
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**	**Results**
Antimony	1.0	5.0	ND	219	2.70J	ND
Arsenic	1.0	5.0	ND	176	ND	2.30J
Barium	2.5	5.0	ND	54.0	37.4	53.0
Beryllium	1.3	2.5	ND	ND	ND	ND
Cadmium	1.3	2.5	ND	ND	ND	ND
Chromium	2.5	5.0	ND	14.6	11.2	12.1
Cobalt	2.5	5.0	ND	5.7	5.70	6.55
Copper	2.5	5.0	ND	20.4	12.8	14.6
Lead	2.5	5.0	ND	10,600	82.5	74.0
Mercury (By EPA 7471)	0.1	0.2	ND	0.340	ND	ND
Molybdenum	2.5	5.0	ND	ND	ND	ND
Nickel	2.5	5.0	ND	10.9	7.90	8.20
Selenium	1.0	5.0	ND	ND	ND	ND
Silver	2.5	5.0	ND	ND	ND	ND
Thallium	1.0	5.0	ND	ND	ND	ND
Vanadium	2.5	5.0	ND	23.9	24.6	28.9
Zinc	2.5	5.0	ND	55.5	37.2	44.5

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 16

Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34634	09/16/2005	H&A

Method: 8260B, Volatile Organic Compounds by GC/MS (SW846)

QC Batch No: 092005

Our Lab I.D.			Method Blank	**34634.05**	**34634.07**		
Client Sample I.D.				EB091605	Trip Blank		
Date Sampled				09/16/2005	09/16/2005		
Date Prepared			09/20/2005	09/20/2005	09/20/2005		
Preparation Method			5030B	5030B	5030B		
Date Analyzed			09/20/2005	09/20/2005	09/20/2005		
Matrix			Aqueous	Aqueous	Aqueous		
Units			ug/L	ug/L	ug/L		
Dilution Factor			1	1	1		
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**		
Acetone	10	10	ND	ND	ND		
Benzene	0.5	1.0	ND	ND	ND		
Bromobenzene (Phenyl bromide)	0.5	1.0	ND	ND	ND		
Bromochloromethane	0.5	1.0	ND	ND	ND		
Bromodichloromethane	0.5	1.0	ND	ND	ND		
Bromoform (Tribromomethane)	2.5	5.0	ND	ND	ND		
Bromomethane (Methyl bromide)	1.5	3.0	ND	ND	ND		
2-Butanone (MEK)	5.0	5.0	ND	ND	ND		
n-Butylbenzene	0.5	1.0	ND	ND	ND		
sec-Butylbenzene	0.5	1.0	ND	ND	ND		
tert-Butylbenzene	0.5	1.0	ND	ND	ND		
Carbon Disulfide	0.5	1.0	ND	ND	ND		
Carbon tetrachloride	0.5	1.0	ND	ND	ND		
Chlorobenzene	0.5	1.0	ND	ND	ND		
Chloroethane	1.5	3.0	ND	ND	ND		
2-Chloroethyl vinyl ether	2.5	5.0	ND	ND	ND		
Chloroform (Trichloromethane)	0.5	1.0	ND	ND	ND		
Chloromethane (Methyl chloride)	1.5	3.0	ND	ND	ND		
2-Chlorotoluene	0.5	1.0	ND	ND	ND		
4-Chlorotoluene	0.5	1.0	ND	ND	ND		
1,2-Dibromo-3-chloropropane (DBCP)	2.5	5.0	ND	ND	ND		
Dibromochloromethane	0.5	1.0	ND	ND	ND		
1,2-Dibromoethane (EDB)	0.5	1.0	ND	ND	ND		
Dibromomethane	0.5	1.0	ND	ND	ND		
1,2-Dichlorobenzene	0.5	1.0	ND	ND	ND		
1,3-Dichlorobenzene	0.5	1.0	ND	ND	ND		
1,4-Dichlorobenzene	0.5	1.0	ND	ND	ND		

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34634	09/16/2005	H&A

Method: 8260B, Volatile Organic Compounds by GC/MS (SW846)

QC Batch No: 092005

Our Lab I.D.			Method Blank	**34634.05**	**34634.07**		
Client Sample I.D.				EB091605	Trip Blank		
Date Sampled				09/16/2005	09/16/2005		
Date Prepared			09/20/2005	09/20/2005	09/20/2005		
Preparation Method			5030B	5030B	5030B		
Date Analyzed			09/20/2005	09/20/2005	09/20/2005		
Matrix			Aqueous	Aqueous	Aqueous		
Units			ug/L	ug/L	ug/L		
Dilution Factor			1	1	1		
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**		
Dichlorodifluoromethane	1.5	3.0	ND	ND	ND		
1,1-Dichloroethane	0.5	1.0	ND	ND	ND		
1,2-Dichloroethane (EDC)	0.5	1.0	ND	ND	ND		
1,1-Dichloroethene	0.5	1.0	ND	ND	ND		
cis-1,2-Dichloroethene	0.5	1.0	ND	ND	ND		
trans-1,2-Dichloroethene	0.5	1.0	ND	ND	ND		
1,2-Dichloropropane	0.5	1.0	ND	ND	ND		
1,3-Dichloropropane	0.5	1.0	ND	ND	ND		
2,2-Dichloropropane	0.5	1.0	ND	ND	ND		
1,1-Dichloropropene	0.5	1.0	ND	ND	ND		
cis-1,3-Dichloropropene	0.5	1.0	ND	ND	ND		
trans-1,3-Dichloropropene	0.5	1.0	ND	ND	ND		
Ethylbenzene	0.5	1.0	ND	ND	ND		
Hexachlorobutadiene	1.5	3.0	ND	ND	ND		
2-Hexanone	2.5	5.0	ND	ND	ND		
Isopropylbenzene	0.5	1.0	ND	ND	ND		
p-Isopropyltoluene	0.5	1.0	ND	ND	ND		
4-Methyl-2-pentanone (MIBK)	2.5	5.0	ND	ND	ND		
Methyl-tert-butyl ether (MTBE)	0.5	1.0	ND	ND	ND		
Methylene chloride (DCM)	2.0	4.0	ND	ND	ND		
Naphthalene	0.5	1.0	ND	ND	ND		
n-Propylbenzene	0.5	1.0	ND	ND	ND		
Styrene	0.5	1.0	ND	ND	ND		
1,1,1,2-Tetrachloroethane	0.5	1.0	ND	ND	ND		
1,1,2,2-Tetrachloroethane	0.5	1.0	ND	ND	ND		
Tetrachloroethene	0.5	1.0	ND	ND	ND		
Toluene (Methyl benzene)	0.5	1.0	ND	ND	ND		
1,2,3-Trichlorobenzene	0.5	1.0	ND	ND	ND		
1,2,4-Trichlorobenzene	0.5	1.0	ND	ND	ND		
1,1,1-Trichloroethane	0.5	1.0	ND	ND	ND		
1,1,2-Trichloroethane	0.5	1.0	ND	ND	ND		
Trichloroethene	0.5	1.0	ND	ND	ND		
Trichlorofluoromethane	0.5	1.0	ND	ND	ND		
1,2,3-Trichloropropane	0.5	1.0	ND	ND	ND		

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34634	09/16/2005	H&A

Method: 8260B, Volatile Organic Compounds by GC/MS (SW846)

QC Batch No: 092005

Our Lab I.D.			Method Blank	**34634.05**	**34634.07**		
Client Sample I.D.				EB091605	Trip Blank		
Date Sampled				09/16/2005	09/16/2005		
Date Prepared			09/20/2005	09/20/2005	09/20/2005		
Preparation Method			5030B	5030B	5030B		
Date Analyzed			09/20/2005	09/20/2005	09/20/2005		
Matrix			Aqueous	Aqueous	Aqueous		
Units			ug/L	ug/L	ug/L		
Dilution Factor			1	1	1		
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**		
1,2,4-Trimethylbenzene	0.5	1.0	ND	ND	ND		
1,3,5-Trimethylbenzene	0.5	1.0	ND	ND	ND		
Vinyl Acetate	0.5	5.0	ND	ND	ND		
Vinyl chloride (Chloroethene)	0.5	3.0	ND	ND	ND		
o-Xylene	0.5	1.0	ND	ND	ND		
m,p-Xylenes	1.0	2.0	ND	ND	ND		
Our Lab I.D.				**34634.05**	**34634.07**		
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**	**% Rec.**		
Bromofluorobenzene	75-125		110	111	110		
Dibromofluoromethane	75-125		110	108	107		
Toluene-d8	75-125		104	106	111		

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Telephone: (714)985-3434
Attn: Tom Tatnall

Page: 19

Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34634	09/16/2005	H&A

Method: M8015G, TPH as Gasoline and Light Hydrocarbons Using GC/FID

QC Batch No: 091905

Our Lab I.D.			*Method Blank*	**34634.05**			
Client Sample I.D.				EB091605			
Date Sampled				09/16/2005			
Date Prepared			09/19/2005	09/19/2005			
Preparation Method			5030B	5030B			
Date Analyzed			09/19/2005	09/19/2005			
Matrix			Aqueous	Aqueous			
Units			mg/L	mg/L			
Dilution Factor			1	1			
Analytes	**MDL**	**PQL**	**Results**	**Results**			
TPH as Gasoline and Light HC. (C4-C12)	0.005	0.010	ND	ND			
Our Lab I.D.				**34634.05**			
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**			
Bromofluorobenzene	75-125		104	107			

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Telephone: (714)985-3434
Attn: Tom Tatnall

Page: 20

Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34634	09/16/2005	H&A

Method: M8015D, TPH as Diesel and Heavy Hydrocarbons Using GC/FID

QC Batch No: 091605

Our Lab I.D.			Method Blank	**34634.05**			
Client Sample I.D.				EB091605			
Date Sampled				09/16/2005			
Date Prepared			09/16/2005	09/16/2005			
Preparation Method			3510C	3510C			
Date Analyzed			09/22/2005	09/22/2005			
Matrix			Aqueous	Aqueous			
Units			mg/L	mg/L			
Dilution Factor			1	1			
Analytes	**MDL**	**PQL**	**Results**	**Results**			
TPH as Diesel (C13-C22)	0.1	0.5	ND	ND			
TPH as Heavy Hydrocarbons (C23-C40)	0.1	0.5	ND	ND			
TPH Total as Diesel and Heavy HC.C13-C40	0.1	0.5	ND	ND			
Our Lab I.D.				**34634.05**			
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**			
Chlorobenzene	75-125		88	82			

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 21

Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34634	09/16/2005	H&A

Method: 8310, Polynuclear Aromatic Hydrocarbons (SW-846)

QC Batch No: 091605

Our Lab I.D.			Method Blank	**34634.05**			
Client Sample I.D.				EB091605			
Date Sampled				09/16/2005			
Date Prepared			09/16/2005	09/16/2005			
Preparation Method			3510C	3510C			
Date Analyzed			09/29/2005	09/29/2005			
Matrix			Aqueous	Aqueous			
Units			ug/L	ug/L			
Dilution Factor			1	1			
Analytes	**MDL**	**PQL**	**Results**	**Results**			
Benzo(a)anthracene	0.10	0.20	ND	ND			
Benzo(a)pyrene	0.10	0.20	ND	ND			
Benzo(b)fluoranthene	0.10	0.20	ND	ND			
Benzo(k)fluoranthene	0.10	0.20	ND	ND			
Chrysene	0.10	0.20	ND	ND			
Dibenzo(a,h)anthracene	0.10	0.20	ND	ND			
Indeno(1,2,3-cd)pyrene	0.10	0.20	ND	ND			
Acenaphthene	0.10	0.20	ND	ND			
Acenaphthylene	0.10	0.20	ND	ND			
Anthracene	0.10	0.20	ND	ND			
Benzo(g,h,i)perylene	0.10	0.20	ND	ND			
Fluoranthene	0.10	0.20	ND	ND			
Fluorene	0.10	0.20	ND	ND			
Naphthalene	0.10	0.20	ND	ND			
Phenanthrene	0.10	0.20	ND	ND			
Pyrene	0.10	0.20	ND	ND			
Our Lab I.D.				**34634.05**			
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**			
p-Terphenyl-D14	75-125		94	80			

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Telephone: (714)985-3434
Attn: Tom Tatnall

Page: 22

Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34634	09/16/2005	H&A

Method: 8270C, Semivolatile Organic Compounds by GC/MS (SW-846)

QC Batch No: 092005

Our Lab I.D.			Method Blank	**34634.05**			
Client Sample I.D.				EB091605			
Date Sampled				09/16/2005			
Date Prepared			09/20/2005	09/20/2005			
Preparation Method			3510C	3510C			
Date Analyzed			09/21/2005	09/21/2005			
Matrix			Aqueous	Aqueous			
Units			ug/L	ug/L			
Dilution Factor			1	1			
Analytes	**MDL**	**PQL**	**Results**	**Results**			
Acenaphthene	5	10	ND	ND			
Acenaphthylene	5	10	ND	ND			
Anthracene	5	10	ND	ND			
Azobenzene	5	10	ND	ND			
Benzidine	5	10	ND	ND			
Benzo(a)anthracene	5	10	ND	ND			
Benzo(a)pyrene	5	10	ND	ND			
Benzo(b)fluoranthene	5	10	ND	ND			
Benzo(g,h,i)perylene	5	10	ND	ND			
Benzo(k)fluoranthene	5	10	ND	ND			
Benzoic Acid	5	10	ND	ND			
Benzyl Alcohol	5	10	ND	ND			
Bis(2-Chloroethoxy)methane	5	10	ND	ND			
Bis(2-Chloroethyl)ether	5	10	ND	ND			
Bis(2-chloroisopropyl) ether	5	10	ND	ND			
Bis(2-ethylhexyl) phthalate	5	10	ND	ND			
4-Bromophenyl phenyl ether	5	10	ND	ND			
Butyl benzyl phthalate	5	10	ND	ND			
4-Chloro-3-methylphenol	5	10	ND	ND			
4-Chloroaniline	5	10	ND	ND			
2-Chloronaphthalene	5	10	ND	ND			
2-Chlorophenol	5	10	ND	ND			
4-Chlorophenyl phenyl ether	5	10	ND	ND			
Chrysene	5	10	ND	ND			
Di-n-butyl phthalate	5	10	ND	ND			
Di-n-octyl phthalate (Dioctyl ester)	5	10	ND	ND			
Dibenzo(a,h)anthracene	5	10	ND	ND			

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34634	09/16/2005	H&A

Method: 8270C, Semivolatile Organic Compounds by GC/MS (SW-846)

QC Batch No: 092005

Our Lab I.D.			Method Blank	**34634.05**			
Client Sample I.D.				EB091605			
Date Sampled				09/16/2005			
Date Prepared			09/20/2005	09/20/2005			
Preparation Method			3510C	3510C			
Date Analyzed			09/21/2005	09/21/2005			
Matrix			Aqueous	Aqueous			
Units			ug/L	ug/L			
Dilution Factor			1	1			
Analytes	**MDL**	**PQL**	**Results**	**Results**			
Dibenzofuran	5	10	ND	ND			
1,2-Dichlorobenzene	5	10	ND	ND			
1,3-Dichlorobenzene	5	10	ND	ND			
1,4-Dichlorobenzene	5	10	ND	ND			
3,3'-Dichlorobenzidine	5	10	ND	ND			
2,4-Dichlorophenol	5	10	ND	ND			
Diethyl phthalate (Diethyl ester)	5	10	ND	ND			
Dimethyl phthalate (Dimethyl ester)	5	10	ND	ND			
2,4-Dimethylphenol	5	10	ND	ND			
4,6-Dinitro-2-methylphenol	5	10	ND	ND			
2,4-Dinitrophenol	5	10	ND	ND			
2,4-Dinitrotoluene	5	10	ND	ND			
2,6-Dinitrotoluene (2,6-DNT)	5	10	ND	ND			
1,2-Diphenylhydrazine	5	10	ND	ND			
Fluoranthene	5	10	ND	ND			
Fluorene	5	10	ND	ND			
Hexachlorobenzene	5	10	ND	ND			
Hexachlorobutadiene	5	10	ND	ND			
Hexachlorocyclopentadiene	5	10	ND	ND			
Hexachloroethane	5	10	ND	ND			
Indeno(1,2,3-cd)pyrene	5	10	ND	ND			
Isophorone	5	10	ND	ND			
2-Methylnaphthalene	5	10	ND	ND			
4-Methylphenol	5	10	ND	ND			
2-Methylphenol (2-Cresol)	5	10	ND	ND			
3-Methylphenol (3-Cresol)	5	10	ND	ND			
N-Nitroso-Di-n-propylamine	5	10	ND	ND			
Naphthalene	5	10	ND	ND			
2-Nitroaniline	5	10	ND	ND			
3-Nitroaniline	5	10	ND	ND			
4-Nitroaniline	5	10	ND	ND			
Nitrobenzene (NB)	5	10	ND	ND			
4-Nitrophenol	5	10	ND	ND			
2-Nitrophenol (o-Nitrophenol)	5	10	ND	ND			

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34634	09/16/2005	H&A

Method: 8270C, Semivolatile Organic Compounds by GC/MS (SW-846)

QC Batch No: 092005

Our Lab I.D.			Method Blank	**34634.05**			
Client Sample I.D.				EB091605			
Date Sampled				09/16/2005			
Date Prepared			09/20/2005	09/20/2005			
Preparation Method			3510C	3510C			
Date Analyzed			09/21/2005	09/21/2005			
Matrix			Aqueous	Aqueous			
Units			ug/L	ug/L			
Dilution Factor			1	1			
Analytes	**MDL**	**PQL**	**Results**	**Results**			
N-Nitrosodimethylamine	5	10	ND	ND			
N-nitrosodiphenylamine	5	10	ND	ND			
Pentachlorophenol	5	10	ND	ND			
Phenanthrene	5	10	ND	ND			
Phenol	5	10	ND	ND			
Pyrene	5	10	ND	ND			
1,2,4-Trichlorobenzene	5	10	ND	ND			
2,4,5-Trichlorophenol	5	10	ND	ND			
2,4,6-Trichlorophenol	5	10	ND	ND			
Our Lab I.D.				**34634.05**			
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**			
2-Fluorophenol	25-121		46	34			
2-Fluorobiphenyl	30-115		84	80			
Nitrobenzene-d5	23-120		94	85			
Phenol-d5	24-113		33	23			
p-Terphenyl-D14	18-137		74	78			
2,4,6-Tribromophenol	19-122		94	94			

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Telephone: (714)985-3434
Attn: Tom Tatnall

Page: 25

Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34634	09/16/2005	H&A

Method: 8082, Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 091605

Our Lab I.D.			Method Blank	**34634.05**			
Client Sample I.D.				EB091605			
Date Sampled				09/16/2005			
Date Prepared			09/16/2005	09/16/2005			
Preparation Method			3510C	3510C			
Date Analyzed			09/21/2005	09/21/2005			
Matrix			Aqueous	Aqueous			
Units			ug/L	ug/L			
Dilution Factor			1	1			
Analytes	**MDL**	**PQL**	**Results**	**Results**			
Aroclor-1016 (PCB-1016)	1.0	2.0	ND	ND			
Aroclor-1221 (PCB-1221)	2.0	4.0	ND	ND			
Aroclor-1232 (PCB-1232)	1.0	2.0	ND	ND			
Aroclor-1242 (PCB-1242)	1.0	2.0	ND	ND			
Aroclor-1248 (PCB-1248)	1.0	2.0	ND	ND			
Aroclor-1254 (PCB-1254)	1.0	2.0	ND	ND			
Aroclor-1260 (PCB-1260)	1.0	2.0	ND	ND			
Aroclor-1262 (PCB-1262)	1.0	2.0	ND	ND			
Aroclor-1268 (PCB-1268)	1.0	2.0	ND	ND			
Our Lab I.D.				**34634.05**			
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**			
Tetrachloro-m-xylene	75-125		57	89			

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Telephone: (714)985-3434
Attn: Tom Tatnall

Page: 26

Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34634	09/16/2005	H&A

Method: 6010/7000CAM, CAM Title 22 Metals (SW-846)

QC Batch No: 092005

Our Lab I.D.			Method Blank	**34634.05**			
Client Sample I.D.				EB091605			
Date Sampled				09/16/2005			
Date Prepared			09/20/2005	09/20/2005			
Preparation Method			3005A	3005A			
Date Analyzed			09/20/2005	09/20/2005			
Matrix			Aqueous	Aqueous			
Units			mg/L	mg/L			
Dilution Factor			1	1			
Analytes	**MDL**	**PQL**	**Results**	**Results**			
Antimony	0.05	0.10	ND	ND			
Arsenic	0.05	0.10	ND	ND			
Barium	0.03	0.05	ND	ND			
Beryllium	0.01	0.05	ND	ND			
Cadmium	0.01	0.05	ND	ND			
Chromium	0.01	0.05	ND	ND			
Cobalt	0.01	0.05	ND	ND			
Copper	0.01	0.05	ND	0.027J			
Lead	0.05	0.10	ND	0.243			
Mercury (By EPA 7470)	0.001	0.002	ND	ND			
Molybdenum	0.01	0.05	ND	ND			
Nickel	0.01	0.05	ND	ND			
Selenium	0.05	0.10	ND	ND			
Silver	0.01	0.05	ND	ND			
Thallium	0.05	0.10	ND	ND			
Vanadium	0.03	0.05	ND	ND			
Zinc	0.01	0.05	ND	0.029J			

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 27
Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34634	09/16/2005	H&A

Method: 6010/7000CAM, CAM Title 22 Metals (SW-846)

QUALITY CONTROL REPORT

QC Batch No: 092005 Sample Spiked: 34634.05 QC Prepared: 09/20/2005 QC Analyzed: 09/20/2005 Units: mg/L

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Antimony	ND	1.00	0.86	86	1.00	0.87	87	1.2	80-120	<15
Arsenic	ND	1.00	1.03	103	1.00	0.99	99	4.0	80-120	<15
Barium	ND	1.00	0.99	99	1.00	1.00	100	1.0	80-120	<15
Beryllium	ND	1.00	0.98	98	1.00	0.99	99	1.0	80-120	<15
Cadmium	ND	1.00	0.97	97	1.00	0.98	98	1.0	80-120	<15
Chromium	ND	1.00	0.97	97	1.00	0.98	98	1.0	80-120	<15
Cobalt	ND	1.00	0.97	97	1.00	0.98	98	1.0	80-120	<15
Copper	0.027	1.00	1.04	101	1.00	1.03	100	<1	80-120	<15
Lead	0.243	1.00	1.26	102	1.00	1.27	103	<1	80-120	<15
Mercury (By EPA 7470)	ND	0.01	0.01	104	0.01	0.01	108	3.8	80-120	<15
Molybdenum	ND	1.00	1.03	103	1.00	1.06	106	2.9	80-120	<15
Nickel	ND	1.00	0.98	98	1.00	0.99	99	1.0	80-120	<15
Selenium	ND	1.00	0.90	90	1.00	1.07	107	17.3	80-120	<15
Silver	ND	1.00	0.97	97	1.00	0.96	96	1.0	80-120	<15
Thallium	ND	1.00	0.85	85	1.00	0.91	91	6.8	80-120	<15
Vanadium	ND	1.00	0.99	99	1.00	0.99	99	<1	80-120	<15
Zinc	0.029	1.00	1.02	99	1.00	1.06	103	4.0	80-120	<15

QC Batch No: 092005 Sample Spiked: 34634.05 QC Prepared: 09/20/2005 QC Analyzed: 09/20/2005 Units: mg/L

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Antimony	1.00	0.83	83	80-120						
Arsenic	1.00	1.01	101	80-120						
Barium	1.00	1.03	103	80-120						
Beryllium	1.00	0.98	98	80-120						
Cadmium	1.00	0.99	99	80-120						
Chromium	1.00	0.98	98	80-120						
Cobalt	1.00	1.01	101	80-120						
Copper	1.00	0.98	98	80-120						
Lead	1.00	1.01	101	80-120						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Page: 28
Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submittd	Client
34634	09/16/2005	H&A

Method: 6010/7000CAM, CAM Title 22 Metals (SW-846)

QC Batch No: 092005 Sample Spiked: 34634.05 QC Prepared: 09/20/2005 QC Analyzed: 09/20/2005 Units: mg/L

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Mercury (By EPA 7470)	0.01	0.01	94	80-120						
Molybdenum	1.00	1.00	100	80-120						
Nickel	1.00	1.01	101	80-120						
Selenium	1.00	1.06	106	80-120						
Silver	1.00	0.99	99	80-120						
Thallium	1.00	0.95	95	80-120						
Vanadium	1.00	0.99	99	80-120						
Zinc	1.00	1.05	105	80-120						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 29
Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34634	09/16/2005	H&A

Method: 8082, Polychlorinated Biphenyls (PCBs) by GC

QUALITY CONTROL REPORT

QC Batch No: 091605 Sample Spiked: 091605 QC Prepared: 09/16/2005 QC Analyzed: 09/21/2005 Units: ug/L

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Aroclor-1260 (PCB-1260)	0.0	2.50	2.45	98	2.50	2.35	94	4.2	75-125	<20

QC Batch No: 091605 Sample Spiked: 091605 QC Prepared: 09/16/2005 QC Analyzed: 09/21/2005 Units: ug/L

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Aroclor-1260 (PCB-1260)	2.50	2.40	96	75-125						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 30
Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34634	09/16/2005	H&A

Method: 8260B, Volatile Organic Compounds by GC/MS (SW846)

QUALITY CONTROL REPORT

QC Batch No: 092005 Sample Spiked: 092005 QC Prepared: 09/20/2005 QC Analyzed: 09/20/2005 Units: ug/L

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Benzene	0.0	50.00	51.50	103	50.00	51.00	102	<1	75-125	<20
Chlorobenzene	0.0	50.00	51.50	103	50.00	51.00	102	<1	75-125	<20
1,1-Dichloroethene	0.0	50.00	54.50	109	50.00	53.50	107	1.9	75-125	<20
Methyl-tert-butyl ether (MTBE)	0.0	50.00	57.00	114	50.00	56.00	112	1.8	75-125	<20
Toluene (Methyl benzene)	0.0	50.00	49.50	99	50.00	49.50	99	<1	75-125	<20
Trichloroethene	0.0	50.00	53.00	106	50.00	57.50	115	8.1	75-125	<20

QC Batch No: 092005 Sample Spiked: 092005 QC Prepared: 09/20/2005 QC Analyzed: 09/20/2005 Units: ug/L

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Benzene	50.00	51.50	103	75-125						
Chlorobenzene	50.00	51.50	103	75-125						
1,1-Dichloroethene	50.00	54.00	108	75-125						
Methyl-tert-butyl ether (MTBE)	50.00	56.50	113	75-125						
Toluene (Methyl benzene)	50.00	50.00	100	75-125						
Trichloroethene	50.00	57.00	114	75-125						
LCS										
Chloroform (Trichloromethane)	50.00	58.00	116	75-125						
Ethylbenzene	50.00	53.00	106	75-125						
1,1,1-Trichloroethane	50.00	57.50	115	75-125						
o-Xylene	50.00	55.00	110	75-125						
m,p-Xylenes	100.00	109.00	109	75-125						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 31
Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34634	09/16/2005	H&A

Method: 8270C, Semivolatile Organic Compounds by GC/MS (SW-846)

QUALITY CONTROL REPORT

QC Batch No: 092005 Sample Spiked: 092005 QC Prepared: 09/20/2005 QC Analyzed: 09/21/2005 Units: ug/L

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Acenaphthene	0.0	100.00	73.00	73	100.00	72.00	72	1.4	46-118	<20
4-Chloro-3-methylphenol	0.0	200.00	160.00	80	200.00	160.00	80	<1	39-98	<20
2-Chlorophenol	0.0	200.00	130.00	65	200.00	130.00	65	<1	27-123	<20
1,4-Dichlorobenzene	0.0	100.00	65.00	65	100.00	67.00	67	3.0	36-97	<20
2,4-Dinitrotoluene	0.0	100.00	93.00	93	100.00	93.00	93	<1	24-96	<20
N-Nitroso-Di-n-propylamine	0.0	100.00	99.00	99	100.00	103.00	103	4.0	41-116	<20
4-Nitrophenol	0.0	200.00	74.00	37	200.00	74.00	37	<1	10-80	<20
Pentachlorophenol	0.0	200.00	156.00	78	200.00	152.00	76	2.6	40-125	<20
Phenol	0.0	200.00	62.00	31	200.00	60.00	30	3.3	12-98	<20
Pyrene	0.0	100.00	72.00	72	100.00	70.00	70	2.8	26-127	<20
1,2,4-Trichlorobenzene	0.0	100.00	75.00	75	100.00	77.00	77	2.6	39-98	<20

QC Batch No: 092005 Sample Spiked: 092005 QC Prepared: 09/20/2005 QC Analyzed: 09/21/2005 Units: ug/L

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Acenaphthene	100.00	74.00	74	46-118						
4-Chloro-3-methylphenol	200.00	170.00	85	39-98						
2-Chlorophenol	200.00	150.00	75	27-123						
1,4-Dichlorobenzene	100.00	75.00	75	36-97						
2,4-Dinitrotoluene	100.00	94.00	94	24-96						
N-Nitroso-Di-n-propylamine	100.00	107.00	107	41-116						
4-Nitrophenol	200.00	86.00	43	10-80						
Pentachlorophenol	200.00	160.00	80	40-125						
Phenol	200.00	76.00	38	12-98						
Pyrene	100.00	73.00	73	26-127						
1,2,4-Trichlorobenzene	100.00	84.00	84	39-98						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 32
Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34634	09/16/2005	H&A

Method: 8310, Polynuclear Aromatic Hydrocarbons (SW-846)

QUALITY CONTROL REPORT

QC Batch No: 091605 Sample Spiked: 091605 QC Prepared: 09/16/2005 QC Analyzed: 09/29/2005 Units: ug/L

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Benzo(a)anthracene	0.0	0.50	0.44	88	0.50	0.43	85	3.5	75-125	<20
Benzo(a)pyrene	0.0	0.50	0.39	77	0.50	0.47	93	18.8	75-125	<20
Naphthalene	0.0	5.00	4.20	84	5.00	4.45	89	5.8	70-120	<20

QC Batch No: 091605 Sample Spiked: 091605 QC Prepared: 09/16/2005 QC Analyzed: 09/29/2005 Units: ug/L

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Benzo(a)anthracene	0.50	0.46	92	75-125						
Benzo(a)pyrene	0.50	0.40	79	75-125						
Naphthalene	5.00	4.25	85	70-120						
LCS										
Acenaphthene	5.00	4.05	81	75-125						
Acenaphthylene	10.00	7.80	78	75-125						
Anthracene	0.50	0.49	97	75-125						
Benzo(b)fluoranthene	1.00	0.83	83	75-125						
Benzo(g,h,i)perylene	1.00	0.84	84	75-125						
Benzo(k)fluoranthene	0.50	0.42	84	75-125						
Chrysene	0.50	0.42	84	75-125						
Dibenzo(a,h)anthracene	1.00	0.81	81	75-125						
Fluoranthene	1.00	0.76	76	75-125						
Fluorene	1.00	0.94	94	75-125						
Indeno(1,2,3-cd)pyrene	0.50	0.40	80	75-125						
Phenanthrene	0.50	0.45	89	75-125						
Pyrene	0.50	0.43	85	60-110						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 33
Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34634	09/16/2005	H&A

Method: M8015D, TPH as Diesel and Heavy Hydrocarbons Using GC/FID

QUALITY CONTROL REPORT

QC Batch No: 091605 Sample Spiked: 091605 QC Prepared: 09/16/2005 QC Analyzed: 09/23/2005 Units: mg/L

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
TPH as Diesel (C13-C22)	0.0	500.00	395.00	79	500.00	400.00	80	1.3	75-125	<20

QC Batch No: 091605 Sample Spiked: 091605 QC Prepared: 09/16/2005 QC Analyzed: 09/23/2005 Units: mg/L

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
TPH as Diesel (C13-C22)	500.00	395.00	79	75-125						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 34
Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34634	09/16/2005	H&A

Method: M8015G, TPH as Gasoline and Light Hydrocarbons Using GC/FID

QUALITY CONTROL REPORT

QC Batch No: 091905 Sample Spiked: 091905 QC Prepared: 09/19/2005 QC Analyzed: 09/19/2005 Units: mg/L

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
TPH as Gasoline and Light HC. (C4-C12)	0.0	0.50	0.49 X	97	0.50	0.48 X	95	2.1	75-125	<20

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 35
Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34634	09/16/2005	H&A

Method: (6010B/7000CAM), CAM Title 22 Metals (SW-846)

QUALITY CONTROL REPORT

QC Batch No: 092005-1 Sample Spiked: 34634.01 QC Prepared: 09/20/2005 QC Analyzed: 09/20/2005 Units: mg/Kg

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Antimony	4.37	1.00	5.18	81	1.00	5.19	82	1.2	80-120	<15
Arsenic	3.51	1.00	4.48	97	1.00	4.38	87	10.9	80-120	<15
Barium	1.08	1.00	2.02	94	1.00	1.99	91	3.2	80-120	<15
Beryllium	ND	1.00	0.91	91	1.00	0.90	90	1.1	80-120	<15
Cadmium	ND	1.00	0.97	97	1.00	0.96	96	1.0	80-120	<15
Chromium	0.291	1.00	1.24	95	1.00	1.21	92	3.2	80-120	<15
Cobalt	0.114	1.00	1.04	93	1.00	1.03	92	1.1	80-120	<15
Copper	0.408	1.00	1.48	107	1.00	1.46	105	1.9	80-120	<15
Lead	211	1.00	212.04	104	1.00	212.06	106	1.9	80-120	<15
Mercury (By EPA 7471)	ND	0.01	0.01	102	0.01	0.01	102	<1	80-120	<15
Molybdenum	ND	1.00	1.02	102	1.00	1.01	101	<1	80-120	<15
Nickel	0.218	1.00	1.15	93	1.00	1.13	91	2.2	80-120	<15
Selenium	ND	1.00	0.90	90	1.00	1.02	102	12.5	80-120	<15
Silver	ND	1.00	1.01	101	1.00	1.00	100	<1	80-120	<15
Thallium	ND	1.00	0.85	85	1.00	0.90	90	5.7	80-120	<15
Vanadium	0.477	1.00	1.44	96	1.00	1.42	94	2.1	80-120	<15
Zinc	1.11	1.00	2.05	94	1.00	2.01	90	4.3	80-120	<15

QC Batch No: 092005-1 Sample Spiked: 34634.01 QC Prepared: 09/20/2005 QC Analyzed: 09/20/2005 Units: mg/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Antimony	1.00	0.88	88	80-120						
Arsenic	1.00	1.00	100	80-120						
Barium	1.00	1.04	104	80-120						
Beryllium	1.00	1.02	102	80-120						
Cadmium	1.00	1.04	104	80-120						
Chromium	1.00	1.04	104	80-120						
Cobalt	1.00	1.06	106	80-120						
Copper	1.00	1.04	104	80-120						
Lead	1.00	1.04	104	80-120						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Page: 36
Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submittd	Client
34634	09/16/2005	H&A

Method: (6010B/7000CAM), CAM Title 22 Metals (SW-846)

QC Batch No: 092005-1 Sample Spiked: 34634.01 QC Prepared: 09/20/2005 QC Analyzed: 09/20/2005 Units: mg/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Mercury (By EPA 7471)	0.01	0.01	95	80-120						
Molybdenum	1.00	1.04	104	80-120						
Nickel	1.00	1.06	106	80-120						
Selenium	1.00	1.07	107	80-120						
Silver	1.00	1.01	101	80-120						
Thallium	1.00	1.03	103	80-120						
Vanadium	1.00	1.02	102	80-120						
Zinc	1.00	1.09	109	80-120						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 37
Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34634	09/16/2005	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QUALITY CONTROL REPORT

QC Batch No: 091905 Sample Spiked: 091905 QC Prepared: 09/19/2005 QC Analyzed: 09/20/2005 Units: mg/Kg

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Aroclor-1260 (PCB-1260)	0.0	500.00	565.00	113	500.00	565.00	113	<1	75-125	<20

QC Batch No: 091905 Sample Spiked: 091905 QC Prepared: 09/19/2005 QC Analyzed: 09/20/2005 Units: mg/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Aroclor-1260 (PCB-1260)	500.00	460.00	92	75-125						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 38
Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34634	09/16/2005	H&A

Method: (8260B), Volatile Organic Compounds by GC/MS (SW846)

QUALITY CONTROL REPORT

QC Batch No: 092005 Sample Spiked: 092005 QC Prepared: 09/20/2005 QC Analyzed: 09/20/2005 Units: ug/Kg

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Benzene	0.0	50.00	48.00	96	50.00	45.50	91	5.3	75-125	<20
Chlorobenzene	0.0	50.00	37.50	75	50.00	38.50	77	2.6	75-125	<20
1,1-Dichloroethene	0.0	50.00	45.00	90	50.00	45.50	91	1.1	75-125	<20
Methyl-tert-butyl ether (MTBE)	0.0	50.00	50.00	100	50.00	50.50	101	<1	75-125	<20
Toluene (Methyl benzene)	0.0	50.00	43.50	87	50.00	46.00	92	5.6	75-125	<20
Trichloroethene	0.0	50.00	41.50	83	50.00	42.50	85	2.4	75-125	<20

QC Batch No: 092005 Sample Spiked: 092005 QC Prepared: 09/20/2005 QC Analyzed: 09/20/2005 Units: ug/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Benzene	50.00	50.50	101	75-125						
Chlorobenzene	50.00	40.50	81	75-125						
1,1-Dichloroethene	50.00	48.50	97	75-125						
Methyl-tert-butyl ether (MTBE)	50.00	59.50	119	75-125						
Toluene (Methyl benzene)	50.00	47.50	95	75-125						
Trichloroethene	50.00	42.50	85	75-125						
LCS										
Chloroform (Trichloromethane)	50.00	55.50	111	75-125						
Ethylbenzene	50.00	43.00	86	75-125						
1,1,1-Trichloroethane	50.00	49.50	99	75-125						
o-Xylene	50.00	43.00	86	75-125						
m,p-Xylenes	100.00	81.00	81	75-125						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 39
Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34634	09/16/2005	H&A

Method: (8270C), Semivolatile Organic Compounds by GC/MS (SW-846)

QUALITY CONTROL REPORT

QC Batch No: 091905 Sample Spiked: 091905 QC Prepared: 09/19/2005 QC Analyzed: 09/20/2005 Units: mg/Kg

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Acenaphthene	0.0	100.00	73.00	73	100.00	74.00	74	1.4	46-118	<20
4-Chloro-3-methylphenol	0.0	200.00	154.00	77	200.00	160.00	80	3.8	39-98	<20
2-Chlorophenol	0.0	200.00	132.00	66	200.00	142.00	71	7.3	27-123	<20
1,4-Dichlorobenzene	0.0	100.00	70.00	70	100.00	78.00	78	10.8	36-97	<20
2,4-Dinitrotoluene	0.0	100.00	89.00	89	100.00	89.00	89	<1	24-96	<20
N-Nitroso-Di-n-propylamine	0.0	100.00	99.00	99	100.00	103.00	103	4.0	41-116	<20
4-Nitrophenol	0.0	200.00	160.00	80	200.00	158.00	79	1.3	10-80	<20
Pentachlorophenol	0.0	200.00	134.00	67	200.00	132.00	66	1.5	40-125	<20
Phenol	0.0	200.00	130.00	65	200.00	140.00	70	7.4	12-89	<20
Pyrene	0.0	100.00	72.00	72	100.00	75.00	75	4.1	26-127	<20
1,2,4-Trichlorobenzene	0.0	100.00	81.00	81	100.00	86.00	86	6.0	39-98	<20

QC Batch No: 091905 Sample Spiked: 091905 QC Prepared: 09/19/2005 QC Analyzed: 09/20/2005 Units: mg/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Acenaphthene	100.00	74.00	74	31-137						
4-Chloro-3-methylphenol	200.00	156.00	78	40-99						
2-Chlorophenol	200.00	128.00	64	25-102						
1,4-Dichlorobenzene	100.00	69.00	69	28-104						
2,4-Dinitrotoluene	100.00	89.00	89	28-89						
N-Nitroso-Di-n-propylamine	100.00	100.00	100	41-126						
4-Nitrophenol	200.00	150.00	75	11-114						
Pentachlorophenol	200.00	124.00	62	17-125						
Phenol	200.00	132.00	66	26-90						
Pyrene	100.00	73.00	73	35-142						
1,2,4-Trichlorobenzene	100.00	80.00	80	38-107						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 40
Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34634	09/16/2005	H&A

Method: (8310), Polynuclear Aromatic Hydrocarbons (SW-846)

QUALITY CONTROL REPORT

QC Batch No: 091905 Sample Spiked: 091905 QC Prepared: 09/19/2005 QC Analyzed: 09/19/2005 Units: mg/Kg

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Benzo(a)anthracene	0.0	0.05	0.05	91	0.05	0.04	88	3.4	75-125	<20
Benzo(a)pyrene	0.0	0.05	0.04	88	0.05	0.04	88	<1	75-125	<20
Naphthalene	0.0	0.50	0.45	90	0.50	0.44	87	3.4	75-125	<20

QC Batch No: 091905 Sample Spiked: 091905 QC Prepared: 09/19/2005 QC Analyzed: 09/19/2005 Units: mg/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Benzo(a)anthracene	0.05	0.04	77	75-125						
Benzo(a)pyrene	0.05	0.04	85	75-125						
Naphthalene	0.50	0.44	87	75-125						
LCS										
Acenaphthene	0.50	0.42	84	75-125						
Acenaphthylene	1.00	0.84	84	75-125						
Anthracene	0.05	0.05	94	75-125						
Benzo(b)fluoranthene	0.10	0.09	94	75-125						
Benzo(g,h,i)perylene	0.10	0.08	79	75-125						
Benzo(k)fluoranthene	0.05	0.05	91	75-125						
Chrysene	0.05	0.04	82	75-125						
Dibenzo(a,h)anthracene	0.10	0.09	88	75-125						
Fluoranthene	0.10	0.09	86	75-125						
Fluorene	0.10	0.08	82	75-125						
Indeno(1,2,3-cd)pyrene	0.05	0.04	85	75-125						
Phenanthrene	0.05	0.05	95	75-125						
Pyrene	0.05	0.05	94	75-125						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: **41**
Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34634	09/16/2005	H&A

Method: (M8015D), TPH as Diesel and Heavy Hydrocarbons Using GC/FID

QUALITY CONTROL REPORT

QC Batch No: 091905 Sample Spiked: 34634.03 QC Prepared: 09/19/2005 QC Analyzed: 09/19/2005 Units: mg/Kg

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
TPH as Diesel (C13-C22)	0.0	500.00	380.00	76	500.00	415.00	83	8.8	75-125	<20

QC Batch No: 091905 Sample Spiked: 34634.03 QC Prepared: 09/19/2005 QC Analyzed: 09/19/2005 Units: mg/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
TPH as Diesel (C13-C22)	500.00	425.00	85	75-125						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 42
Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34634	09/16/2005	H&A

Method: (M8015G), TPH as Gasoline and Light Hydrocarbons Using GC/FID

QUALITY CONTROL REPORT

QC Batch No: 091905 Sample Spiked: 34634.06 QC Prepared: 09/19/2005 QC Analyzed: 09/19/2005 Units: mg/Kg

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
TPH as Gasoline and Light HC. (C4-C12)	0.0	0.50	0.41	81	0.50	0.43	85	4.8	75-125	<20

QC Batch No: 091905 Sample Spiked: 34634.06 QC Prepared: 09/19/2005 QC Analyzed: 09/19/2005 Units: mg/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
TPH as Gasoline and Light HC. (C4-C12)	0.50	0.40	80	75-125						

American Environmental Testing Laboratory Inc.
2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

Data Qualifiers and Descriptors

Data Qualifier:

*:	In the QC section, sample results have been taken directly from the ICP reading. No preparation factor has been applied.
B:	Analyte was present in the Method Blank.
D:	Result is from a diluted analysis.
E:	Result is beyond calibration limits and is estimated.
H:	Analysis was performed over the allowed holding time due to circumstances which were beyond laboratory control.
J:	Analyte was detected . However, the analyte concentration is an estimated value, which is between the Method Detection Limit (MDL) and the Practical Quantitation Limit (PQL).
M:	Matrix spike recovery is outside control limits due to matrix interference. Laboratory Control Sample recovery was acceptable.
S6:	Surrogate recovery is outside control limits due to matrix interference.
S8:	The analysis of the sample required a dilution such that the surrogate concentration was diluted below the method acceptance criteria.
X:	Results represent LCS and LCSD data.

Definition:

%Limi:	Percent acceptable limits.
%REC:	Percent recovery.
Con.L:	Acceptable Control Limits
Conce:	Added concentration to the sample.
LCS:	Laboratory Control Sample
MDL:	Method Detection Limit is a statistically derived number which is specific for each instrument, each method, and each compound. It indicates a distinctively detectable quantity with 99% probability.
MS:	Matrix Spike
MS DU:	Matrix Spike Duplicate

American Environmental Testing Laboratory Inc.
2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

Data Qualifiers and Descriptors

ND: Analyte was not detected in the sample at or above MDL.

PQL: Practical Quantitation Limit or ML (Minimum Level as per RWQCB) is the minimum concentration that can be quantified with more than 99% confidence. Taking into account all aspects of the entire analytical instrumentation and practice.

Recov: Recovered concentration in the sample.

RPD: Relative Percent Difference