American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

RECEIVED
JUL 28 2006
Haley & Aldrich, Inc.

Ordered By

Haley & Aldrich
500 South Kraemer Blvd. Suite 370
Brea, CA 92821-6723

Telephone: (714) 985-3434
Attention: Tom Tatnall

Number of Pages	5
Date Received	07/17/2006
Date Reported	07/24/2006

Job Number	Order Date	Client
38221	07/17/2006	H&A

Project ID: 32486-004
Project Name: Delphi System Corp.
Site: 1201 N. Magnolia Avenue
Anaheim, CA 92801

Enclosed please find results of analyses of 4 water samples which were analyzed as specified on the attached chain of custody. If there are any questions, please do not hesitate to call.

Checked By: _____ _____ Approved By: Original signed by C. Razmara

Cyrus Razmara, Ph.D.
Laboratory Director

American Environmental Testing Laboratory Inc.
2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

CHAIN OF CUSTODY RECORD

№ 44395

AETL JOB No. #38221

Page 1 of 1

COMPANY	Haley + Aldrich
PROJECT MANAGER	Tom Tatnall
COMPANY ADDRESS	500 S. Kraemer Blvd #370, Brea CA
PHONE	
FAX	714-985-3434
PROJECT NAME	Delphi
PROJECT #	Delphi
SITE NAME AND ADDRESS	1201 N. Magnolia Ave, Anaheim
PO #	32486-004

	SAMPLE ID	LAB ID	DATE	TIME	MATRIX	CONTAINER NUMBER/SIZE	PRES.	8260B VOC's	TEST INSTRUCTIONS & COMMENTS
1	mw-10_GW071706_01		7-17-06	1003	GW	(3) VOA's	HCl	X	38221.01
2	mw-11_GW071706_01		↓	1140	"	(3) ↓	↓	X	38221.02
3	EB_GW071706_01		↓	1155	H_2O	(3) ↓	↓	X	38221.03
4	TB_GW071706_01		↓	—	"	(2) ↓	↓	X	38221.04
5									
6									
7									
8									
9									
10									
11									
12									
13									
14									
15									

SAMPLE RECEIPT - TO BE FILLED BY LABORATORY

TOTAL NUMBER OF CONTAINERS		PROPERLY COOLED Y / N / NA	
CUSTODY SEALS Y / N / NA		SAMPLES INTACT Y/ N / NA	
RECEIVED IN GOOD COND. Y / N		SAMPLES ACCEPTED Y / N	

TURN AROUND TIME

☒ NORMAL ☐ RUSH ☐ SAME DAY ☐ 24 HRS. ☐ 48 HRS. ☐ 72 HRS.

RELINQUISHED BY SAMPLER: 1.	RELINQUISHED BY: 2.	RELINQUISHED BY: 3.
Signature: Glenn Androsko	Signature:	Signature:
Printed Name: Glenn Androsko	Printed Name:	Printed Name: C. PAGDILAO
Date: 7-17-06 Time: 1305	Date: Time:	Date: 7/17/06 Time: 1640
RECEIVED BY: 1.	**RECEIVED BY: 2.**	**RECEIVED BY LABORATORY: 3.**
Signature:	Signature:	Signature:
Printed Name: MANUTOH PAGDILAO	Printed Name:	Printed Name: Agisit
Date: 7/17/06 Time: 1305	Date: Time:	Date: 7/17-06 Time: 1640

DISTRIBUTION: WHITE - Laboratory, CANARY - Laboratory, PINK - Project/Account Manager, YELLOW - Sampler/Originator

TABLE

Summary of Aqueous Analytical Results for Volatile Organic Compounds by GC/MS (SW846)

1201 N. Magnolia Avenue Anaheim, CA 92801

Volatile Organic Compounds by GC/MS (SW846). Method: 8260B

Sample ID	Units	EB-GW071706-01	MW-10-GW071706-01	MW-11-GW071706-01	TB-GW071706-01
Sample Date		7/17/2006	7/17/2006	7/17/2006	7/17/2006
Laboratory Job Number		38221	38221	38221	38221
Acetone	ug/L	ND<10	ND<10	ND<10	ND<10
Benzene	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5
Bromobenzene (Phenyl bromide)	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5
Bromochloromethane	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5
Bromodichloromethane	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5
Bromoform (Tribromomethane)	ug/L	ND<2.5	ND<2.5	ND<2.5	ND<2.5
Bromomethane (Methyl bromide)	ug/L	ND<1.5	ND<1.5	ND<1.5	ND<1.5
2-Butanone (MEK)	ug/L	ND<5.0	ND<5.0	ND<5.0	ND<5.0
n-Butylbenzene	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5
sec-Butylbenzene	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5
tert-Butylbenzene	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5
Carbon Disulfide	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5
Carbon tetrachloride	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5
Chlorobenzene	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5
Chloroethane	ug/L	ND<1.5	ND<1.5	ND<1.5	ND<1.5
2-Chloroethyl vinyl ether	ug/L	ND<2.5	ND<2.5	ND<2.5	ND<2.5
Chloroform (Trichloromethane)	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5
Chloromethane (Methyl chloride)	ug/L	ND<1.5	ND<1.5	ND<1.5	ND<1.5
2-Chlorotoluene	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5
4-Chlorotoluene	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5
1,2-Dibromo-3-chloropropane (DBCP)	ug/L	ND<2.5	ND<2.5	ND<2.5	ND<2.5
Dibromochloromethane	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5
1,2-Dibromoethane (EDB)	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5
Dibromomethane	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5
1,2-Dichlorobenzene	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5
1,3-Dichlorobenzene	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5
1,4-Dichlorobenzene	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5
Dichlorodifluoromethane	ug/L	ND<1.5	ND<1.5	ND<1.5	ND<1.5
1,1-Dichloroethane	ug/L	ND<0.5	**10.9**	ND<0.5	ND<0.5
1,2-Dichloroethane (EDC)	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5
1,1-Dichloroethene	ug/L	ND<0.5	**94.4**	**3.6**	ND<0.5

TABLE

Summary of Aqueous Analytical Results for Volatile Organic Compounds by GC/MS (SW846)

1201 N. Magnolia Avenue Anaheim, CA 92801

Volatile Organic Compounds by GC/MS (SW846). Method: 8260B

Sample ID	Units	EB-GW071706-01	MW-10-GW071706-01	MW-11-GW071706-01	TB-GW071706-01
Sample Date		7/17/2006	7/17/2006	7/17/2006	7/17/2006
Laboratory Job Number		38221	38221	38221	38221
cis-1,2-Dichloroethene	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5
trans-1,2-Dichloroethene	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5
1,2-Dichloropropane	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5
1,3-Dichloropropane	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5
2,2-Dichloropropane	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5
1,1-Dichloropropene	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5
cis-1,3-Dichloropropene	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5
trans-1,3-Dichloropropene	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5
Ethylbenzene	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5
Hexachlorobutadiene	ug/L	ND<1.5	ND<1.5	ND<1.5	ND<1.5
2-Hexanone	ug/L	ND<2.5	ND<2.5	ND<2.5	ND<2.5
Isopropylbenzene	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5
p-Isopropyltoluene	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5
4-Methyl-2-pentanone (MIBK)	ug/L	ND<2.5	ND<2.5	ND<2.5	ND<2.5
Methyl-tert-butyl ether (MTBE)	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5
Methylene chloride (DCM)	ug/L	ND<2.0	ND<2.0	ND<2.0	ND<2.0
Naphthalene	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5
n-Propylbenzene	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5
Styrene	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5
1,1,1,2-Tetrachloroethane	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5
1,1,2,2-Tetrachloroethane	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5
Tetrachloroethene	ug/L	ND<0.5	**0.7J**	ND<0.5	ND<0.5
Toluene (Methyl benzene)	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5
1,2,3-Trichlorobenzene	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5
1,2,4-Trichlorobenzene	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5
1,1,1-Trichloroethane	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5
1,1,2-Trichloroethane	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5
Trichloroethene	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5
Trichlorofluoromethane	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5
1,2,3-Trichloropropane	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5
1,2,4-Trimethylbenzene	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5

TABLE
Summary of Aqueous Analytical Results for Volatile Organic Compounds by GC/MS (SW846)
1201 N. Magnolia Avenue Anaheim, CA 92801

Volatile Organic Compounds by GC/MS (SW846). Method: 8260B

Sample ID	Units	EB-GW071706-01	MW-10-GW071706-01	MW-11-GW071706-01	TB-GW071706-01
Sample Date		7/17/2006	7/17/2006	7/17/2006	7/17/2006
Laboratory Job Number		38221	38221	38221	38221
1,3,5-Trimethylbenzene	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5
Vinyl Acetate	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5
Vinyl chloride (Chloroethene)	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5
o-Xylene	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5
m,p-Xylenes	ug/L	ND<1.0	ND<1.0	ND<1.0	ND<1.0

1) "ND<X" INDICATES CONSTITUENT(S) NOT DETECTED AT OR ABOVE METHOD DETECTION LIMIT.
2) "J" INDICATES ANALYTE WAS DETECTED. HOWEVER, ANALYTE CONCENTRATION IS AN ESTIMATED VALUE WHICH IS BETWEEN THE METHOD DETECTION LIMIT (MDL) AND THE PRACTICAL QUANTITATION LIMIT(PQL).
3) "D" INDICATES THE SAMPLE WAS DILUTED TO BRING THE ANALYTE CONCENTRATION WITHIN CALIBRATION RANGE.

File: AQ_8260B.xls

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 2
Project ID: 32486-004
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
38221	07/17/2006	H&A

Method: 8260B, Volatile Organic Compounds by GC/MS (SW846)

QC Batch No: 072406

Our Lab I.D.			Method Blank	**38221.01**	**38221.02**	**38221.03**	**38221.04**
Client Sample I.D.				MW-10-GW071706-01	MW-11-GW071706-01	EB-GW071706-01	TB-GW071706-01
Date Sampled				07/17/2006	07/17/2006	07/17/2006	07/17/2006
Date Prepared			07/24/2006	07/24/2006	07/24/2006	07/24/2006	07/24/2006
Preparation Method			5030B	5030B	5030B	5030B	5030B
Date Analyzed			07/24/2006	07/24/2006	07/24/2006	07/24/2006	07/24/2006
Matrix			Aqueous	Aqueous	Aqueous	Aqueous	Aqueous
Units			ug/L	ug/L	ug/L	ug/L	ug/L
Dilution Factor			1	1	1	1	1
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**	**Results**	**Results**
Acetone	10	10	ND	ND	ND	ND	ND
Benzene	0.5	1.0	ND	ND	ND	ND	ND
Bromobenzene (Phenyl bromide)	0.5	1.0	ND	ND	ND	ND	ND
Bromochloromethane	0.5	1.0	ND	ND	ND	ND	ND
Bromodichloromethane	0.5	1.0	ND	ND	ND	ND	ND
Bromoform (Tribromomethane)	2.5	5.0	ND	ND	ND	ND	ND
Bromomethane (Methyl bromide)	1.5	3.0	ND	ND	ND	ND	ND
2-Butanone (MEK)	5.0	5.0	ND	ND	ND	ND	ND
n-Butylbenzene	0.5	1.0	ND	ND	ND	ND	ND
sec-Butylbenzene	0.5	1.0	ND	ND	ND	ND	ND
tert-Butylbenzene	0.5	1.0	ND	ND	ND	ND	ND
Carbon Disulfide	0.5	1.0	ND	ND	ND	ND	ND
Carbon tetrachloride	0.5	1.0	ND	ND	ND	ND	ND
Chlorobenzene	0.5	1.0	ND	ND	ND	ND	ND
Chloroethane	1.5	3.0	ND	ND	ND	ND	ND
2-Chloroethyl vinyl ether	2.5	5.0	ND	ND	ND	ND	ND
Chloroform (Trichloromethane)	0.5	1.0	ND	ND	ND	ND	ND
Chloromethane (Methyl chloride)	1.5	3.0	ND	ND	ND	ND	ND
2-Chlorotoluene	0.5	1.0	ND	ND	ND	ND	ND
4-Chlorotoluene	0.5	1.0	ND	ND	ND	ND	ND
1,2-Dibromo-3-chloropropane (DBCP)	2.5	5.0	ND	ND	ND	ND	ND
Dibromochloromethane	0.5	1.0	ND	ND	ND	ND	ND
1,2-Dibromoethane (EDB)	0.5	1.0	ND	ND	ND	ND	ND
Dibromomethane	0.5	1.0	ND	ND	ND	ND	ND
1,2-Dichlorobenzene	0.5	1.0	ND	ND	ND	ND	ND
1,3-Dichlorobenzene	0.5	1.0	ND	ND	ND	ND	ND
1,4-Dichlorobenzene	0.5	1.0	ND	ND	ND	ND	ND

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Page: 3
Project ID: 32486-004
Project Name: Delphi System Corp.

AETL Job Number	Submittd	Client
38221	07/17/2006	H&A

Method: 8260B, Volatile Organic Compounds by GC/MS (SW846)

QC Batch No: 072406

Our Lab I.D.			Method Blank	**38221.01**	**38221.02**	**38221.03**	**38221.04**
Client Sample I.D.				MW-10-GW071706-01	MW-11-GW071706-01	EB-GW071706-01	TB-GW071706-01
Date Sampled				07/17/2006	07/17/2006	07/17/2006	07/17/2006
Date Prepared			07/24/2006	07/24/2006	07/24/2006	07/24/2006	07/24/2006
Preparation Method			5030B	5030B	5030B	5030B	5030B
Date Analyzed			07/24/2006	07/24/2006	07/24/2006	07/24/2006	07/24/2006
Matrix			Aqueous	Aqueous	Aqueous	Aqueous	Aqueous
Units			ug/L	ug/L	ug/L	ug/L	ug/L
Dilution Factor			1	1	1	1	1
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**	**Results**	**Results**
Dichlorodifluoromethane	1.5	3.0	ND	ND	ND	ND	ND
1,1-Dichloroethane	0.5	1.0	ND	10.9	ND	ND	ND
1,2-Dichloroethane (EDC)	0.5	1.0	ND	ND	ND	ND	ND
1,1-Dichloroethene	0.5	1.0	ND	94.4	3.6	ND	ND
cis-1,2-Dichloroethene	0.5	1.0	ND	ND	ND	ND	ND
trans-1,2-Dichloroethene	0.5	1.0	ND	ND	ND	ND	ND
1,2-Dichloropropane	0.5	1.0	ND	ND	ND	ND	ND
1,3-Dichloropropane	0.5	1.0	ND	ND	ND	ND	ND
2,2-Dichloropropane	0.5	1.0	ND	ND	ND	ND	ND
1,1-Dichloropropene	0.5	1.0	ND	ND	ND	ND	ND
cis-1,3-Dichloropropene	0.5	1.0	ND	ND	ND	ND	ND
trans-1,3-Dichloropropene	0.5	1.0	ND	ND	ND	ND	ND
Ethylbenzene	0.5	1.0	ND	ND	ND	ND	ND
Hexachlorobutadiene	1.5	3.0	ND	ND	ND	ND	ND
2-Hexanone	2.5	5.0	ND	ND	ND	ND	ND
Isopropylbenzene	0.5	1.0	ND	ND	ND	ND	ND
p-Isopropyltoluene	0.5	1.0	ND	ND	ND	ND	ND
4-Methyl-2-pentanone (MIBK)	2.5	5.0	ND	ND	ND	ND	ND
Methyl-tert-butyl ether (MTBE)	0.5	1.0	ND	ND	ND	ND	ND
Methylene chloride (DCM)	2.0	4.0	ND	ND	ND	ND	ND
Naphthalene	0.5	1.0	ND	ND	ND	ND	ND
n-Propylbenzene	0.5	1.0	ND	ND	ND	ND	ND
Styrene	0.5	1.0	ND	ND	ND	ND	ND
1,1,1,2-Tetrachloroethane	0.5	1.0	ND	ND	ND	ND	ND
1,1,2,2-Tetrachloroethane	0.5	1.0	ND	ND	ND	ND	ND
Tetrachloroethene	0.5	1.0	ND	0.7J	ND	ND	ND
Toluene (Methyl benzene)	0.5	1.0	ND	ND	ND	ND	ND
1,2,3-Trichlorobenzene	0.5	1.0	ND	ND	ND	ND	ND
1,2,4-Trichlorobenzene	0.5	1.0	ND	ND	ND	ND	ND
1,1,1-Trichloroethane	0.5	1.0	ND	ND	ND	ND	ND
1,1,2-Trichloroethane	0.5	1.0	ND	ND	ND	ND	ND
Trichloroethene	0.5	1.0	ND	ND	ND	ND	ND
Trichlorofluoromethane	0.5	1.0	ND	ND	ND	ND	ND
1,2,3-Trichloropropane	0.5	1.0	ND	ND	ND	ND	ND
1,2,4-Trimethylbenzene	0.5	1.0	ND	ND	ND	ND	ND

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Page: 4
Project ID: 32486-004
Project Name: Delphi System Corp.

AETL Job Number	Submittd	Client
38221	07/17/2006	H&A

Method: 8260B, Volatile Organic Compounds by GC/MS (SW846)

QC Batch No: 072406

Our Lab I.D.			Method Blank	**38221.01**	**38221.02**	**38221.03**	**38221.04**
Client Sample I.D.				MW-10-GW071706-01	MW-11-GW071706-01	EB-GW071706-01	TB-GW071706-01
Date Sampled				07/17/2006	07/17/2006	07/17/2006	07/17/2006
Date Prepared			07/24/2006	07/24/2006	07/24/2006	07/24/2006	07/24/2006
Preparation Method			5030B	5030B	5030B	5030B	5030B
Date Analyzed			07/24/2006	07/24/2006	07/24/2006	07/24/2006	07/24/2006
Matrix			Aqueous	Aqueous	Aqueous	Aqueous	Aqueous
Units			ug/L	ug/L	ug/L	ug/L	ug/L
Dilution Factor			1	1	1	1	1
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**	**Results**	**Results**
1,3,5-Trimethylbenzene	0.5	1.0	ND	ND	ND	ND	ND
Vinyl Acetate	0.5	5.0	ND	ND	ND	ND	ND
Vinyl chloride (Chloroethene)	0.5	3.0	ND	ND	ND	ND	ND
o-Xylene	0.5	1.0	ND	ND	ND	ND	ND
m,p-Xylenes	1.0	2.0	ND	ND	ND	ND	ND

Our Lab I.D.				**38221.01**	**38221.02**	**38221.03**	**38221.04**
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**	**% Rec.**	**% Rec.**	**% Rec.**
Bromofluorobenzene	75-125		111	105	105	104	106
Dibromofluoromethane	75-125		105	103	102	103	102
Toluene-d8	75-125		102	103	101	101	101

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 5
Project ID: 32486-004
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
38221	07/17/2006	H&A

Method: 8260B, Volatile Organic Compounds by GC/MS (SW846)

QUALITY CONTROL REPORT

QC Batch No: 072406 Sample Spiked: 072406 QC Prepared: 07/24/2006 QC Analyzed: 07/24/2006 Units: ug/L

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Benzene	0.0	50.00	45.00	90	50.00	48.50	97	7.5	75-125	<20
Chlorobenzene	0.0	50.00	45.50	91	50.00	48.00	96	5.3	75-125	<20
1,1-Dichloroethene	0.0	50.00	41.00	82	50.00	46.00	92	11.5	75-125	<20
Methyl-tert-butyl ether (MTBE)	0.0	50.00	50.50	101	50.00	47.50	95	6.1	75-125	<20
Toluene (Methyl benzene)	0.0	50.00	46.50	93	50.00	46.50	93	<1	75-125	<20
Trichloroethene	0.0	50.00	41.00	82	50.00	47.50	95	14.7	75-125	<20

QC Batch No: 072406 Sample Spiked: 072406 QC Prepared: 07/24/2006 QC Analyzed: 07/24/2006 Units: ug/L

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Benzene	50.00	49.50	99	75-125						
Chlorobenzene	50.00	49.00	98	75-125						
1,1-Dichloroethene	50.00	47.00	94	75-125						
Methyl-tert-butyl ether (MTBE)	50.00	48.00	96	75-125						
Toluene (Methyl benzene)	50.00	48.00	96	75-125						
Trichloroethene	50.00	52.00	104	75-125						
LCS										
Chloroform (Trichloromethane)	50.00	49.50	99	75-125						
Ethylbenzene	50.00	48.00	96	75-125						
1,1,1-Trichloroethane	50.00	49.50	99	75-125						
o-Xylene	50.00	48.00	96	75-125						
m,p-Xylenes	100.00	96.00	96	75-125						

American Environmental Testing Laboratory Inc.
2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

Data Qualifiers and Descriptors

Data Qualifier:

*:	In the QC section, sample results have been taken directly from the ICP reading. No preparation factor has been applied.
B:	Analyte was present in the Method Blank.
D:	Result is from a diluted analysis.
E:	Result is beyond calibration limits and is estimated.
H:	Analysis was performed over the allowed holding time due to circumstances which were beyond laboratory control.
J:	Analyte was detected . However, the analyte concentration is an estimated value, which is between the Method Detection Limit (MDL) and the Practical Quantitation Limit (PQL).
M:	Matrix spike recovery is outside control limits due to matrix interference. Laboratory Control Sample recovery was acceptable.
S6:	Surrogate recovery is outside control limits due to matrix interference.
S8:	The analysis of the sample required a dilution such that the surrogate concentration was diluted below the method acceptance criteria.
X:	Results represent LCS and LCSD data.

Definition:

%Limi:	Percent acceptable limits.
%REC:	Percent recovery.
Con.L:	Acceptable Control Limits
Conce:	Added concentration to the sample.
LCS:	Laboratory Control Sample
MDL:	Method Detection Limit is a statistically derived number which is specific for each instrument, each method, and each compound. It indicates a distinctively detectable quantity with 99% probability.
MS:	Matrix Spike
MS DU:	Matrix Spike Duplicate

American Environmental Testing Laboratory Inc.
2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

Data Qualifiers and Descriptors

ND: Analyte was not detected in the sample at or above MDL.

PQL: Practical Quantitation Limit or ML (Minimum Level as per RWQCB) is the minimum concentration that can be quantified with more than 99% confidence. Taking into account all aspects of the entire analytical instrumentation and practice.

Recov: Recovered concentration in the sample.

RPD: Relative Percent Difference

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

Ordered By

Haley & Aldrich
500 South Kraemer Blvd. Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attention: Tom Tatnall

Number of Pages	**15**
Date Received	**09/01/2006**
Date Reported	**09/11/2006**

Job Number	Order Date	Client
38778	09/01/2006	H&A

RECEIVED
SEP 18 2006
Haley & Aldrich, Inc.

Project ID: 32486-008
Project Name: Delphi System Corp
Site: 1201 N. Magnolia Avenue
Anaheim, CA 92801

Enclosed please find results of analyses of 1 soil and 11 water samples which were analyzed as specified on the attached chain of custody. If there are any questions, please do not hesitate to call.

Checked By: _____

Approved By: Original signed by C. Razmara

Cyrus Razmara, Ph.D.
Laboratory Director

American Environmental Testing Laboratory Inc.
2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

CHAIN OF CUSTODY RECORD

№ 43242

AETL JOB No. 38778

Page 1 of 1

COMPANY: Haley + Aldrich
PROJECT MANAGER: T. Tathall
COMPANY ADDRESS: 500 S. Kraemer Blvd #370
PHONE: 714-985-3434
FAX: 714-985-3433
PROJECT NAME: Delphi - Anaheim
PROJECT #: 32486-008
SITE NAME AND ADDRESS: Delphi 1200 Knollwood circle Anaheim, CA
PO #:

ANALYSIS REQUESTED: * 8260B VOCs

	SAMPLE ID	LAB ID	DATE	TIME	MATRIX	CONTAINER NUMBER/SIZE	PRES.	* 8260B VOCs	TEST INSTRUCTIONS & COMMENTS
									* Full Scan w/ oxygenates
1	~~HP0001_SS_021_01~~		~~9-1-06~~	~~853~~	~~S~~	~~4 VOA~~		X	-
2	HP0001_SS_022_01		9-1-06	923	S	4 VOA		X	38778.01
3	HP0001_GW_028_01			1006	W	3 VOA	HCL	X	38778.02
4	HP0001_GW_048_01			1155	W	3 VOA	HCL	X	38778.03
5	HP0002_GW_030_01			1345	W	3 VOA	HCL	X	38778.04
6	HP0002_GW_050_01			1430	W	3 VOA	HCL	X	38778.05
7	HP0002_GW_030_02			1400	W	3 VOA	HCL	X	38778.06
8	HP0003_GW_030_01			1530	W	3 VOA	HCL	X	38778.07
9	HP0004_GW_030_01			1615	W	3 VOA	HCL	X	38778.08
10	HP0005_GW_030_01			1705	W	3 VOA	HCL	X	38778.09
11	TB-090106			730	W	2 VOA	HCL	X	38778.10
12	EB-090106			1720	W	2 VOA	HCL	X	38778.11
13									
14									
15									

SAMPLE RECEIPT - TO BE FILLED BY LABORATORY

TOTAL NUMBER OF CONTAINERS	38	PROPERLY COOLED Y / N / NA	
CUSTODY SEALS Y / N / NA		SAMPLES INTACT Y / N / NA	
RECEIVED IN GOOD COND Y / N		SAMPLES ACCEPTED Y / N	

TURN AROUND TIME

☒ NORMAL ☐ RUSH ☐ SAME DAY ☐ 24 HRS. ☐ 48 HRS. ☐ 72 HRS.

RELINQUISHED BY SAMPLER: 1.	RELINQUISHED BY: 2.	RELINQUISHED BY: 3.
Signature: Kelly Hoggan	Signature:	Signature: Thomas
Printed Name: K. Hoggan	Printed Name:	Printed Name: Thomas Robinson
Date: 9/1/06 Time: 1723	Date: Time:	Date: 09/01/06 Time: 1850
RECEIVED BY: 1.	**RECEIVED BY: 2.**	**RECEIVED BY LABORATORY: 3.**
Signature: Thomas	Signature:	Signature:
Printed Name: Thomas Robinson	Printed Name:	Printed Name: Greg
Date: 09/01/06 Time: 1723	Date: Time:	Date: 09/01/06 Time: 18:50

DISTRIBUTION: WHITE - Laboratory, CANARY - Laboratory, PINK - Project/Account Manager, YELLOW - Sampler/Originator

TABLE

Summary of Aqueous Analytical Results for Volatile Organic Compounds by GC/MS (SW846)

1201 N. Magnolia Avenue Anaheim, CA 92801

Volatile Organic Compounds by GC/MS (SW846). Method: 8260B

Sample ID	Units	EB-090106	HP0001-GW-028-01	HP0001-GW-048-01	HP0002-GW-030-01	HP0002-GW-030-02	HP0002-GW-050-01	HP0003-GW-030-01	HP0004-GW-030-01	HP0005-GW-030-01	TB-090106
Sample Date		9/1/2006	9/1/2006	9/1/2006	9/1/2006	9/1/2006	9/1/2006	9/1/2006	9/1/2006	9/1/2006	9/1/2006
Laboratory Job Number		38778	38778	38778	38778	38778	38778	38778	38778	38778	38778
Acetone	ug/L	ND<10	ND<10	ND<10	ND<10	ND<10	ND<10	ND<10	ND<10	ND<10	ND<10
Benzene	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
Bromobenzene (Phenyl bromide)	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
Bromochloromethane	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
Bromodichloromethane	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
Bromoform (Tribromomethane)	ug/L	ND<2.5	ND<2.5	ND<2.5	ND<2.5	ND<2.5	ND<2.5	ND<2.5	ND<2.5	ND<2.5	ND<2.5
Bromomethane (Methyl bromide)	ug/L	ND<1.5	ND<1.5	ND<1.5	ND<1.5	ND<1.5	ND<1.5	ND<1.5	ND<1.5	ND<1.5	ND<1.5
2-Butanone (MEK)	ug/L	ND<5.0	ND<5.0	ND<5.0	ND<5.0	ND<5.0	ND<5.0	ND<5.0	ND<5.0	ND<5.0	ND<5.0
n-Butylbenzene	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
sec-Butylbenzene	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
tert-Butylbenzene	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
Carbon Disulfide	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
Carbon tetrachloride	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
Chlorobenzene	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
Chloroethane	ug/L	ND<1.5	ND<1.5	ND<1.5	ND<1.5	ND<1.5	ND<1.5	ND<1.5	ND<1.5	ND<1.5	ND<1.5
2-Chloroethyl vinyl ether	ug/L	ND<2.5	ND<2.5	ND<2.5	ND<2.5	ND<2.5	ND<2.5	ND<2.5	ND<2.5	ND<2.5	ND<2.5
Chloroform (Trichloromethane)	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
Chloromethane (Methyl chloride)	ug/L	ND<1.5	ND<1.5	ND<1.5	ND<1.5	ND<1.5	ND<1.5	ND<1.5	ND<1.5	ND<1.5	ND<1.5
2-Chlorotoluene	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
4-Chlorotoluene	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
1,2-Dibromo-3-chloropropane (DBCP)	ug/L	ND<2.5	ND<2.5	ND<2.5	ND<2.5	ND<2.5	ND<2.5	ND<2.5	ND<2.5	ND<2.5	ND<2.5
Dibromochloromethane	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
1,2-Dibromoethane (EDB)	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
Dibromomethane	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
1,2-Dichlorobenzene	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
1,3-Dichlorobenzene	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
1,4-Dichlorobenzene	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
Dichlorodifluoromethane	ug/L	ND<1.5	ND<1.5	ND<1.5	ND<1.5	ND<1.5	ND<1.5	ND<1.5	ND<1.5	ND<1.5	ND<1.5
1,1-Dichloroethane	ug/L	ND<0.5	ND<0.5	**6.8**	**0.6J**	ND<0.5	**36.6**	ND<0.5	ND<0.5	ND<0.5	ND<0.5
1,2-Dichloroethane (EDC)	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	**1.4**	ND<0.5	ND<0.5	ND<0.5	ND<0.5
1,1-Dichloroethene	ug/L	ND<0.5	ND<0.5	**46.7**	ND<0.5	ND<0.5	**163**	ND<0.5	ND<0.5	ND<0.5	ND<0.5

TABLE

Summary of Aqueous Analytical Results for Volatile Organic Compounds by GC/MS (SW846)

1201 N. Magnolia Avenue Anaheim, CA 92801

Volatile Organic Compounds by GC/MS (SW846). Method: 8260B

Sample ID	Units	EB-090106	HP0001-GW-028-01	HP0001-GW-048-01	HP0002-GW-030-01	HP0002-GW-030-02	HP0002-GW-050-01	HP0003-GW-030-01	HP0004-GW-030-01	HP0005-GW-030-01	TB-090106
Sample Date		9/1/2006	9/1/2006	9/1/2006	9/1/2006	9/1/2006	9/1/2006	9/1/2006	9/1/2006	9/1/2006	9/1/2006
Laboratory Job Number		38778	38778	38778	38778	38778	38778	38778	38778	38778	38778
cis-1,2-Dichloroethene	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
trans-1,2-Dichloroethene	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
1,2-Dichloropropane	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
1,3-Dichloropropane	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
2,2-Dichloropropane	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
1,1-Dichloropropene	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
cis-1,3-Dichloropropene	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
trans-1,3-Dichloropropene	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
Ethylbenzene	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
Hexachlorobutadiene	ug/L	ND<1.5	ND<1.5	ND<1.5	ND<1.5	ND<1.5	ND<1.5	ND<1.5	ND<1.5	ND<1.5	ND<1.5
2-Hexanone	ug/L	ND<2.5	ND<2.5	ND<2.5	ND<2.5	ND<2.5	ND<2.5	ND<2.5	ND<2.5	ND<2.5	ND<2.5
Isopropylbenzene	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
p-Isopropyltoluene	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
4-Methyl-2-pentanone (MIBK)	ug/L	ND<2.5	ND<2.5	ND<2.5	ND<2.5	ND<2.5	ND<2.5	ND<2.5	ND<2.5	ND<2.5	ND<2.5
Methylene chloride (DCM)	ug/L	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0
Naphthalene	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
n-Propylbenzene	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
Styrene	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
1,1,1,2-Tetrachloroethane	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
1,1,2,2-Tetrachloroethane	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
Tetrachloroethene	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	**0.9J**	ND<0.5
Toluene (Methyl benzene)	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
1,2,3-Trichlorobenzene	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
1,2,4-Trichlorobenzene	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
1,1,1-Trichloroethane	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
1,1,2-Trichloroethane	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	**1.7**	ND<0.5	ND<0.5	ND<0.5	ND<0.5
Trichloroethene	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
Trichlorofluoromethane	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
1,2,3-Trichloropropane	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
1,2,4-Trimethylbenzene	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
1,3,5-Trimethylbenzene	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5

TABLE
Summary of Aqueous Analytical Results for Volatile Organic Compounds by GC/MS (SW846)
1201 N. Magnolia Avenue Anaheim, CA 92801

Volatile Organic Compounds by GC/MS (SW846). Method: 8260B

Sample ID	Units	EB-090106	HP0001-GW-028-01	HP0001-GW-048-01	HP0002-GW-030-01	HP0002-GW-030-02	HP0002-GW-050-01	HP0003-GW-030-01	HP0004-GW-030-01	HP0005-GW-030-01	TB-090106
Sample Date		9/1/2006	9/1/2006	9/1/2006	9/1/2006	9/1/2006	9/1/2006	9/1/2006	9/1/2006	9/1/2006	9/1/2006
Laboratory Job Number		38778	38778	38778	38778	38778	38778	38778	38778	38778	38778
Vinyl Acetate	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
Vinyl chloride (Chloroethene)	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
o-Xylene	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
m,p-Xylenes	ug/L	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
tert-Butyl alcohol (TBA)	ug/L	ND<10	ND<10	ND<10	ND<10	ND<10	ND<10	ND<10	ND<10	ND<10	ND<10
Diisopropyl ether (DIPE)	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
Ethyl alcohol (Ethanol)	ug/L	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
Ethyl-tert-butyl ether (ETBE)	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
Methyl-tert-butyl ether (MTBE)	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
tert-Amyl methyl ether (TAME)	ug/L	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5

1) "ND<X" INDICATES CONSTITUENT(S) NOT DETECTED AT OR ABOVE METHOD DETECTION LIMIT.
2) "J" INDICATES ANALYTE WAS DETECTED. HOWEVER, ANALYTE CONCENTRATION IS AN ESTIMATED VALUE WHICH IS BETWEEN THE METHOD DETECTION LIMIT (MDL) AND THE PRACTICAL QUANTITATION LIMIT(PQL).
3) "D" INDICATES THE SAMPLE WAS DILUTED TO BRING THE ANALYTE CONCENTRATION WITHIN CALIBRATION RANGE.

File: AQ_8260B.xls

TABLE
Summary of Soil Analytical Results for Volatile Organic Compounds by GC/MS (SW846)
1201 N. Magnolia Avenue Anaheim, CA 92801

Volatile Organic Compounds by GC/MS (SW846). Method: (8260B)

Sample ID	Units	HP0001-SS-022-01
Sample Date		9/1/2006
Laboratory Job Number		38778
Acetone	ug/Kg	ND<25
Benzene	ug/Kg	ND<2.0
Bromobenzene (Phenyl bromide)	ug/Kg	ND<5.0
Bromochloromethane	ug/Kg	ND<5.0
Bromodichloromethane	ug/Kg	ND<5.0
Bromoform (Tribromomethane)	ug/Kg	ND<25
Bromomethane (Methyl bromide)	ug/Kg	ND<15
2-Butanone (MEK)	ug/Kg	ND<25
n-Butylbenzene	ug/Kg	ND<5.0
sec-Butylbenzene	ug/Kg	ND<5.0
tert-Butylbenzene	ug/Kg	ND<5.0
Carbon Disulfide	ug/Kg	ND<25
Carbon tetrachloride	ug/Kg	ND<5.0
Chlorobenzene	ug/Kg	ND<5.0
Chloroethane	ug/Kg	ND<15
2-Chloroethyl vinyl ether	ug/Kg	ND<50
Chloroform (Trichloromethane)	ug/Kg	ND<5.0
Chloromethane (Methyl chloride)	ug/Kg	ND<15
2-Chlorotoluene	ug/Kg	ND<5.0
4-Chlorotoluene	ug/Kg	ND<5.0
1,2-Dibromo-3-chloropropane (DBCP)	ug/Kg	ND<25
Dibromochloromethane	ug/Kg	ND<5.0
1,2-Dibromoethane (EDB)	ug/Kg	ND<5.0
Dibromomethane	ug/Kg	ND<5.0
1,2-Dichlorobenzene	ug/Kg	ND<5.0
1,3-Dichlorobenzene	ug/Kg	ND<5.0
1,4-Dichlorobenzene	ug/Kg	ND<5.0
Dichlorodifluoromethane	ug/Kg	ND<15
1,1-Dichloroethane	ug/Kg	ND<5.0
1,2-Dichloroethane (EDC)	ug/Kg	ND<5.0
1,1-Dichloroethene	ug/Kg	ND<5.0

TABLE

Summary of Soil Analytical Results for Volatile Organic Compounds by GC/MS (SW846)

1201 N. Magnolia Avenue Anaheim, CA 92801

Volatile Organic Compounds by GC/MS (SW846). Method: (8260B)

Sample ID	Units	HP0001-SS-022-01
Sample Date		9/1/2006
Laboratory Job Number		38778
cis-1,2-Dichloroethene	ug/Kg	ND<5.0
trans-1,2-Dichloroethene	ug/Kg	ND<5.0
1,2-Dichloropropane	ug/Kg	ND<5.0
1,3-Dichloropropane	ug/Kg	ND<5.0
2,2-Dichloropropane	ug/Kg	ND<5.0
1,1-Dichloropropene	ug/Kg	ND<5.0
cis-1,3-Dichloropropene	ug/Kg	ND<5.0
trans-1,3-Dichloropropene	ug/Kg	ND<5.0
Ethylbenzene	ug/Kg	ND<2.0
Hexachlorobutadiene	ug/Kg	ND<15
2-Hexanone	ug/Kg	ND<25
Isopropylbenzene	ug/Kg	ND<5.0
p-Isopropyltoluene	ug/Kg	ND<5.0
4-Methyl-2-pentanone (MIBK)	ug/Kg	ND<25
Methylene chloride (DCM)	ug/Kg	ND<25
Naphthalene	ug/Kg	ND<5.0
n-Propylbenzene	ug/Kg	ND<5.0
Styrene	ug/Kg	ND<5.0
1,1,1,2-Tetrachloroethane	ug/Kg	ND<5.0
1,1,2,2-Tetrachloroethane	ug/Kg	ND<5.0
Tetrachloroethene	ug/Kg	ND<5.0
Toluene (Methyl benzene)	ug/Kg	ND<2.0
1,2,3-Trichlorobenzene	ug/Kg	ND<5.0
1,2,4-Trichlorobenzene	ug/Kg	ND<5.0
1,1,1-Trichloroethane	ug/Kg	ND<5.0
1,1,2-Trichloroethane	ug/Kg	ND<5.0
Trichloroethene	ug/Kg	ND<5.0
Trichlorofluoromethane	ug/Kg	ND<5.0
1,2,3-Trichloropropane	ug/Kg	ND<5.0
1,2,4-Trimethylbenzene	ug/Kg	ND<5.0
1,3,5-Trimethylbenzene	ug/Kg	ND<5.0

TABLE
Summary of Soil Analytical Results for Volatile Organic Compounds by GC/MS (SW846)
1201 N. Magnolia Avenue Anaheim, CA 92801

Volatile Organic Compounds by GC/MS (SW846). Method: (8260B)

Sample ID	Units	HP0001-SS-022-01
Sample Date		9/1/2006
Laboratory Job Number		38778
Vinyl Acetate	ug/Kg	ND<25
Vinyl chloride (Chloroethene)	ug/Kg	ND<15
o-Xylene	ug/Kg	ND<2.0
m,p-Xylenes	ug/Kg	ND<2.0
tert-Butyl alcohol (TBA)	ug/Kg	ND<20
Diisopropyl ether (DIPE)	ug/Kg	ND<5
Ethyl alcohol (Ethanol)	ug/Kg	ND<100
Ethyl-tert-butyl ether (ETBE)	ug/Kg	ND<5
Methyl-tert-butyl ether (MTBE)	ug/Kg	ND<5
tert-Amyl methyl ether (TAME)	ug/Kg	ND<5

1) "ND<X" INDICATES CONSTITUENT(S) NOT DETECTED AT OR ABOVE METHOD DETECTION LIMIT.
2) "J" INDICATES ANALYTE WAS DETECTED. HOWEVER, ANALYTE CONCENTRATION IS AN ESTIMATED VALUE WHICH IS BETWEEN THE METHOD DETECTION LIMIT (MDL) AND THE PRACTICAL QUANTITATION LIMIT(PQL).
3) "D" INDICATES THE SAMPLE WAS DILUTED TO BRING THE ANALYTE CONCENTRATION WITHIN CALIBRATION RANGE.

File: SO_8260B.xls

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 2
Project ID: 32486-008
Project Name: Delphi System Corp

AETL Job Number	Submitted	Client
38778	09/01/2006	H&A

Method: (8260B), Volatile Organic Compounds by GC/MS (SW846)

QC Batch No: 090706

Our Lab I.D.			Method Blank	**38778.01**			
Client Sample I.D.				HP0001-SS-022-01			
Date Sampled				09/01/2006			
Date Prepared			09/07/2006	09/07/2006			
Preparation Method			5035A	5035A			
Date Analyzed			09/07/2006	09/07/2006			
Matrix			Soil	Soil			
Units			ug/Kg	ug/Kg			
Dilution Factor			1	1			
Analytes	**MDL**	**PQL**	**Results**	**Results**			
Acetone	25	50	ND	ND			
Benzene	2.0	10.0	ND	ND			
Bromobenzene (Phenyl bromide)	5.0	10.0	ND	ND			
Bromochloromethane	5.0	10.0	ND	ND			
Bromodichloromethane	5.0	10.0	ND	ND			
Bromoform (Tribromomethane)	25	50	ND	ND			
Bromomethane (Methyl bromide)	15	30	ND	ND			
2-Butanone (MEK)	25	50	ND	ND			
n-Butylbenzene	5.0	10.0	ND	ND			
sec-Butylbenzene	5.0	10.0	ND	ND			
tert-Butylbenzene	5.0	10.0	ND	ND			
Carbon Disulfide	25	50	ND	ND			
Carbon tetrachloride	5.0	10.0	ND	ND			
Chlorobenzene	5.0	10.0	ND	ND			
Chloroethane	15	30	ND	ND			
2-Chloroethyl vinyl ether	50	50	ND	ND			
Chloroform (Trichloromethane)	5.0	10.0	ND	ND			
Chloromethane (Methyl chloride)	15	30	ND	ND			
2-Chlorotoluene	5.0	10.0	ND	ND			
4-Chlorotoluene	5.0	10.0	ND	ND			
1,2-Dibromo-3-chloropropane (DBCP)	25	50	ND	ND			
Dibromochloromethane	5.0	10.0	ND	ND			
1,2-Dibromoethane (EDB)	5.0	10.0	ND	ND			
Dibromomethane	5.0	10.0	ND	ND			
1,2-Dichlorobenzene	5.0	10.0	ND	ND			
1,3-Dichlorobenzene	5.0	10.0	ND	ND			
1,4-Dichlorobenzene	5.0	10.0	ND	ND			

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Page: 3
Project ID: 32486-008
Project Name: Delphi System Corp

AETL Job Number	Submittd	Client
38778	09/01/2006	H&A

Method: (8260B), Volatile Organic Compounds by GC/MS (SW846)

QC Batch No: 090706

Our Lab I.D.			Method Blank	**38778.01**			
Client Sample I.D.				HP0001-SS-022-01			
Date Sampled				09/01/2006			
Date Prepared			09/07/2006	09/07/2006			
Preparation Method			5035A	5035A			
Date Analyzed			09/07/2006	09/07/2006			
Matrix			Soil	Soil			
Units			ug/Kg	ug/Kg			
Dilution Factor			1	1			
Analytes	**MDL**	**PQL**	**Results**	**Results**			
Dichlorodifluoromethane	15	30	ND	ND			
1,1-Dichloroethane	5.0	10.0	ND	ND			
1,2-Dichloroethane (EDC)	5.0	10.0	ND	ND			
1,1-Dichloroethene	5.0	10.0	ND	ND			
cis-1,2-Dichloroethene	5.0	10.0	ND	ND			
trans-1,2-Dichloroethene	5.0	10.0	ND	ND			
1,2-Dichloropropane	5.0	10.0	ND	ND			
1,3-Dichloropropane	5.0	10.0	ND	ND			
2,2-Dichloropropane	5.0	10.0	ND	ND			
1,1-Dichloropropene	5.0	10.0	ND	ND			
cis-1,3-Dichloropropene	5.0	10.0	ND	ND			
trans-1,3-Dichloropropene	5.0	10.0	ND	ND			
Ethylbenzene	2.0	10.0	ND	ND			
Hexachlorobutadiene	15	30	ND	ND			
2-Hexanone	25	50	ND	ND			
Isopropylbenzene	5.0	10.0	ND	ND			
p-Isopropyltoluene	5.0	10.0	ND	ND			
4-Methyl-2-pentanone (MIBK)	25	50	ND	ND			
Methylene chloride (DCM)	25	50	ND	ND			
Naphthalene	5.0	10.0	ND	ND			
n-Propylbenzene	5.0	10.0	ND	ND			
Styrene	5.0	10.0	ND	ND			
1,1,1,2-Tetrachloroethane	5.0	10.0	ND	ND			
1,1,2,2-Tetrachloroethane	5.0	10.0	ND	ND			
Tetrachloroethene	5.0	10.0	ND	ND			
Toluene (Methyl benzene)	2.0	10.0	ND	ND			
1,2,3-Trichlorobenzene	5.0	10.0	ND	ND			
1,2,4-Trichlorobenzene	5.0	10.0	ND	ND			
1,1,1-Trichloroethane	5.0	10.0	ND	ND			
1,1,2-Trichloroethane	5.0	10.0	ND	ND			
Trichloroethene	5.0	10.0	ND	ND			
Trichlorofluoromethane	5.0	10.0	ND	ND			
1,2,3-Trichloropropane	5.0	10.0	ND	ND			
1,2,4-Trimethylbenzene	5.0	10.0	ND	ND			
1,3,5-Trimethylbenzene	5.0	10.0	ND	ND			

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Page: 4
Project ID: 32486-008
Project Name: Delphi System Corp

AETL Job Number	Submittd	Client
38778	09/01/2006	H&A

Method: (8260B), Volatile Organic Compounds by GC/MS (SW846)

QC Batch No: 090706

Our Lab I.D.			Method Blank	**38778.01**			
Client Sample I.D.				HP0001-SS-0 22-01			
Date Sampled				09/01/2006			
Date Prepared			09/07/2006	09/07/2006			
Preparation Method			5035A	5035A			
Date Analyzed			09/07/2006	09/07/2006			
Matrix			Soil	Soil			
Units			ug/Kg	ug/Kg			
Dilution Factor			1	1			
Analytes	**MDL**	**PQL**	**Results**	**Results**			
Vinyl Acetate	25	50	ND	ND			
Vinyl chloride (Chloroethene)	15	30	ND	ND			
o-Xylene	2.0	10.0	ND	ND			
m,p-Xylenes	2.0	20.0	ND	ND			
tert-Butyl alcohol (TBA)	20	500	ND	ND			
Diisopropyl ether (DIPE)	5	10	ND	ND			
Ethyl alcohol (Ethanol)	100	500	ND	ND			
Ethyl-tert-butyl ether (ETBE)	5	10	ND	ND			
Methyl-tert-butyl ether (MTBE)	5	10	ND	ND			
tert-Amyl methyl ether (TAME)	5	10	ND	ND			

Our Lab I.D.				**38778.01**			
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**			
Bromofluorobenzene	75-125		112	108			
Dibromofluoromethane	75-125		100	100			
Toluene-d8	75-125		101	98			

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 5
Project ID: 32486-008
Project Name: Delphi System Corp

AETL Job Number	Submitted	Client
38778	09/01/2006	H&A

Method: 8260B, Volatile Organic Compounds by GC/MS (SW846)

QC Batch No: 090706

Our Lab I.D.			Method Blank	38778.02	38778.03	38778.04	38778.05
Client Sample I.D.				HP0001-GW-028-01	HP0001-GW-048-01	HP0002-GW-030-01	HP0002-GW-050-01
Date Sampled				09/01/2006	09/01/2006	09/01/2006	09/01/2006
Date Prepared			09/07/2006	09/07/2006	09/07/2006	09/07/2006	09/07/2006
Preparation Method			5030B	5030B	5030B	5030B	5030B
Date Analyzed			09/07/2006	09/07/2006	09/07/2006	09/07/2006	09/07/2006
Matrix			Aqueous	Aqueous	Aqueous	Aqueous	Aqueous
Units			ug/L	ug/L	ug/L	ug/L	ug/L
Dilution Factor			1	1	1	1	1
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**	**Results**	**Results**
Acetone	10	10	ND	ND	ND	ND	ND
Benzene	0.5	1.0	ND	ND	ND	ND	ND
Bromobenzene (Phenyl bromide)	0.5	1.0	ND	ND	ND	ND	ND
Bromochloromethane	0.5	1.0	ND	ND	ND	ND	ND
Bromodichloromethane	0.5	1.0	ND	ND	ND	ND	ND
Bromoform (Tribromomethane)	2.5	5.0	ND	ND	ND	ND	ND
Bromomethane (Methyl bromide)	1.5	3.0	ND	ND	ND	ND	ND
2-Butanone (MEK)	5.0	5.0	ND	ND	ND	ND	ND
n-Butylbenzene	0.5	1.0	ND	ND	ND	ND	ND
sec-Butylbenzene	0.5	1.0	ND	ND	ND	ND	ND
tert-Butylbenzene	0.5	1.0	ND	ND	ND	ND	ND
Carbon Disulfide	0.5	1.0	ND	ND	ND	ND	ND
Carbon tetrachloride	0.5	1.0	ND	ND	ND	ND	ND
Chlorobenzene	0.5	1.0	ND	ND	ND	ND	ND
Chloroethane	1.5	3.0	ND	ND	ND	ND	ND
2-Chloroethyl vinyl ether	2.5	5.0	ND	ND	ND	ND	ND
Chloroform (Trichloromethane)	0.5	1.0	ND	ND	ND	ND	ND
Chloromethane (Methyl chloride)	1.5	3.0	ND	ND	ND	ND	ND
2-Chlorotoluene	0.5	1.0	ND	ND	ND	ND	ND
4-Chlorotoluene	0.5	1.0	ND	ND	ND	ND	ND
1,2-Dibromo-3-chloropropane (DBCP)	2.5	5.0	ND	ND	ND	ND	ND
Dibromochloromethane	0.5	1.0	ND	ND	ND	ND	ND
1,2-Dibromoethane (EDB)	0.5	1.0	ND	ND	ND	ND	ND
Dibromomethane	0.5	1.0	ND	ND	ND	ND	ND
1,2-Dichlorobenzene	0.5	1.0	ND	ND	ND	ND	ND
1,3-Dichlorobenzene	0.5	1.0	ND	ND	ND	ND	ND
1,4-Dichlorobenzene	0.5	1.0	ND	ND	ND	ND	ND

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Project ID: 32486-008
Project Name: Delphi System Corp

AETL Job Number	Submittd	Client
38778	09/01/2006	H&A

Method: 8260B, Volatile Organic Compounds by GC/MS (SW846)

QC Batch No: 090706

Our Lab I.D.			Method Blank	**38778.02**	**38778.03**	**38778.04**	**38778.05**
Client Sample I.D.				HP0001-GW-028-01	HP0001-GW-048-01	HP0002-GW-030-01	HP0002-GW-050-01
Date Sampled				09/01/2006	09/01/2006	09/01/2006	09/01/2006
Date Prepared			09/07/2006	09/07/2006	09/07/2006	09/07/2006	09/07/2006
Preparation Method			5030B	5030B	5030B	5030B	5030B
Date Analyzed			09/07/2006	09/07/2006	09/07/2006	09/07/2006	09/07/2006
Matrix			Aqueous	Aqueous	Aqueous	Aqueous	Aqueous
Units			ug/L	ug/L	ug/L	ug/L	ug/L
Dilution Factor			1	1	1	1	1
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**	**Results**	**Results**
Dichlorodifluoromethane	1.5	3.0	ND	ND	ND	ND	ND
1,1-Dichloroethane	0.5	1.0	ND	ND	6.8	0.6J	36.6
1,2-Dichloroethane (EDC)	0.5	1.0	ND	ND	ND	ND	1.4
1,1-Dichloroethene	0.5	1.0	ND	ND	46.7	ND	163
cis-1,2-Dichloroethene	0.5	1.0	ND	ND	ND	ND	ND
trans-1,2-Dichloroethene	0.5	1.0	ND	ND	ND	ND	ND
1,2-Dichloropropane	0.5	1.0	ND	ND	ND	ND	ND
1,3-Dichloropropane	0.5	1.0	ND	ND	ND	ND	ND
2,2-Dichloropropane	0.5	1.0	ND	ND	ND	ND	ND
1,1-Dichloropropene	0.5	1.0	ND	ND	ND	ND	ND
cis-1,3-Dichloropropene	0.5	1.0	ND	ND	ND	ND	ND
trans-1,3-Dichloropropene	0.5	1.0	ND	ND	ND	ND	ND
Ethylbenzene	0.5	1.0	ND	ND	ND	ND	ND
Hexachlorobutadiene	1.5	3.0	ND	ND	ND	ND	ND
2-Hexanone	2.5	5.0	ND	ND	ND	ND	ND
Isopropylbenzene	0.5	1.0	ND	ND	ND	ND	ND
p-Isopropyltoluene	0.5	1.0	ND	ND	ND	ND	ND
4-Methyl-2-pentanone (MIBK)	2.5	5.0	ND	ND	ND	ND	ND
Methylene chloride (DCM)	2.0	4.0	ND	ND	ND	ND	ND
Naphthalene	0.5	1.0	ND	ND	ND	ND	ND
n-Propylbenzene	0.5	1.0	ND	ND	ND	ND	ND
Styrene	0.5	1.0	ND	ND	ND	ND	ND
1,1,1,2-Tetrachloroethane	0.5	1.0	ND	ND	ND	ND	ND
1,1,2,2-Tetrachloroethane	0.5	1.0	ND	ND	ND	ND	ND
Tetrachloroethene	0.5	1.0	ND	ND	ND	ND	ND
Toluene (Methyl benzene)	0.5	1.0	ND	ND	ND	ND	ND
1,2,3-Trichlorobenzene	0.5	1.0	ND	ND	ND	ND	ND
1,2,4-Trichlorobenzene	0.5	1.0	ND	ND	ND	ND	ND
1,1,1-Trichloroethane	0.5	1.0	ND	ND	ND	ND	ND
1,1,2-Trichloroethane	0.5	1.0	ND	ND	ND	ND	1.7
Trichloroethene	0.5	1.0	ND	ND	ND	ND	ND
Trichlorofluoromethane	0.5	1.0	ND	ND	ND	ND	ND
1,2,3-Trichloropropane	0.5	1.0	ND	ND	ND	ND	ND
1,2,4-Trimethylbenzene	0.5	1.0	ND	ND	ND	ND	ND
1,3,5-Trimethylbenzene	0.5	1.0	ND	ND	ND	ND	ND

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Page: 7
Project ID: 32486-008
Project Name: Delphi System Corp

AETL Job Number	Submittd	Client
38778	09/01/2006	H&A

Method: 8260B, Volatile Organic Compounds by GC/MS (SW846)

QC Batch No: 090706

Our Lab I.D.			Method Blank	**38778.02**	**38778.03**	**38778.04**	**38778.05**
Client Sample I.D.				HP0001-GW-028-01	HP0001-GW-048-01	HP0002-GW-030-01	HP0002-GW-050-01
Date Sampled				09/01/2006	09/01/2006	09/01/2006	09/01/2006
Date Prepared			09/07/2006	09/07/2006	09/07/2006	09/07/2006	09/07/2006
Preparation Method			5030B	5030B	5030B	5030B	5030B
Date Analyzed			09/07/2006	09/07/2006	09/07/2006	09/07/2006	09/07/2006
Matrix			Aqueous	Aqueous	Aqueous	Aqueous	Aqueous
Units			ug/L	ug/L	ug/L	ug/L	ug/L
Dilution Factor			1	1	1	1	1
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**	**Results**	**Results**
Vinyl Acetate	0.5	5.0	ND	ND	ND	ND	ND
Vinyl chloride (Chloroethene)	0.5	3.0	ND	ND	ND	ND	ND
o-Xylene	0.5	1.0	ND	ND	ND	ND	ND
m,p-Xylenes	1.0	2.0	ND	ND	ND	ND	ND
tert-Butyl alcohol (TBA)	10	50	ND	ND	ND	ND	ND
Diisopropyl ether (DIPE)	0.5	1.0	ND	ND	ND	ND	ND
Ethyl alcohol (Ethanol)	500	1000	ND	ND	ND	ND	ND
Ethyl-tert-butyl ether (ETBE)	0.5	1.0	ND	ND	ND	ND	ND
Methyl-tert-butyl ether (MTBE)	0.5	1.0	ND	ND	ND	ND	ND
tert-Amyl methyl ether (TAME)	0.5	1.0	ND	ND	ND	ND	ND

Our Lab I.D.				**38778.02**	**38778.03**	**38778.04**	**38778.05**
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**	**% Rec.**	**% Rec.**	**% Rec.**
Bromofluorobenzene	75-125		112	111	110	109	107
Dibromofluoromethane	75-125		104	102	102	104	101
Toluene-d8	75-125		101	102	103	104	102

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 8
Project ID: 32486-008
Project Name: Delphi System Corp

AETL Job Number	Submitted	Client
38778	09/01/2006	H&A

Method: 8260B, Volatile Organic Compounds by GC/MS (SW846)

QC Batch No: 090706

Our Lab I.D.			**38778.06**	**38778.07**	**38778.08**	**38778.09**	**38778.10**
Client Sample I.D.			HP0002-GW-030-02	HP0003-GW-030-01	HP0004-GW-030-01	HP0005-GW-030-01	TB-090106
Date Sampled			09/01/2006	09/01/2006	09/01/2006	09/01/2006	09/01/2006
Date Prepared			09/07/2006	09/07/2006	09/07/2006	09/07/2006	09/07/2006
Preparation Method			5030B	5030B	5030B	5030B	5030B
Date Analyzed			09/07/2006	09/07/2006	09/07/2006	09/07/2006	09/07/2006
Matrix			Aqueous	Aqueous	Aqueous	Aqueous	Aqueous
Units			ug/L	ug/L	ug/L	ug/L	ug/L
Dilution Factor			1	1	1	1	1
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**	**Results**	**Results**
Acetone	10	10	ND	ND	ND	ND	ND
Benzene	0.5	1.0	ND	ND	ND	ND	ND
Bromobenzene (Phenyl bromide)	0.5	1.0	ND	ND	ND	ND	ND
Bromochloromethane	0.5	1.0	ND	ND	ND	ND	ND
Bromodichloromethane	0.5	1.0	ND	ND	ND	ND	ND
Bromoform (Tribromomethane)	2.5	5.0	ND	ND	ND	ND	ND
Bromomethane (Methyl bromide)	1.5	3.0	ND	ND	ND	ND	ND
2-Butanone (MEK)	5.0	5.0	ND	ND	ND	ND	ND
n-Butylbenzene	0.5	1.0	ND	ND	ND	ND	ND
sec-Butylbenzene	0.5	1.0	ND	ND	ND	ND	ND
tert-Butylbenzene	0.5	1.0	ND	ND	ND	ND	ND
Carbon Disulfide	0.5	1.0	ND	ND	ND	ND	ND
Carbon tetrachloride	0.5	1.0	ND	ND	ND	ND	ND
Chlorobenzene	0.5	1.0	ND	ND	ND	ND	ND
Chloroethane	1.5	3.0	ND	ND	ND	ND	ND
2-Chloroethyl vinyl ether	2.5	5.0	ND	ND	ND	ND	ND
Chloroform (Trichloromethane)	0.5	1.0	ND	ND	ND	ND	ND
Chloromethane (Methyl chloride)	1.5	3.0	ND	ND	ND	ND	ND
2-Chlorotoluene	0.5	1.0	ND	ND	ND	ND	ND
4-Chlorotoluene	0.5	1.0	ND	ND	ND	ND	ND
1,2-Dibromo-3-chloropropane (DBCP)	2.5	5.0	ND	ND	ND	ND	ND
Dibromochloromethane	0.5	1.0	ND	ND	ND	ND	ND
1,2-Dibromoethane (EDB)	0.5	1.0	ND	ND	ND	ND	ND
Dibromomethane	0.5	1.0	ND	ND	ND	ND	ND
1,2-Dichlorobenzene	0.5	1.0	ND	ND	ND	ND	ND
1,3-Dichlorobenzene	0.5	1.0	ND	ND	ND	ND	ND
1,4-Dichlorobenzene	0.5	1.0	ND	ND	ND	ND	ND

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Project ID: 32486-008
Project Name: Delphi System Corp

AETL Job Number	Submittd	Client
38778	09/01/2006	H&A

Method: 8260B, Volatile Organic Compounds by GC/MS (SW846)

QC Batch No: 090706

Our Lab I.D.			**38778.06**	**38778.07**	**38778.08**	**38778.09**	**38778.10**
Client Sample I.D.			HP0002-GW-030-02	HP0003-GW-030-01	HP0004-GW-030-01	HP0005-GW-030-01	TB-090106
Date Sampled			09/01/2006	09/01/2006	09/01/2006	09/01/2006	09/01/2006
Date Prepared			09/07/2006	09/07/2006	09/07/2006	09/07/2006	09/07/2006
Preparation Method			5030B	5030B	5030B	5030B	5030B
Date Analyzed			09/07/2006	09/07/2006	09/07/2006	09/07/2006	09/07/2006
Matrix			Aqueous	Aqueous	Aqueous	Aqueous	Aqueous
Units			ug/L	ug/L	ug/L	ug/L	ug/L
Dilution Factor			1	1	1	1	1
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**	**Results**	**Results**
Dichlorodifluoromethane	1.5	3.0	ND	ND	ND	ND	ND
1,1-Dichloroethane	0.5	1.0	ND	ND	ND	ND	ND
1,2-Dichloroethane (EDC)	0.5	1.0	ND	ND	ND	ND	ND
1,1-Dichloroethene	0.5	1.0	ND	ND	ND	ND	ND
cis-1,2-Dichloroethene	0.5	1.0	ND	ND	ND	ND	ND
trans-1,2-Dichloroethene	0.5	1.0	ND	ND	ND	ND	ND
1,2-Dichloropropane	0.5	1.0	ND	ND	ND	ND	ND
1,3-Dichloropropane	0.5	1.0	ND	ND	ND	ND	ND
2,2-Dichloropropane	0.5	1.0	ND	ND	ND	ND	ND
1,1-Dichloropropene	0.5	1.0	ND	ND	ND	ND	ND
cis-1,3-Dichloropropene	0.5	1.0	ND	ND	ND	ND	ND
trans-1,3-Dichloropropene	0.5	1.0	ND	ND	ND	ND	ND
Ethylbenzene	0.5	1.0	ND	ND	ND	ND	ND
Hexachlorobutadiene	1.5	3.0	ND	ND	ND	ND	ND
2-Hexanone	2.5	5.0	ND	ND	ND	ND	ND
Isopropylbenzene	0.5	1.0	ND	ND	ND	ND	ND
p-Isopropyltoluene	0.5	1.0	ND	ND	ND	ND	ND
4-Methyl-2-pentanone (MIBK)	2.5	5.0	ND	ND	ND	ND	ND
Methylene chloride (DCM)	2.0	4.0	ND	ND	ND	ND	ND
Naphthalene	0.5	1.0	ND	ND	ND	ND	ND
n-Propylbenzene	0.5	1.0	ND	ND	ND	ND	ND
Styrene	0.5	1.0	ND	ND	ND	ND	ND
1,1,1,2-Tetrachloroethane	0.5	1.0	ND	ND	ND	ND	ND
1,1,2,2-Tetrachloroethane	0.5	1.0	ND	ND	ND	ND	ND
Tetrachloroethene	0.5	1.0	ND	ND	ND	0.9J	ND
Toluene (Methyl benzene)	0.5	1.0	ND	ND	ND	ND	ND
1,2,3-Trichlorobenzene	0.5	1.0	ND	ND	ND	ND	ND
1,2,4-Trichlorobenzene	0.5	1.0	ND	ND	ND	ND	ND
1,1,1-Trichloroethane	0.5	1.0	ND	ND	ND	ND	ND
1,1,2-Trichloroethane	0.5	1.0	ND	ND	ND	ND	ND
Trichloroethene	0.5	1.0	ND	ND	ND	ND	ND
Trichlorofluoromethane	0.5	1.0	ND	ND	ND	ND	ND
1,2,3-Trichloropropane	0.5	1.0	ND	ND	ND	ND	ND
1,2,4-Trimethylbenzene	0.5	1.0	ND	ND	ND	ND	ND
1,3,5-Trimethylbenzene	0.5	1.0	ND	ND	ND	ND	ND

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Project ID: 32486-008
Project Name: Delphi System Corp

AETL Job Number	Submittd	Client
38778	09/01/2006	H&A

Method: 8260B, Volatile Organic Compounds by GC/MS (SW846)

QC Batch No: 090706

Our Lab I.D.			**38778.06**	**38778.07**	**38778.08**	**38778.09**	**38778.10**
Client Sample I.D.			HP0002-GW-030-02	HP0003-GW-030-01	HP0004-GW-030-01	HP0005-GW-030-01	TB-090106
Date Sampled			09/01/2006	09/01/2006	09/01/2006	09/01/2006	09/01/2006
Date Prepared			09/07/2006	09/07/2006	09/07/2006	09/07/2006	09/07/2006
Preparation Method			5030B	5030B	5030B	5030B	5030B
Date Analyzed			09/07/2006	09/07/2006	09/07/2006	09/07/2006	09/07/2006
Matrix			Aqueous	Aqueous	Aqueous	Aqueous	Aqueous
Units			ug/L	ug/L	ug/L	ug/L	ug/L
Dilution Factor			1	1	1	1	1
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**	**Results**	**Results**
Vinyl Acetate	0.5	5.0	ND	ND	ND	ND	ND
Vinyl chloride (Chloroethene)	0.5	3.0	ND	ND	ND	ND	ND
o-Xylene	0.5	1.0	ND	ND	ND	ND	ND
m,p-Xylenes	1.0	2.0	ND	ND	ND	ND	ND
tert-Butyl alcohol (TBA)	10	50	ND	ND	ND	ND	ND
Diisopropyl ether (DIPE)	0.5	1.0	ND	ND	ND	ND	ND
Ethyl alcohol (Ethanol)	500	1000	ND	ND	ND	ND	ND
Ethyl-tert-butyl ether (ETBE)	0.5	1.0	ND	ND	ND	ND	ND
Methyl-tert-butyl ether (MTBE)	0.5	1.0	ND	ND	ND	ND	ND
tert-Amyl methyl ether (TAME)	0.5	1.0	ND	ND	ND	ND	ND

Our Lab I.D.			**38778.06**	**38778.07**	**38778.08**	**38778.09**	**38778.10**
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**	**% Rec.**	**% Rec.**	**% Rec.**
Bromofluorobenzene	75-125		108	106	107	109	107
Dibromofluoromethane	75-125		101	100	102	102	103
Toluene-d8	75-125		102	103	104	104	102

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 11
Project ID: 32486-008
Project Name: Delphi System Corp

AETL Job Number	Submitted	Client
38778	09/01/2006	H&A

Method: 8260B, Volatile Organic Compounds by GC/MS (SW846)

QC Batch No: 090706

Our Lab I.D.			**38778.11**
Client Sample I.D.			EB-090106
Date Sampled			09/01/2006
Date Prepared			09/07/2006
Preparation Method			5030B
Date Analyzed			09/07/2006
Matrix			Aqueous
Units			ug/L
Dilution Factor			1
Analytes	**MDL**	**PQL**	**Results**
Acetone	10	10	ND
Benzene	0.5	1.0	ND
Bromobenzene (Phenyl bromide)	0.5	1.0	ND
Bromochloromethane	0.5	1.0	ND
Bromodichloromethane	0.5	1.0	ND
Bromoform (Tribromomethane)	2.5	5.0	ND
Bromomethane (Methyl bromide)	1.5	3.0	ND
2-Butanone (MEK)	5.0	5.0	ND
n-Butylbenzene	0.5	1.0	ND
sec-Butylbenzene	0.5	1.0	ND
tert-Butylbenzene	0.5	1.0	ND
Carbon Disulfide	0.5	1.0	ND
Carbon tetrachloride	0.5	1.0	ND
Chlorobenzene	0.5	1.0	ND
Chloroethane	1.5	3.0	ND
2-Chloroethyl vinyl ether	2.5	5.0	ND
Chloroform (Trichloromethane)	0.5	1.0	ND
Chloromethane (Methyl chloride)	1.5	3.0	ND
2-Chlorotoluene	0.5	1.0	ND
4-Chlorotoluene	0.5	1.0	ND
1,2-Dibromo-3-chloropropane (DBCP)	2.5	5.0	ND
Dibromochloromethane	0.5	1.0	ND
1,2-Dibromoethane (EDB)	0.5	1.0	ND
Dibromomethane	0.5	1.0	ND
1,2-Dichlorobenzene	0.5	1.0	ND
1,3-Dichlorobenzene	0.5	1.0	ND
1,4-Dichlorobenzene	0.5	1.0	ND
Dichlorodifluoromethane	1.5	3.0	ND

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Project ID: 32486-008
Project Name: Delphi System Corp

AETL Job Number	Submittd	Client
38778	09/01/2006	H&A

Method: 8260B, Volatile Organic Compounds by GC/MS (SW846)

QC Batch No: 090706

Our Lab I.D.			**38778.11**				
Client Sample I.D.			EB-090106				
Date Sampled			09/01/2006				
Date Prepared			09/07/2006				
Preparation Method			5030B				
Date Analyzed			09/07/2006				
Matrix			Aqueous				
Units			ug/L				
Dilution Factor			1				
Analytes	**MDL**	**PQL**	**Results**				
1,1-Dichloroethane	0.5	1.0	ND				
1,2-Dichloroethane (EDC)	0.5	1.0	ND				
1,1-Dichloroethene	0.5	1.0	ND				
cis-1,2-Dichloroethene	0.5	1.0	ND				
trans-1,2-Dichloroethene	0.5	1.0	ND				
1,2-Dichloropropane	0.5	1.0	ND				
1,3-Dichloropropane	0.5	1.0	ND				
2,2-Dichloropropane	0.5	1.0	ND				
1,1-Dichloropropene	0.5	1.0	ND				
cis-1,3-Dichloropropene	0.5	1.0	ND				
trans-1,3-Dichloropropene	0.5	1.0	ND				
Ethylbenzene	0.5	1.0	ND				
Hexachlorobutadiene	1.5	3.0	ND				
2-Hexanone	2.5	5.0	ND				
Isopropylbenzene	0.5	1.0	ND				
p-Isopropyltoluene	0.5	1.0	ND				
4-Methyl-2-pentanone (MIBK)	2.5	5.0	ND				
Methylene chloride (DCM)	2.0	4.0	ND				
Naphthalene	0.5	1.0	ND				
n-Propylbenzene	0.5	1.0	ND				
Styrene	0.5	1.0	ND				
1,1,1,2-Tetrachloroethane	0.5	1.0	ND				
1,1,2,2-Tetrachloroethane	0.5	1.0	ND				
Tetrachloroethene	0.5	1.0	ND				
Toluene (Methyl benzene)	0.5	1.0	ND				
1,2,3-Trichlorobenzene	0.5	1.0	ND				
1,2,4-Trichlorobenzene	0.5	1.0	ND				
1,1,1-Trichloroethane	0.5	1.0	ND				
1,1,2-Trichloroethane	0.5	1.0	ND				
Trichloroethene	0.5	1.0	ND				
Trichlorofluoromethane	0.5	1.0	ND				
1,2,3-Trichloropropane	0.5	1.0	ND				
1,2,4-Trimethylbenzene	0.5	1.0	ND				
1,3,5-Trimethylbenzene	0.5	1.0	ND				
Vinyl Acetate	0.5	5.0	ND				
Vinyl chloride (Chloroethene)	0.5	3.0	ND				

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Project ID: 32486-008
Project Name: Delphi System Corp

AETL Job Number	Submittd	Client
38778	09/01/2006	H&A

Method: 8260B, Volatile Organic Compounds by GC/MS (SW846)

QC Batch No: 090706

Our Lab I.D.			**38778.11**				
Client Sample I.D.			EB-090106				
Date Sampled			09/01/2006				
Date Prepared			09/07/2006				
Preparation Method			5030B				
Date Analyzed			09/07/2006				
Matrix			Aqueous				
Units			ug/L				
Dilution Factor			1				
Analytes	**MDL**	**PQL**	**Results**				
o-Xylene	0.5	1.0	ND				
m,p-Xylenes	1.0	2.0	ND				
tert-Butyl alcohol (TBA)	10	50	ND				
Diisopropyl ether (DIPE)	0.5	1.0	ND				
Ethyl alcohol (Ethanol)	500	1000	ND				
Ethyl-tert-butyl ether (ETBE)	0.5	1.0	ND				
Methyl-tert-butyl ether (MTBE)	0.5	1.0	ND				
tert-Amyl methyl ether (TAME)	0.5	1.0	ND				

Our Lab I.D.			**38778.11**				
Surrogates	**%Rec.Limit**		**% Rec.**				
Bromofluorobenzene	75-125		108				
Dibromofluoromethane	75-125		104				
Toluene-d8	75-125		102				

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: **14**
Project ID: 32486-008
Project Name: Delphi System Corp

AETL Job Number	Submitted	Client
38778	09/01/2006	H&A

Method: 8260B, Volatile Organic Compounds by GC/MS (SW846)

QUALITY CONTROL REPORT

QC Batch No: 090706 Sample Spiked: 090706 QC Prepared: 09/07/2006 QC Analyzed: 09/07/2006 Units: ug/L

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Benzene	0.00	50.00	50.50	101	50.00	50.00	100	<1	75-125	<20
Chlorobenzene	0.00	50.00	51.00	102	50.00	49.00	98	4.0	75-125	<20
1,1-Dichloroethene	0.00	50.00	55.00	110	50.00	54.50	109	<1	75-125	<20
Toluene (Methyl benzene)	0.00	50.00	49.50	99	50.00	48.50	97	2.0	75-125	<20
Trichloroethene	0.00	50.00	52.00	104	50.00	50.50	101	2.9	75-125	<20
Methyl-tert-butyl ether (MTBE)	0.00	50.00	47.00	94	50.00	47.50	95	1.1	75-125	<20

QC Batch No: 090706 Sample Spiked: 090706 QC Prepared: 09/07/2006 QC Analyzed: 09/07/2006 Units: ug/L

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Benzene	50.00	51.50	103	75-125						
Chlorobenzene	50.00	52.50	105	75-125						
1,1-Dichloroethene	50.00	55.00	110	75-125						
Toluene (Methyl benzene)	50.00	51.00	102	75-125						
Trichloroethene	50.00	52.00	104	75-125						
Methyl-tert-butyl ether (MTBE)	50.00	48.00	96	75-125						
LCS										
Chloroform (Trichloromethane)	50.00	48.00	96	75-125						
Ethylbenzene	50.00	50.00	100	75-125						
1,1,1-Trichloroethane	50.00	56.50	113	75-125						
o-Xylene	50.00	49.50	99	75-125						
m,p-Xylenes	100.00	102.00	102	75-125						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: **15**
Project ID: 32486-008
Project Name: Delphi System Corp

AETL Job Number	Submitted	Client
38778	09/01/2006	H&A

Method: (8260B), Volatile Organic Compounds by GC/MS (SW846)

QUALITY CONTROL REPORT

QC Batch No: 090706 Sample Spiked: 090706 QC Prepared: 09/07/2006 QC Analyzed: 09/07/2006 Units: ug/Kg

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Benzene	0.00	50.00	51.00	102	50.00	49.00	98	4.0	75-125	<20
Chlorobenzene	0.00	50.00	50.50	101	50.00	51.00	102	<1	75-125	<20
1,1-Dichloroethene	0.00	50.00	55.50	111	50.00	55.00	110	<1	75-125	<20
Toluene (Methyl benzene)	0.00	50.00	48.00	96	50.00	48.50	97	1.0	75-125	<20
Trichloroethene	0.00	50.00	50.50	101	50.00	49.00	98	3.0	75-125	<20
Methyl-tert-butyl ether (MTBE)	0.00	50.00	48.50	97	50.00	47.00	94	3.1	75-125	<20

QC Batch No: 090706 Sample Spiked: 090706 QC Prepared: 09/07/2006 QC Analyzed: 09/07/2006 Units: ug/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Benzene	50.00	52.50	105	75-125						
Chlorobenzene	50.00	51.00	102	75-125						
1,1-Dichloroethene	50.00	60.00	120	75-125						
Toluene (Methyl benzene)	50.00	49.00	98	75-125						
Trichloroethene	50.00	52.00	104	75-125						
Methyl-tert-butyl ether (MTBE)	50.00	50.00	100	75-125						
LCS										
Chloroform (Trichloromethane)	50.00	50.00	100	75-125						
Ethylbenzene	50.00	53.00	106	75-125						
1,1,1-Trichloroethane	50.00	48.50	97	75-125						
o-Xylene	50.00	55.50	111	75-125						
m,p-Xylenes	100.00	106.00	106	75-125						

American Environmental Testing Laboratory Inc.
2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

Data Qualifiers and Descriptors

Data Qualifier:

*:	In the QC section, sample results have been taken directly from the ICP reading. No preparation factor has been applied.
B:	Analyte was present in the Method Blank.
D:	Result is from a diluted analysis.
E:	Result is beyond calibration limits and is estimated.
H:	Analysis was performed over the allowed holding time due to circumstances which were beyond laboratory control.
J:	Analyte was detected . However, the analyte concentration is an estimated value, which is between the Method Detection Limit (MDL) and the Practical Quantitation Limit (PQL).
M:	Matrix spike recovery is outside control limits due to matrix interference. Laboratory Control Sample recovery was acceptable.
S6:	Surrogate recovery is outside control limits due to matrix interference.
S8:	The analysis of the sample required a dilution such that the surrogate concentration was diluted below the method acceptance criteria.
X:	Results represent LCS and LCSD data.

Definition:

%Limi:	Percent acceptable limits.
%REC:	Percent recovery.
Con.L:	Acceptable Control Limits
Conc:	Added concentration to the sample.
LCS:	Laboratory Control Sample
MDL:	Method Detection Limit is a statistically derived number which is specific for each instrument, each method, and each compound. It indicates a distinctively detectable quantity with 99% probability.
MS:	Matrix Spike
MS DU:	Matrix Spike Duplicate

American Environmental Testing Laboratory Inc.
2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

Data Qualifiers and Descriptors

ND: Analyte was not detected in the sample at or above MDL.

PQL: Practical Quantitation Limit or ML (Minimum Level as per RWQCB) is the minimum concentration that can be quantified with more than 99% confidence. Taking into account all aspects of the entire analytical instrumentation and practice.

Recov: Recovered concentration in the sample.

RPD: Relative Percent Difference

Calscience
Environmental
Laboratories, Inc.

August 24, 2005

Thomas Tatnall
Haley & Aldrich
500 South Kraemer Boulevard, Suite 370
Brea, CA 92821-6728

Subject: Calscience Work Order No.: 05-08-1118
Client Reference: Delphi Anaheim /32468-000

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 8/17/2005 and analyzed in accordance with the attached chain-of-custody.

Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Assurance Program Manual, applicable standard operating procedures, and other related documentation. The original report of any subcontracted analysis is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.

If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

Original signed by Viendra Patel

Calscience Environmental
Laboratories, Inc.
Viendra Patel
Project Manager

Calscience Environmental Laboratories, Inc.

Analytical Report

Haley & Aldrich
500 South Kraemer Boulevard, Suite 370
Brea, CA 92821-6728

Date Received: 08/17/05
Work Order No: 05-08-1118
Preparation: EPA 3010A Total/EPA 7470A Total
Method: EPA 6010B /EPA 7470A
Units: mg/L

Project: Delphi Anaheim /32468-000

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
MW 002-GW 081605-001	05-08-1118-1	08/16/05	Aqueous	08/17/05	08/18/05	050817L11

Comment(s): -Mercury was analyzed on 8/18/2005 2:18:20 PM with batch 050817L05

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Antimony	ND	0.0150	1		Mercury	ND	0.000500	1	
Arsenic	ND	0.0100	1		Molybdenum	0.0351	0.005	1	
Barium	0.0464	0.01	1		Nickel	ND	0.00500	1	
Beryllium	ND	0.00100	1		Selenium	0.0174	0.015	1	
Cadmium	ND	0.00500	1		Silver	ND	0.00500	1	
Chromium	ND	0.00500	1		Thallium	ND	0.0150	1	
Cobalt	ND	0.00500	1		Vanadium	ND	0.00500	1	
Copper	ND	0.00500	1		Zinc	0.0113	0.01	1	
Lead	ND	0.0100	1						

MW 002-GW 081605-002	05-08-1118-2	08/16/05	Aqueous	08/17/05	08/18/05	050817L11

Comment(s): -Mercury was analyzed on 8/18/2005 2:20:33 PM with batch 050817L05

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Antimony	ND	0.0150	1		Mercury	ND	0.000500	1	
Arsenic	ND	0.0100	1		Molybdenum	0.0345	0.005	1	
Barium	0.0477	0.01	1		Nickel	ND	0.00500	1	
Beryllium	ND	0.00100	1		Selenium	ND	0.0150	1	
Cadmium	ND	0.00500	1		Silver	ND	0.00500	1	
Chromium	ND	0.00500	1		Thallium	ND	0.0150	1	
Cobalt	ND	0.00500	1		Vanadium	ND	0.00500	1	
Copper	ND	0.00500	1		Zinc	0.0150	0.01	1	
Lead	ND	0.0100	1						

EB-GW 081605-001	05-08-1118-3	08/16/05	Aqueous	08/17/05	08/18/05	050817L11

Comment(s): -Mercury was analyzed on 8/18/2005 2:22:46 PM with batch 050817L05

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Antimony	ND	0.0150	1		Mercury	ND	0.000500	1	
Arsenic	ND	0.0100	1		Molybdenum	ND	0.00500	1	
Barium	ND	0.0100	1		Nickel	ND	0.00500	1	
Beryllium	ND	0.00100	1		Selenium	ND	0.0150	1	
Cadmium	ND	0.00500	1		Silver	ND	0.00500	1	
Chromium	ND	0.00500	1		Thallium	ND	0.0150	1	
Cobalt	ND	0.00500	1		Vanadium	ND	0.00500	1	
Copper	ND	0.00500	1		Zinc	ND	0.0100	1	
Lead	ND	0.0100	1						

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Haley & Aldrich
500 South Kraemer Boulevard, Suite 370
Brea, CA 92821-6728

Date Received: 08/17/05
Work Order No: 05-08-1118
Preparation: EPA 3010A Total/EPA 7470A Total
Method: EPA 6010B /EPA 7470A
Units: mg/L

Project: Delphi Anaheim /32468-000

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
MW 004-GW 081605-001	05-08-1118-4	08/16/05	Aqueous	08/17/05	08/18/05	050817L11

Comment(s): -Mercury was analyzed on 8/18/2005 2:25:00 PM with batch 050817L05

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Antimony	ND	0.0150	1		Mercury	ND	0.000500	1	
Arsenic	ND	0.0100	1		Molybdenum	0.00922	0.005	1	
Barium	0.0381	0.01	1		Nickel	ND	0.00500	1	
Beryllium	ND	0.00100	1		Selenium	0.0232	0.015	1	
Cadmium	ND	0.00500	1		Silver	ND	0.00500	1	
Chromium	ND	0.00500	1		Thallium	ND	0.0150	1	
Cobalt	ND	0.00500	1		Vanadium	ND	0.00500	1	
Copper	ND	0.00500	1		Zinc	0.0191	0.01	1	
Lead	ND	0.0100	1						

MW 001-GW 081605-001	05-08-1118-5	08/16/05	Aqueous	08/17/05	08/18/05	050817L11

Comment(s): -Mercury was analyzed on 8/18/2005 2:27:14 PM with batch 050817L05

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Antimony	ND	0.0150	1		Mercury	ND	0.000500	1	
Arsenic	ND	0.0100	1		Molybdenum	0.0702	0.005	1	
Barium	0.0411	0.01	1		Nickel	ND	0.00500	1	
Beryllium	ND	0.00100	1		Selenium	0.0182	0.015	1	
Cadmium	ND	0.00500	1		Silver	ND	0.00500	1	
Chromium	ND	0.00500	1		Thallium	ND	0.0150	1	
Cobalt	ND	0.00500	1		Vanadium	0.00555	0.005	1	
Copper	ND	0.00500	1		Zinc	0.0281	0.01	1	
Lead	ND	0.0100	1						

MW 003-GW 081605-001	05-08-1118-6	08/16/05	Aqueous	08/17/05	08/18/05	050817L11

Comment(s): -Mercury was analyzed on 8/18/2005 2:33:59 PM with batch 050817L05

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Antimony	ND	0.0150	1		Mercury	ND	0.000500	1	
Arsenic	ND	0.0100	1		Molybdenum	0.0354	0.005	1	
Barium	0.102	0.01	1		Nickel	ND	0.00500	1	
Beryllium	ND	0.00100	1		Selenium	ND	0.0150	1	
Cadmium	ND	0.00500	1		Silver	ND	0.00500	1	
Chromium	ND	0.00500	1		Thallium	ND	0.0150	1	
Cobalt	ND	0.00500	1		Vanadium	ND	0.00500	1	
Copper	ND	0.00500	1		Zinc	0.0121	0.01	1	
Lead	ND	0.0100	1						

Method Blank	099-04-008-2,057	N/A	Aqueous	08/17/05	08/18/05	050817L05

Parameter	Result	RL	DF	Qual
Mercury	ND	0.000500	1	

RL - Reporting Limit, DF - Dilution Factor, Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Haley & Aldrich
500 South Kraemer Boulevard, Suite 370
Brea, CA 92821-6728

Date Received: 08/17/05
Work Order No: 05-08-1118
Preparation: EPA 3010A Total/EPA 7470A Total
Method: EPA 6010B /EPA 7470A
Units: mg/L

Project: Delphi Anaheim /32468-000

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
Method Blank	097-01-003-5,243	N/A	Aqueous	08/17/05	08/18/05	050817L11

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Antimony	ND	0.0150	1		Molybdenum	ND	0.00500	1	
Arsenic	ND	0.0100	1		Nickel	ND	0.00500	1	
Barium	ND	0.0100	1		Selenium	ND	0.0150	1	
Beryllium	ND	0.00100	1		Silver	ND	0.00500	1	
Cadmium	ND	0.00500	1		Thallium	ND	0.0150	1	
Chromium	ND	0.00500	1		Vanadium	ND	0.00500	1	
Cobalt	ND	0.00500	1		Zinc	ND	0.0100	1	
Copper	ND	0.00500	1		Lead	ND	0.0100	1	

RL - Reporting Limit, DF - Dilution Factor, Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Haley & Aldrich
500 South Kraemer Boulevard, Suite 370
Brea, CA 92821-6728

Date Received: 08/17/05
Work Order No: 05-08-1118
Preparation: N/A
Method: EPA 150.1

Project: Delphi Anaheim / 32468-000

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
MW 002-GW 081605-001	05-08-1118-1	08/16/05	Aqueous	N/A	08/17/05	50817PHD1

Parameter	Result	RL	DF	Qual	Units
pH	7.27	0.01	1		pH units

MW 002-GW 081605-002	05-08-1118-2	08/16/05	Aqueous	N/A	08/17/05	50817PHD1

Parameter	Result	RL	DF	Qual	Units
pH	7.21	0.01	1		pH units

EB-GW 081605-001	05-08-1118-3	08/16/05	Aqueous	N/A	08/17/05	50817PHD1

Parameter	Result	RL	DF	Qual	Units
pH	7.28	0.01	1		pH units

MW 004-GW 081605-001	05-08-1118-4	08/16/05	Aqueous	N/A	08/17/05	50817PHD1

Parameter	Result	RL	DF	Qual	Units
pH	7.18	0.01	1		pH units

MW 001-GW 081605-001	05-08-1118-5	08/16/05	Aqueous	N/A	08/17/05	50817PHD1

Parameter	Result	RL	DF	Qual	Units
pH	7.67	0.01	1		pH units

MW 003-GW 081605-001	05-08-1118-6	08/16/05	Aqueous	N/A	08/17/05	50817PHD1

Parameter	Result	RL	DF	Qual	Units
pH	7.36	0.01	1		pH units

RL - Reporting Limit, DF - Dilution Factor, Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Haley & Aldrich		Date Received:	08/17/05
500 South Kraemer Boulevard, Suite 370		Work Order No:	05-08-1118
Brea, CA 92821-6728		Preparation:	EPA 5030B
		Method:	EPA 8260B
		Units:	ug/L
Project: Delphi Anaheim /32468-000			Page 1 of 9

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
MW002-GW081605-001	05-08-1118-1	08/16/05	Aqueous	08/18/05	08/18/05	050818L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Acetone	ND	10	1		1,3-Dichloropropane	ND	1.0	1	
Benzene	ND	0.50	1		2,2-Dichloropropane	ND	1.0	1	
Bromobenzene	ND	1.0	1		1,1-Dichloropropene	ND	1.0	1	
Bromochloromethane	ND	1.0	1		c-1,3-Dichloropropene	ND	0.50	1	
Bromodichloromethane	ND	1.0	1		t-1,3-Dichloropropene	ND	0.50	1	
Bromoform	ND	1.0	1		Ethylbenzene	ND	1.0	1	
Bromomethane	ND	10	1		2-Hexanone	ND	10	1	
2-Butanone	ND	10	1		Isopropylbenzene	ND	1.0	1	
n-Butylbenzene	ND	1.0	1		p-Isopropyltoluene	ND	1.0	1	
sec-Butylbenzene	ND	1.0	1		Methylene Chloride	ND	10	1	
tert-Butylbenzene	ND	1.0	1		4-Methyl-2-Pentanone	ND	10	1	
Carbon Disulfide	ND	10	1		Naphthalene	ND	10	1	
Carbon Tetrachloride	ND	0.50	1		n-Propylbenzene	ND	1.0	1	
Chlorobenzene	ND	1.0	1		Styrene	ND	1.0	1	
Chloroethane	ND	1.0	1		1,1,1,2-Tetrachloroethane	ND	1.0	1	
Chloroform	ND	1.0	1		1,1,2,2-Tetrachloroethane	ND	1.0	1	
Chloromethane	ND	10	1		Tetrachloroethene	ND	1.0	1	
2-Chlorotoluene	ND	1.0	1		Toluene	ND	1.0	1	
4-Chlorotoluene	ND	1.0	1		1,2,3-Trichlorobenzene	ND	1.0	1	
Dibromochloromethane	ND	1.0	1		1,2,4-Trichlorobenzene	ND	1.0	1	
1,2-Dibromo-3-Chloropropane	ND	5.0	1		1,1,1-Trichloroethane	ND	1.0	1	
1,2-Dibromoethane	ND	1.0	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	10	1	
Dibromomethane	ND	1.0	1		1,1,2-Trichloroethane	ND	1.0	1	
1,2-Dichlorobenzene	ND	1.0	1		Trichloroethene	ND	1.0	1	
1,3-Dichlorobenzene	ND	1.0	1		Trichlorofluoromethane	ND	10	1	
1,4-Dichlorobenzene	ND	1.0	1		1,2,3-Trichloropropane	ND	5.0	1	
Dichlorodifluoromethane	ND	1.0	1		1,2,4-Trimethylbenzene	ND	1.0	1	
1,1-Dichloroethane	ND	1.0	1		1,3,5-Trimethylbenzene	ND	1.0	1	
1,2-Dichloroethane	ND	0.50	1		Vinyl Acetate	ND	10	1	
1,1-Dichloroethene	42	1	1		Vinyl Chloride	ND	0.50	1	
c-1,2-Dichloroethene	ND	1.0	1		p/m-Xylene	ND	1.0	1	
t-1,2-Dichloroethene	ND	1.0	1		o-Xylene	ND	1.0	1	
1,2-Dichloropropane	ND	1.0	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	106	74-140		1,2-Dichloroethane-d4	107	74-146	
Toluene-d8	103	88-112		1,4-Bromofluorobenzene	93	74-110	

RL - Reporting Limit, DF - Dilution Factor, Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Haley & Aldrich		Date Received:	08/17/05
500 South Kraemer Boulevard, Suite 370		Work Order No:	05-08-1118
Brea, CA 92821-6728		Preparation:	EPA 5030B
		Method:	EPA 8260B
		Units:	ug/L
Project: Delphi Anaheim /32468-000			Page 2 of 9

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
MW002-GW081605-002	05-08-1118-2	08/16/05	Aqueous	08/18/05	08/18/05	050818L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Acetone	ND	10	1		1,3-Dichloropropane	ND	1.0	1	
Benzene	ND	0.50	1		2,2-Dichloropropane	ND	1.0	1	
Bromobenzene	ND	1.0	1		1,1-Dichloropropene	ND	1.0	1	
Bromochloromethane	ND	1.0	1		c-1,3-Dichloropropene	ND	0.50	1	
Bromodichloromethane	ND	1.0	1		t-1,3-Dichloropropene	ND	0.50	1	
Bromoform	ND	1.0	1		Ethylbenzene	ND	1.0	1	
Bromomethane	ND	10	1		2-Hexanone	ND	10	1	
2-Butanone	ND	10	1		Isopropylbenzene	ND	1.0	1	
n-Butylbenzene	ND	1.0	1		p-Isopropyltoluene	ND	1.0	1	
sec-Butylbenzene	ND	1.0	1		Methylene Chloride	ND	10	1	
tert-Butylbenzene	ND	1.0	1		4-Methyl-2-Pentanone	ND	10	1	
Carbon Disulfide	ND	10	1		Naphthalene	ND	10	1	
Carbon Tetrachloride	ND	0.50	1		n-Propylbenzene	ND	1.0	1	
Chlorobenzene	ND	1.0	1		Styrene	ND	1.0	1	
Chloroethane	ND	1.0	1		1,1,1,2-Tetrachloroethane	ND	1.0	1	
Chloroform	ND	1.0	1		1,1,2,2-Tetrachloroethane	ND	1.0	1	
Chloromethane	ND	10	1		Tetrachloroethene	ND	1.0	1	
2-Chlorotoluene	ND	1.0	1		Toluene	ND	1.0	1	
4-Chlorotoluene	ND	1.0	1		1,2,3-Trichlorobenzene	ND	1.0	1	
Dibromochloromethane	ND	1.0	1		1,2,4-Trichlorobenzene	ND	1.0	1	
1,2-Dibromo-3-Chloropropane	ND	5.0	1		1,1,1-Trichloroethane	ND	1.0	1	
1,2-Dibromoethane	ND	1.0	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	10	1	
Dibromomethane	ND	1.0	1		1,1,2-Trichloroethane	ND	1.0	1	
1,2-Dichlorobenzene	ND	1.0	1		Trichloroethene	ND	1.0	1	
1,3-Dichlorobenzene	ND	1.0	1		Trichlorofluoromethane	ND	10	1	
1,4-Dichlorobenzene	ND	1.0	1		1,2,3-Trichloropropane	ND	5.0	1	
Dichlorodifluoromethane	ND	1.0	1		1,2,4-Trimethylbenzene	ND	1.0	1	
1,1-Dichloroethane	ND	1.0	1		1,3,5-Trimethylbenzene	ND	1.0	1	
1,2-Dichloroethane	ND	0.50	1		Vinyl Acetate	ND	10	1	
1,1-Dichloroethene	34	1	1		Vinyl Chloride	ND	0.50	1	
c-1,2-Dichloroethene	ND	1.0	1		p/m-Xylene	ND	1.0	1	
t-1,2-Dichloroethene	ND	1.0	1		o-Xylene	ND	1.0	1	
1,2-Dichloropropane	ND	1.0	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	108	74-140		1,2-Dichloroethane-d4	109	74-146	
Toluene-d8	102	88-112		1,4-Bromofluorobenzene	93	74-110	

RL - Reporting Limit, DF - Dilution Factor, Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Haley & Aldrich		Date Received:	08/17/05
500 South Kraemer Boulevard, Suite 370		Work Order No:	05-08-1118
Brea, CA 92821-6728		Preparation:	EPA 5030B
		Method:	EPA 8260B
		Units:	ug/L
Project: Delphi Anaheim /32468-000			Page 3 of 9

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
EB-GW 081605-001	05-08-1118-3	08/16/05	Aqueous	08/18/05	08/18/05	050818L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Acetone	ND	10	1		1,3-Dichloropropane	ND	1.0	1	
Benzene	ND	0.50	1		2,2-Dichloropropane	ND	1.0	1	
Bromobenzene	ND	1.0	1		1,1-Dichloropropene	ND	1.0	1	
Bromochloromethane	ND	1.0	1		c-1,3-Dichloropropene	ND	0.50	1	
Bromodichloromethane	ND	1.0	1		t-1,3-Dichloropropene	ND	0.50	1	
Bromoform	ND	1.0	1		Ethylbenzene	ND	1.0	1	
Bromomethane	ND	10	1		2-Hexanone	ND	10	1	
2-Butanone	ND	10	1		Isopropylbenzene	ND	1.0	1	
n-Butylbenzene	ND	1.0	1		p-Isopropyltoluene	ND	1.0	1	
sec-Butylbenzene	ND	1.0	1		Methylene Chloride	ND	10	1	
tert-Butylbenzene	ND	1.0	1		4-Methyl-2-Pentanone	ND	10	1	
Carbon Disulfide	ND	10	1		Naphthalene	ND	10	1	
Carbon Tetrachloride	ND	0.50	1		n-Propylbenzene	ND	1.0	1	
Chlorobenzene	ND	1.0	1		Styrene	ND	1.0	1	
Chloroethane	ND	1.0	1		1,1,1,2-Tetrachloroethane	ND	1.0	1	
Chloroform	ND	1.0	1		1,1,2,2-Tetrachloroethane	ND	1.0	1	
Chloromethane	ND	10	1		Tetrachloroethene	ND	1.0	1	
2-Chlorotoluene	ND	1.0	1		Toluene	ND	1.0	1	
4-Chlorotoluene	ND	1.0	1		1,2,3-Trichlorobenzene	ND	1.0	1	
Dibromochloromethane	ND	1.0	1		1,2,4-Trichlorobenzene	ND	1.0	1	
1,2-Dibromo-3-Chloropropane	ND	5.0	1		1,1,1-Trichloroethane	ND	1.0	1	
1,2-Dibromoethane	ND	1.0	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	10	1	
Dibromomethane	ND	1.0	1		1,1,2-Trichloroethane	ND	1.0	1	
1,2-Dichlorobenzene	ND	1.0	1		Trichloroethene	ND	1.0	1	
1,3-Dichlorobenzene	ND	1.0	1		Trichlorofluoromethane	ND	10	1	
1,4-Dichlorobenzene	ND	1.0	1		1,2,3-Trichloropropane	ND	5.0	1	
Dichlorodifluoromethane	ND	1.0	1		1,2,4-Trimethylbenzene	ND	1.0	1	
1,1-Dichloroethane	ND	1.0	1		1,3,5-Trimethylbenzene	ND	1.0	1	
1,2-Dichloroethane	ND	0.50	1		Vinyl Acetate	ND	10	1	
1,1-Dichloroethene	ND	1.0	1		Vinyl Chloride	ND	0.50	1	
c-1,2-Dichloroethene	ND	1.0	1		p/m-Xylene	ND	1.0	1	
t-1,2-Dichloroethene	ND	1.0	1		o-Xylene	ND	1.0	1	
1,2-Dichloropropane	ND	1.0	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	111	74-140		1,2-Dichloroethane-d4	110	74-146	
Toluene-d8	103	88-112		1,4-Bromofluorobenzene	93	74-110	

RL - Reporting Limit, DF - Dilution Factor, Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Haley & Aldrich		Date Received:	08/17/05
500 South Kraemer Boulevard, Suite 370		Work Order No:	05-08-1118
Brea, CA 92821-6728		Preparation:	EPA 5030B
		Method:	EPA 8260B
		Units:	ug/L
Project: Delphi Anaheim /32468-000			Page 4 of 9

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
MW004-GW081605-001	05-08-1118-4	08/16/05	Aqueous	08/18/05	08/18/05	050818L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Acetone	ND	10	1		1,3-Dichloropropane	ND	1.0	1	
Benzene	ND	0.50	1		2,2-Dichloropropane	ND	1.0	1	
Bromobenzene	ND	1.0	1		1,1-Dichloropropene	ND	1.0	1	
Bromochloromethane	ND	1.0	1		c-1,3-Dichloropropene	ND	0.50	1	
Bromodichloromethane	ND	1.0	1		t-1,3-Dichloropropene	ND	0.50	1	
Bromoform	ND	1.0	1		Ethylbenzene	ND	1.0	1	
Bromomethane	ND	10	1		2-Hexanone	ND	10	1	
2-Butanone	ND	10	1		Isopropylbenzene	ND	1.0	1	
n-Butylbenzene	ND	1.0	1		p-Isopropyltoluene	ND	1.0	1	
sec-Butylbenzene	ND	1.0	1		Methylene Chloride	ND	10	1	
tert-Butylbenzene	ND	1.0	1		4-Methyl-2-Pentanone	ND	10	1	
Carbon Disulfide	ND	10	1		Naphthalene	ND	10	1	
Carbon Tetrachloride	ND	0.50	1		n-Propylbenzene	ND	1.0	1	
Chlorobenzene	ND	1.0	1		Styrene	ND	1.0	1	
Chloroethane	ND	1.0	1		1,1,1,2-Tetrachloroethane	ND	1.0	1	
Chloroform	ND	1.0	1		1,1,2,2-Tetrachloroethane	ND	1.0	1	
Chloromethane	ND	10	1		Tetrachloroethene	ND	1.0	1	
2-Chlorotoluene	ND	1.0	1		Toluene	ND	1.0	1	
4-Chlorotoluene	ND	1.0	1		1,2,3-Trichlorobenzene	ND	1.0	1	
Dibromochloromethane	ND	1.0	1		1,2,4-Trichlorobenzene	ND	1.0	1	
1,2-Dibromo-3-Chloropropane	ND	5.0	1		1,1,1-Trichloroethane	ND	1.0	1	
1,2-Dibromoethane	ND	1.0	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	10	1	
Dibromomethane	ND	1.0	1		1,1,2-Trichloroethane	ND	1.0	1	
1,2-Dichlorobenzene	ND	1.0	1		Trichloroethene	ND	1.0	1	
1,3-Dichlorobenzene	ND	1.0	1		Trichlorofluoromethane	ND	10	1	
1,4-Dichlorobenzene	ND	1.0	1		1,2,3-Trichloropropane	ND	5.0	1	
Dichlorodifluoromethane	ND	1.0	1		1,2,4-Trimethylbenzene	ND	1.0	1	
1,1-Dichloroethane	ND	1.0	1		1,3,5-Trimethylbenzene	ND	1.0	1	
1,2-Dichloroethane	ND	0.50	1		Vinyl Acetate	ND	10	1	
1,1-Dichloroethene	ND	1.0	1		Vinyl Chloride	ND	0.50	1	
c-1,2-Dichloroethene	ND	1.0	1		p/m-Xylene	ND	1.0	1	
t-1,2-Dichloroethene	ND	1.0	1		o-Xylene	ND	1.0	1	
1,2-Dichloropropane	ND	1.0	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	110	74-140		1,2-Dichloroethane-d4	110	74-146	
Toluene-d8	103	88-112		1,4-Bromofluorobenzene	93	74-110	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Haley & Aldrich		Date Received:	08/17/05
500 South Kraemer Boulevard, Suite 370		Work Order No:	05-08-1118
Brea, CA 92821-6728		Preparation:	EPA 5030B
		Method:	EPA 8260B
		Units:	ug/L
Project: Delphi Anaheim /32468-000			Page 5 of 9

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
MW001-GW081605-001	05-08-1118-5	08/16/05	Aqueous	08/18/05	08/18/05	050818L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Acetone	ND	10	1		1,3-Dichloropropane	ND	1.0	1	
Benzene	ND	0.50	1		2,2-Dichloropropane	ND	1.0	1	
Bromobenzene	ND	1.0	1		1,1-Dichloropropene	ND	1.0	1	
Bromochloromethane	ND	1.0	1		c-1,3-Dichloropropene	ND	0.50	1	
Bromodichloromethane	1.8	1.0	1		t-1,3-Dichloropropene	ND	0.50	1	
Bromoform	ND	1.0	1		Ethylbenzene	ND	1.0	1	
Bromomethane	ND	10	1		2-Hexanone	ND	10	1	
2-Butanone	ND	10	1		Isopropylbenzene	ND	1.0	1	
n-Butylbenzene	ND	1.0	1		p-Isopropyltoluene	ND	1.0	1	
sec-Butylbenzene	ND	1.0	1		Methylene Chloride	ND	10	1	
tert-Butylbenzene	ND	1.0	1		4-Methyl-2-Pentanone	ND	10	1	
Carbon Disulfide	ND	10	1		Naphthalene	ND	10	1	
Carbon Tetrachloride	ND	0.50	1		n-Propylbenzene	ND	1.0	1	
Chlorobenzene	ND	1.0	1		Styrene	ND	1.0	1	
Chloroethane	ND	1.0	1		1,1,1,2-Tetrachloroethane	ND	1.0	1	
Chloroform	2.0	1.0	1		1,1,2,2-Tetrachloroethane	ND	1.0	1	
Chloromethane	ND	10	1		Tetrachloroethene	ND	1.0	1	
2-Chlorotoluene	ND	1.0	1		Toluene	ND	1.0	1	
4-Chlorotoluene	ND	1.0	1		1,2,3-Trichlorobenzene	ND	1.0	1	
Dibromochloromethane	1.6	1.0	1		1,2,4-Trichlorobenzene	ND	1.0	1	
1,2-Dibromo-3-Chloropropane	ND	5.0	1		1,1,1-Trichloroethane	ND	1.0	1	
1,2-Dibromoethane	ND	1.0	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	10	1	
Dibromomethane	ND	1.0	1		1,1,2-Trichloroethane	ND	1.0	1	
1,2-Dichlorobenzene	ND	1.0	1		Trichloroethene	ND	1.0	1	
1,3-Dichlorobenzene	ND	1.0	1		Trichlorofluoromethane	ND	10	1	
1,4-Dichlorobenzene	ND	1.0	1		1,2,3-Trichloropropane	ND	5.0	1	
Dichlorodifluoromethane	ND	1.0	1		1,2,4-Trimethylbenzene	ND	1.0	1	
1,1-Dichloroethane	ND	1.0	1		1,3,5-Trimethylbenzene	ND	1.0	1	
1,2-Dichloroethane	ND	0.50	1		Vinyl Acetate	ND	10	1	
1,1-Dichloroethene	5.0	1.0	1		Vinyl Chloride	ND	0.50	1	
c-1,2-Dichloroethene	ND	1.0	1		p/m-Xylene	ND	1.0	1	
t-1,2-Dichloroethene	ND	1.0	1		o-Xylene	ND	1.0	1	
1,2-Dichloropropane	ND	1.0	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	110	74-140		1,2-Dichloroethane-d4	111	74-146	
Toluene-d8	104	88-112		1,4-Bromofluorobenzene	93	74-110	

RL - Reporting Limit, DF - Dilution Factor, Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Haley & Aldrich		Date Received:	08/17/05
500 South Kraemer Boulevard, Suite 370		Work Order No:	05-08-1118
Brea, CA 92821-6728		Preparation:	EPA 5030B
		Method:	EPA 8260B
		Units:	ug/L
Project: Delphi Anaheim /32468-000			Page 6 of 9

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
MW003-GW081605-001	05-08-1118-6	08/16/05	Aqueous	08/18/05	08/18/05	050818L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Acetone	ND	10	1		1,3-Dichloropropane	ND	1.0	1	
Benzene	ND	0.50	1		2,2-Dichloropropane	ND	1.0	1	
Bromobenzene	ND	1.0	1		1,1-Dichloropropene	ND	1.0	1	
Bromochloromethane	ND	1.0	1		c-1,3-Dichloropropene	ND	0.50	1	
Bromodichloromethane	ND	1.0	1		t-1,3-Dichloropropene	ND	0.50	1	
Bromoform	ND	1.0	1		Ethylbenzene	ND	1.0	1	
Bromomethane	ND	10	1		2-Hexanone	ND	10	1	
2-Butanone	ND	10	1		Isopropylbenzene	ND	1.0	1	
n-Butylbenzene	ND	1.0	1		p-Isopropyltoluene	ND	1.0	1	
sec-Butylbenzene	ND	1.0	1		Methylene Chloride	ND	10	1	
tert-Butylbenzene	ND	1.0	1		4-Methyl-2-Pentanone	ND	10	1	
Carbon Disulfide	ND	10	1		Naphthalene	ND	10	1	
Carbon Tetrachloride	ND	0.50	1		n-Propylbenzene	ND	1.0	1	
Chlorobenzene	ND	1.0	1		Styrene	ND	1.0	1	
Chloroethane	ND	1.0	1		1,1,1,2-Tetrachloroethane	ND	1.0	1	
Chloroform	ND	1.0	1		1,1,2,2-Tetrachloroethane	ND	1.0	1	
Chloromethane	ND	10	1		Tetrachloroethene	ND	1.0	1	
2-Chlorotoluene	ND	1.0	1		Toluene	ND	1.0	1	
4-Chlorotoluene	ND	1.0	1		1,2,3-Trichlorobenzene	ND	1.0	1	
Dibromochloromethane	ND	1.0	1		1,2,4-Trichlorobenzene	ND	1.0	1	
1,2-Dibromo-3-Chloropropane	ND	5.0	1		1,1,1-Trichloroethane	ND	1.0	1	
1,2-Dibromoethane	ND	1.0	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	10	1	
Dibromomethane	ND	1.0	1		1,1,2-Trichloroethane	ND	1.0	1	
1,2-Dichlorobenzene	ND	1.0	1		Trichloroethene	ND	1.0	1	
1,3-Dichlorobenzene	ND	1.0	1		Trichlorofluoromethane	ND	10	1	
1,4-Dichlorobenzene	ND	1.0	1		1,2,3-Trichloropropane	ND	5.0	1	
Dichlorodifluoromethane	ND	1.0	1		1,2,4-Trimethylbenzene	ND	1.0	1	
1,1-Dichloroethane	ND	1.0	1		1,3,5-Trimethylbenzene	ND	1.0	1	
1,2-Dichloroethane	ND	0.50	1		Vinyl Acetate	ND	10	1	
1,1-Dichloroethene	ND	1.0	1		Vinyl Chloride	ND	0.50	1	
c-1,2-Dichloroethene	ND	1.0	1		p/m-Xylene	ND	1.0	1	
t-1,2-Dichloroethene	ND	1.0	1		o-Xylene	ND	1.0	1	
1,2-Dichloropropane	ND	1.0	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	112	74-140		1,2-Dichloroethane-d4	114	74-146	
Toluene-d8	104	88-112		1,4-Bromofluorobenzene	92	74-110	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Haley & Aldrich		Date Received:	08/17/05
500 South Kraemer Boulevard, Suite 370		Work Order No:	05-08-1118
Brea, CA 92821-6728		Preparation:	EPA 5030B
		Method:	EPA 8260B
		Units:	ug/L
Project: Delphi Anaheim /32468-000			Page 7 of 9

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
TB-GW 081605-001	05-08-1118-7	08/16/05	Aqueous	08/19/05	08/20/05	050819L03

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Acetone	ND	10	1		1,3-Dichloropropane	ND	1.0	1	
Benzene	ND	0.50	1		2,2-Dichloropropane	ND	1.0	1	
Bromobenzene	ND	1.0	1		1,1-Dichloropropene	ND	1.0	1	
Bromochloromethane	ND	1.0	1		c-1,3-Dichloropropene	ND	0.50	1	
Bromodichloromethane	ND	1.0	1		t-1,3-Dichloropropene	ND	0.50	1	
Bromoform	ND	1.0	1		Ethylbenzene	ND	1.0	1	
Bromomethane	ND	10	1		2-Hexanone	ND	10	1	
2-Butanone	ND	10	1		Isopropylbenzene	ND	1.0	1	
n-Butylbenzene	ND	1.0	1		p-Isopropyltoluene	ND	1.0	1	
sec-Butylbenzene	ND	1.0	1		Methylene Chloride	ND	10	1	
tert-Butylbenzene	ND	1.0	1		4-Methyl-2-Pentanone	ND	10	1	
Carbon Disulfide	ND	10	1		Naphthalene	ND	10	1	
Carbon Tetrachloride	ND	0.50	1		n-Propylbenzene	ND	1.0	1	
Chlorobenzene	ND	1.0	1		Styrene	ND	1.0	1	
Chloroethane	ND	1.0	1		1,1,1,2-Tetrachloroethane	ND	1.0	1	
Chloroform	ND	1.0	1		1,1,2,2-Tetrachloroethane	ND	1.0	1	
Chloromethane	ND	10	1		Tetrachloroethene	ND	1.0	1	
2-Chlorotoluene	ND	1.0	1		Toluene	ND	1.0	1	
4-Chlorotoluene	ND	1.0	1		1,2,3-Trichlorobenzene	ND	1.0	1	
Dibromochloromethane	ND	1.0	1		1,2,4-Trichlorobenzene	ND	1.0	1	
1,2-Dibromo-3-Chloropropane	ND	5.0	1		1,1,1-Trichloroethane	ND	1.0	1	
1,2-Dibromoethane	ND	1.0	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	10	1	
Dibromomethane	ND	1.0	1		1,1,2-Trichloroethane	ND	1.0	1	
1,2-Dichlorobenzene	ND	1.0	1		Trichloroethene	ND	1.0	1	
1,3-Dichlorobenzene	ND	1.0	1		Trichlorofluoromethane	ND	10	1	
1,4-Dichlorobenzene	ND	1.0	1		1,2,3-Trichloropropane	ND	5.0	1	
Dichlorodifluoromethane	ND	1.0	1		1,2,4-Trimethylbenzene	ND	1.0	1	
1,1-Dichloroethane	ND	1.0	1		1,3,5-Trimethylbenzene	ND	1.0	1	
1,2-Dichloroethane	ND	0.50	1		Vinyl Acetate	ND	10	1	
1,1-Dichloroethene	ND	1.0	1		Vinyl Chloride	ND	0.50	1	
c-1,2-Dichloroethene	ND	1.0	1		p/m-Xylene	ND	1.0	1	
t-1,2-Dichloroethene	ND	1.0	1		o-Xylene	ND	1.0	1	
1,2-Dichloropropane	ND	1.0	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	109	74-140		1,2-Dichloroethane-d4	108	74-146	
Toluene-d8	99	88-112		1,4-Bromofluorobenzene	98	74-110	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Haley & Aldrich		Date Received:	08/17/05
500 South Kraemer Boulevard, Suite 370		Work Order No:	05-08-1118
Brea, CA 92821-6728		Preparation:	EPA 5030B
		Method:	EPA 8260B
		Units:	ug/L
Project: Delphi Anaheim /32468-000			Page 8 of 9

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
Method Blank	099-10-006-15,396	N/A	Aqueous	08/18/05	08/18/05	050818L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Acetone	ND	10	1		1,3-Dichloropropane	ND	1.0	1	
Benzene	ND	0.50	1		2,2-Dichloropropane	ND	1.0	1	
Bromobenzene	ND	1.0	1		1,1-Dichloropropene	ND	1.0	1	
Bromochloromethane	ND	1.0	1		c-1,3-Dichloropropene	ND	0.50	1	
Bromodichloromethane	ND	1.0	1		t-1,3-Dichloropropene	ND	0.50	1	
Bromoform	ND	1.0	1		Ethylbenzene	ND	1.0	1	
Bromomethane	ND	10	1		2-Hexanone	ND	10	1	
2-Butanone	ND	10	1		Isopropylbenzene	ND	1.0	1	
n-Butylbenzene	ND	1.0	1		p-Isopropyltoluene	ND	1.0	1	
sec-Butylbenzene	ND	1.0	1		Methylene Chloride	ND	10	1	
tert-Butylbenzene	ND	1.0	1		4-Methyl-2-Pentanone	ND	10	1	
Carbon Disulfide	ND	10	1		Naphthalene	ND	10	1	
Carbon Tetrachloride	ND	0.50	1		n-Propylbenzene	ND	1.0	1	
Chlorobenzene	ND	1.0	1		Styrene	ND	1.0	1	
Chloroethane	ND	1.0	1		1,1,1,2-Tetrachloroethane	ND	1.0	1	
Chloroform	ND	1.0	1		1,1,2,2-Tetrachloroethane	ND	1.0	1	
Chloromethane	ND	10	1		Tetrachloroethene	ND	1.0	1	
2-Chlorotoluene	ND	1.0	1		Toluene	ND	1.0	1	
4-Chlorotoluene	ND	1.0	1		1,2,3-Trichlorobenzene	ND	1.0	1	
Dibromochloromethane	ND	1.0	1		1,2,4-Trichlorobenzene	ND	1.0	1	
1,2-Dibromo-3-Chloropropane	ND	5.0	1		1,1,1-Trichloroethane	ND	1.0	1	
1,2-Dibromoethane	ND	1.0	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	10	1	
Dibromomethane	ND	1.0	1		1,1,2-Trichloroethane	ND	1.0	1	
1,2-Dichlorobenzene	ND	1.0	1		Trichloroethene	ND	1.0	1	
1,3-Dichlorobenzene	ND	1.0	1		Trichlorofluoromethane	ND	10	1	
1,4-Dichlorobenzene	ND	1.0	1		1,2,3-Trichloropropane	ND	5.0	1	
Dichlorodifluoromethane	ND	1.0	1		1,2,4-Trimethylbenzene	ND	1.0	1	
1,1-Dichloroethane	ND	1.0	1		1,3,5-Trimethylbenzene	ND	1.0	1	
1,2-Dichloroethane	ND	0.50	1		Vinyl Acetate	ND	10	1	
1,1-Dichloroethene	ND	1.0	1		Vinyl Chloride	ND	0.50	1	
c-1,2-Dichloroethene	ND	1.0	1		p/m-Xylene	ND	1.0	1	
t-1,2-Dichloroethene	ND	1.0	1		o-Xylene	ND	1.0	1	
1,2-Dichloropropane	ND	1.0	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	105	74-140		1,2-Dichloroethane-d4	106	74-146	
Toluene-d8	102	88-112		1,4-Bromofluorobenzene	94	74-110	

RL - Reporting Limit, DF - Dilution Factor, Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Haley & Aldrich		Date Received:	08/17/05
500 South Kraemer Boulevard, Suite 370		Work Order No:	05-08-1118
Brea, CA 92821-6728		Preparation:	EPA 5030B
		Method:	EPA 8260B
		Units:	ug/L
Project: Delphi Anaheim /32468-000			Page 9 of 9

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
Method Blank	099-10-006-15,427	N/A	Aqueous	08/19/05	08/20/05	050819L03

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Acetone	ND	10	1		1,3-Dichloropropane	ND	1.0	1	
Benzene	ND	0.50	1		2,2-Dichloropropane	ND	1.0	1	
Bromobenzene	ND	1.0	1		1,1-Dichloropropene	ND	1.0	1	
Bromochloromethane	ND	1.0	1		c-1,3-Dichloropropene	ND	0.50	1	
Bromodichloromethane	ND	1.0	1		t-1,3-Dichloropropene	ND	0.50	1	
Bromoform	ND	1.0	1		Ethylbenzene	ND	1.0	1	
Bromomethane	ND	10	1		2-Hexanone	ND	10	1	
2-Butanone	ND	10	1		Isopropylbenzene	ND	1.0	1	
n-Butylbenzene	ND	1.0	1		p-Isopropyltoluene	ND	1.0	1	
sec-Butylbenzene	ND	1.0	1		Methylene Chloride	ND	10	1	
tert-Butylbenzene	ND	1.0	1		4-Methyl-2-Pentanone	ND	10	1	
Carbon Disulfide	ND	10	1		Naphthalene	ND	10	1	
Carbon Tetrachloride	ND	0.50	1		n-Propylbenzene	ND	1.0	1	
Chlorobenzene	ND	1.0	1		Styrene	ND	1.0	1	
Chloroethane	ND	1.0	1		1,1,1,2-Tetrachloroethane	ND	1.0	1	
Chloroform	ND	1.0	1		1,1,2,2-Tetrachloroethane	ND	1.0	1	
Chloromethane	ND	10	1		Tetrachloroethene	ND	1.0	1	
2-Chlorotoluene	ND	1.0	1		Toluene	ND	1.0	1	
4-Chlorotoluene	ND	1.0	1		1,2,3-Trichlorobenzene	ND	1.0	1	
Dibromochloromethane	ND	1.0	1		1,2,4-Trichlorobenzene	ND	1.0	1	
1,2-Dibromo-3-Chloropropane	ND	5.0	1		1,1,1-Trichloroethane	ND	1.0	1	
1,2-Dibromoethane	ND	1.0	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	10	1	
Dibromomethane	ND	1.0	1		1,1,2-Trichloroethane	ND	1.0	1	
1,2-Dichlorobenzene	ND	1.0	1		Trichloroethene	ND	1.0	1	
1,3-Dichlorobenzene	ND	1.0	1		Trichlorofluoromethane	ND	10	1	
1,4-Dichlorobenzene	ND	1.0	1		1,2,3-Trichloropropane	ND	5.0	1	
Dichlorodifluoromethane	ND	1.0	1		1,2,4-Trimethylbenzene	ND	1.0	1	
1,1-Dichloroethane	ND	1.0	1		1,3,5-Trimethylbenzene	ND	1.0	1	
1,2-Dichloroethane	ND	0.50	1		Vinyl Acetate	ND	10	1	
1,1-Dichloroethene	ND	1.0	1		Vinyl Chloride	ND	0.50	1	
c-1,2-Dichloroethene	ND	1.0	1		p/m-Xylene	ND	1.0	1	
t-1,2-Dichloroethene	ND	1.0	1		o-Xylene	ND	1.0	1	
1,2-Dichloropropane	ND	1.0	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	108	74-140		1,2-Dichloroethane-d4	110	74-146	
Toluene-d8	99	88-112		1,4-Bromofluorobenzene	97	74-110	

RL - Reporting Limit, DF - Dilution Factor, Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Quality Control - Spike/Spike Duplicate

Haley & Aldrich
500 South Kraemer Boulevard, Suite 370
Brea, CA 92821-6728

Date Received: 08/17/05
Work Order No: 05-08-1118
Preparation: EPA 3010A Total
Method: EPA 6010B

Project Delphi Anaheim /32468-000

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
EB-GW 081605-001	Aqueous	ICP 3300	08/17/05	08/18/05	050817S11

Parameter	MS % REC	MSD % REC	% REC CL	RPD	RPD CL	Qualifiers
Antimony	104	102	80-120	2	0-20	
Arsenic	115	114	80-120	1	0-20	
Barium	108	109	80-120	1	0-20	
Beryllium	103	103	80-120	0	0-20	
Cadmium	105	105	80-120	0	0-20	
Chromium	104	105	80-120	0	0-20	
Cobalt	105	106	80-120	0	0-20	
Copper	96	132	80-120	32	0-20	4,3
Lead	105	105	80-120	0	0-20	
Molybdenum	103	102	80-120	1	0-20	
Nickel	104	105	80-120	0	0-20	
Selenium	102	100	80-120	2	0-20	
Silver	102	103	80-120	1	0-20	
Thallium	102	103	80-120	1	0-20	
Vanadium	102	102	80-120	0	0-20	
Zinc	108	107	80-120	0	0-20	

RPD - Relative Percent Difference, CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - Duplicate

Haley & Aldrich		Date Received:	08/17/05
500 South Kraemer Boulevard, Suite 370		Work Order No:	05-08-1118
Brea, CA 92821-6728		Preparation:	N/A
		Method:	EPA 150.1

Project: Delphi Anaheim / 32468-000

Quality Control Sample ID	Matrix	Instrument	Date Prepared:	Date Analyzed:	Duplicate Batch Number
05-08-1124-6	Aqueous	PH 1	N/A	08/17/05	50817PHD1

Parameter	Sample Conc	DUP Conc	RPD	RPD CL	Qualifiers
pH	7.42	7.4	0	0-25	

RPD - Relative Percent Difference, CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - Spike/Spike Duplicate

Haley & Aldrich
500 South Kraemer Boulevard, Suite 370
Brea, CA 92821-6728

Date Received: 08/17/05
Work Order No: 05-08-1118
Preparation: EPA 7470A Total
Method: EPA 7470A

Project Delphi Anaheim /32468-000

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
MW 004-GW 081605-001	Aqueous	Mercury	08/17/05	08/18/05	050817S05

Parameter	MS % REC	MSD % REC	% REC CL	RPD	RPD CL	Qualifiers
Mercury	101	101	71-134	0	0-14	

RPD - Relative Percent Difference, CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - Spike/Spike Duplicate

Haley & Aldrich		Date Received:	08/17/05
500 South Kraemer Boulevard, Suite 370		Work Order No:	05-08-1118
Brea, CA 92821-6728		Preparation:	EPA 5030B
		Method:	EPA 8260B

Project Delphi Anaheim /32468-000

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
05-08-1029-3	Aqueous	GC/MS O	08/18/05	08/18/05	050818S01

Parameter	MS % REC	MSD % REC	% REC CL	RPD	RPD CL	Qualifiers
Benzene	107	110	88-118	2	0-7	
Carbon Tetrachloride	106	110	67-145	4	0-11	
Chlorobenzene	106	110	88-118	3	0-7	
1,2-Dichlorobenzene	108	114	86-116	5	0-8	
1,1-Dichloroethene	96	101	70-130	4	0-25	
Toluene	115	119	87-123	3	0-8	
Trichloroethene	105	110	79-127	4	0-10	
Vinyl Chloride	97	100	69-129	4	0-13	
Methyl-t-Butyl Ether (MTBE)	102	104	71-131	2	0-13	
Tert-Butyl Alcohol (TBA)	99	98	36-168	1	0-45	
Diisopropyl Ether (DIPE)	107	110	81-123	3	0-9	
Ethyl-t-Butyl Ether (ETBE)	98	103	72-126	5	0-12	
Tert-Amyl-Methyl Ether (TAME)	99	103	72-126	4	0-12	
Ethanol	115	104	53-149	10	0-31	

RPD - Relative Percent Difference, CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - Spike/Spike Duplicate

Haley & Aldrich		Date Received:	08/17/05
500 South Kraemer Boulevard, Suite 370		Work Order No:	05-08-1118
Brea, CA 92821-6728		Preparation:	EPA 5030B
		Method:	EPA 8260B

Project Delphi Anaheim /32468-000

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
05-08-1213-9	Aqueous	GC/MSW	08/19/05	08/20/05	050819S02

Parameter	MS % REC	MSD % REC	% REC CL	RPD	RPD CL	Qualifiers
Benzene	95	100	88-118	6	0-7	
Carbon Tetrachloride	95	102	67-145	7	0-11	
Chlorobenzene	94	98	88-118	5	0-7	
1,2-Dichlorobenzene	91	95	86-116	5	0-8	
1,1-Dichloroethene	91	102	70-130	12	0-25	
Toluene	93	97	87-123	4	0-8	
Trichloroethene	95	102	79-127	7	0-10	
Vinyl Chloride	83	92	69-129	10	0-13	
Methyl-t-Butyl Ether (MTBE)	96	96	71-131	1	0-13	
Tert-Butyl Alcohol (TBA)	89	85	36-168	5	0-45	
Diisopropyl Ether (DIPE)	93	95	81-123	2	0-9	
Ethyl-t-Butyl Ether (ETBE)	90	91	72-126	1	0-12	
Tert-Amyl-Methyl Ether (TAME)	90	91	72-126	0	0-12	
Ethanol	96	90	53-149	7	0-31	

RPD - Relative Percent Difference, CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - LCS/LCS Duplicate

Haley & Aldrich
500 South Kraemer Boulevard, Suite 370
Brea, CA 92821-6728

Date Received: N/A
Work Order No: 05-08-1118
Preparation: EPA 3010A Total
Method: EPA 6010B

Project: Delphi Anaheim /32468-000

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
097-01-003-5,243	Aqueous	ICP 3300	08/17/05	08/18/05	050817L11

Parameter	LCS % REC	LCSD % REC	% REC CL	RPD	RPD CL	Qualifiers
Antimony	102	100	80-120	2	0-20	
Arsenic	111	113	80-120	3	0-20	
Barium	106	107	80-120	0	0-20	
Beryllium	100	100	80-120	0	0-20	
Cadmium	105	106	80-120	0	0-20	
Chromium	104	104	80-120	0	0-20	
Cobalt	107	108	80-120	1	0-20	
Copper	95	96	80-120	1	0-20	
Lead	108	108	80-120	0	0-20	
Molybdenum	102	102	80-120	0	0-20	
Nickel	108	109	80-120	1	0-20	
Selenium	96	97	80-120	1	0-20	
Silver	106	107	80-120	1	0-20	
Thallium	104	104	80-120	0	0-20	
Vanadium	100	100	80-120	0	0-20	
Zinc	108	108	80-120	0	0-20	

RPD - Relative Percent Difference, CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - Laboratory Control Sample

Haley & Aldrich		Date Received:	N/A
500 South Kraemer Boulevard, Suite 370		Work Order No:	05-08-1118
Brea, CA 92821-6728		Preparation:	EPA 7470A Total
		Method:	EPA 7470A

Project: Delphi Anaheim / 32468-000

Quality Control Sample ID	Matrix	Instrument	Date Analyzed	Lab File ID	LCS Batch Number
099-04-008-2,057	Aqueous	Mercury	08/18/05	050817-l-05 d.icp	050817L05

Parameter	Conc Added	Conc Recovered	LCS % Rec	% Rec CL	Qualifiers
Mercury	0.0100	0.0105	105	90-122	

RPD - Relative Percent Difference, CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - LCS/LCS Duplicate

Haley & Aldrich		Date Received:	N/A
500 South Kraemer Boulevard, Suite 370		Work Order No:	05-08-1118
Brea, CA 92821-6728		Preparation:	EPA 5030B
		Method:	EPA 8260B

Project: Delphi Anaheim /32468-000

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-10-006-15,396	Aqueous	GC/MS O	08/18/05	08/18/05	050818L01

Parameter	LCS % REC	LCSD % REC	% REC CL	RPD	RPD CL	Qualifiers
Benzene	107	105	84-120	2	0-8	
Carbon Tetrachloride	106	106	63-147	0	0-10	
Chlorobenzene	106	105	89-119	1	0-7	
1,2-Dichlorobenzene	110	109	89-119	0	0-9	
1,1-Dichloroethene	100	100	77-125	0	0-16	
Toluene	115	113	83-125	2	0-9	
Trichloroethene	106	104	89-119	2	0-8	
Vinyl Chloride	97	98	63-135	1	0-13	
Methyl-t-Butyl Ether (MTBE)	102	102	82-118	0	0-13	
Tert-Butyl Alcohol (TBA)	91	92	46-154	1	0-32	
Diisopropyl Ether (DIPE)	107	107	81-123	0	0-11	
Ethyl-t-Butyl Ether (ETBE)	99	99	74-122	1	0-12	
Tert-Amyl-Methyl Ether (TAME)	100	97	76-124	2	0-10	
Ethanol	106	105	60-138	1	0-32	

RPD - Relative Percent Difference, CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - LCS/LCS Duplicate

Haley & Aldrich		Date Received:	N/A
500 South Kraemer Boulevard, Suite 370		Work Order No:	05-08-1118
Brea, CA 92821-6728		Preparation:	EPA 5030B
		Method:	EPA 8260B

Project: Delphi Anaheim /32468-000

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-10-006-15,427	Aqueous	GC/MSW	08/19/05	08/20/05	050819L03

Parameter	LCS % REC	LCSD % REC	% REC CL	RPD	RPD CL	Qualifiers
Benzene	100	99	84-120	1	0-8	
Carbon Tetrachloride	102	101	63-147	1	0-10	
Chlorobenzene	97	97	89-119	0	0-7	
1,2-Dichlorobenzene	95	95	89-119	1	0-9	
1,1-Dichloroethene	103	103	77-125	1	0-16	
Toluene	98	97	83-125	1	0-9	
Trichloroethene	103	101	89-119	1	0-8	
Vinyl Chloride	93	93	63-135	0	0-13	
Methyl-t-Butyl Ether (MTBE)	96	99	82-118	2	0-13	
Tert-Butyl Alcohol (TBA)	83	85	46-154	3	0-32	
Diisopropyl Ether (DIPE)	95	95	81-123	0	0-11	
Ethyl-t-Butyl Ether (ETBE)	92	93	74-122	1	0-12	
Tert-Amyl-Methyl Ether (TAME)	92	93	76-124	2	0-10	
Ethanol	97	90	60-138	7	0-32	

RPD - Relative Percent Difference, CL - Control Limit

Calscience Environmental Laboratories, Inc.

Glossary of Terms and Qualifiers

Work Order Number: 05-08-1118

Qualifier	Definition
*	See applicable analysis comment.
1	Surrogate compound recovery was out of control due to a required sample dilution, therefore, the sample data was reported without further clarification.
2	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
3	Recovery of the Matrix Spike or Matrix Spike Duplicate compound was out of control due to matrix interference. The associated LCS and/or LCSD was in control and, therefore, the sample data was reported without further clarification.
4	The MS/MSD RPD was out of control due to matrix interference. The LCS/LCSD RPD was in control and, therefore, the sample data was reported without further clarification.
5	The PDS/PDSD associated with this batch of samples was out of control due to a matrix interference effect. The associated batch LCS/LCSD was in control and, hence, the associated sample data was reported with no further corrective action required.
A	Result is the average of all dilutions, as defined by the method.
B	Analyte was present in the associated method blank.
C	Analyte presence was not confirmed on primary column.
E	Concentration exceeds the calibration range.
H	Sample received and/or analyzed past the recommended holding time.
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
N	Nontarget Analyte.
ND	Parameter not detected at the indicated reporting limit.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
U	Undetected at the laboratory method detection limit.
X	% Recovery and/or RPD out-of-range.
Z	Analyte presence was not confirmed by second column or GC/MS analysis.

05-08-1118

Haley & Aldrich, Inc.
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Tel: 714.985.3434
Fax: 714.985.3433
HaleyAldrich.com

HALEY & ALDRICH

Fax Transmittal Sheet

Date: 8-17-05
File Number: 32468-000
From: C. Tsiatsios
To: Viridian - Calscience
Attention:
Fax Number: 714 894 7501
Page 1 of: 2

Message:

Updated COC for Delphi-Anaheim

NOTICE: The information contained in this communication is confidential and privileged proprietary information intended only for the individual or entity to whom it is addressed. Any unauthorized use, distribution, copying or disclosure of this communication is prohibited. If you have received this communication in error, please contact the sender immediately.

Please call 714.985.3434 if there is a problem with this fax transmission.

CALSCIENCE ENVIRONMENTAL LABORATORIES, INC.
7440 LINCOLN WAY
GARDEN GROVE, CA 92841-1427
TEL: (714) 895-5494 • FAX: (714) 894-7501

05-08-1118

CHAIN OF CUSTODY RECORD

Date 08-16-05

Page 1 of 1

LABORATORY CLIENT: Haley + Aldrich

ADDRESS: 500 S. Kraemer Blvd. Suite 370

CITY: Brea STATE: CA ZIP: 92821

TEL: 714 985 3434 FAX: 714 985 3433 E-MAIL:

TURNAROUND TIME: ☐ SAME DAY ☐ 24 HR ☐ 48 HR ☐ 72 HR ☐ 5 DAYS ☑ 10 DAYS

SPECIAL REQUIREMENTS (ADDITIONAL COSTS MAY APPLY): ☐ RWQCB REPORTING FORMS ☐ COELT EDF ☐

SPECIAL INSTRUCTIONS:

CLIENT PROJECT NAME / NUMBER: Delphi Anaheim / 32468-000

PROJECT CONTACT: Tom Tatnall

SAMPLER(S): (SIGNATURE) CT

COELT LOG CODE

P.O. NO.: 32468-000

LAB USE ONLY

COOLER RECEIPT TEMP = °C

REQUESTED ANALYSES

LAB USE ONLY	SAMPLE ID	FIELD POINT NAME (FOR COELT EDF)	SAMPLING DATE	SAMPLING TIME	MATRIX	NO. OF CONT.	TPH (G)	TPH (D) or	BTEX / MTBE (8260B) or	OXYGENATES (8260B)	VOCs (8260B)	5035 ENCORE PREP	SVOCs (8270C)	PEST (8081A)	PCBs (8082)	CAC, T22 METALS (6010B) / 747	PNAs (8310) or (8270C)	VOCs (TO-14A) or (TO-15)	TPH(G) (TO-3M)	pH				
	MW002_GW081605_001		8-16-05	1101	W	5					X					X				X				
	MW002_GW081605_002			1108																				
	EB_GW081615_001			1041																				
	MW004_GW081605_001			1401																				
	MW001_GW081605_001			1525																				
	MW003_GW081605_001			1718																				
	TB_GW081605_001		8-16-05	—	W	2					X													

Relinquished by: (Signature)	Received by: (Signature)	Date: 8-16-05	Time: 1755
Relinquished by: (Signature)	Received by: (Signature)	Date:	Time:
Relinquished by: (Signature)	Received for Laboratory by: (Signature)	Date:	Time:

10/20/04 Revision

DISTRIBUTION: White with final report, Green to file, Yellow to Client. White, Green and Yellow copies respectively.

Q&Q Graphic 714-886-9702

CALSCIENCE ENVIRONMENTAL LABORATORIES, INC.
7440 LINCOLN WAY
GARDEN GROVE, CA 92841-1427
TEL: (714) 895-5494 • FAX: (714) 894-7501

CHAIN OF CUSTODY RECORD

Date: 08-16-05

Page 1 of 1

LABORATORY CLIENT: Haley + Aldrich

ADDRESS: 500 S. Kraemer Blvd. Suite 370

CITY: Brea STATE: CA ZIP: 92821

TEL: 714 985 3434 FAX: 714 985 3433 E-MAIL:

TURNAROUND TIME: ☐ SAME DAY ☐ 24 HR ☐ 48 HR ☐ 72 HR ☐ 5 DAYS ☑ 10 DAYS

SPECIAL REQUIREMENTS (ADDITIONAL COSTS MAY APPLY): ☐ RWQCB REPORTING FORMS ☐ COELT EDF ☐

SPECIAL INSTRUCTIONS:

CLIENT PROJECT NAME / NUMBER: Delphi Anaheim / 32468-000

P.O. NO.: 32468-000

PROJECT CONTACT: Tom Tatnall

LAB USE ONLY: 0 8 - 1 1 1 8

SAMPLER(S): (SIGNATURE) CT

COELT LOG CODE

COOLER RECEIPT TEMP = °C

REQUESTED ANALYSES

LAB USE ONLY	SAMPLE ID	FIELD POINT NAME (FOR COELT EDF)	SAMPLING DATE	SAMPLING TIME	MATRIX	NO. OF CONT.	TPH (G)	TPH (D) or	BTEX / MTBE (8260B) or	OXYGENATES (8260B)	VOCs (8260B)	5035 ENCORE PREP	SVOCs (8270C)	PEST (8081A)	PCBs (8082)	CAC, T22 METALS (6010B) / 747	PNAs (8310) or (8270C)	VOCs (TO-14A) or (TO-15)	TPH(G) (TO-3M)	pH
1	MW002_GW081605_001		8-16-05	1101	W	5					X					X				X
2	MW002_GW081605_002		↓	1108	↓	↓					↓					↓				↓
3	EB_GW081605_001		↓	1041	↓	↓					↓					↓				↓
4	MW004_GW081605_001		↓	1401	↓	↓					↓					↓				↓
5	MW001_GW081605_001		↓	1525	↓	↓					↓					↓				↓
6	MW003_GW081605_001		↓	1718	↓	↓					↓					↓				↓

Relinquished by: (Signature)	Received by: (Signature)	Date: 8-16-05	Time: 1755
Relinquished by: (Signature)	Received by: (Signature)	Date:	Time:
Relinquished by: (Signature)	Received for Laboratory by: (Signature)	Date: 8/17/05	Time: 08:18

DISTRIBUTION: When with final report, Green to file, Yellow to Client.
Please note that pages 1 and 2 of 2 of our T/Cs are printed on the reverse side of the Green and Yellow copies respectively.

10/20/04 Revision

Q&Q Graphic 714-898-9702

Calscience Environmental Laboratories, Inc.

WORK ORDER #: 05 - 0 8 - 1 1 1 8

Cooler 1 **of** 1

SAMPLE RECEIPT FORM

CLIENT: HALEY & ALDRICH – BREA **DATE:** 8/17/05

TEMPERATURE – SAMPLES RECEIVED BY:

CALSCIENCE COURIER:

✓ Chilled, cooler with temperature blank provided.
___ Chilled, cooler without temperature blank.
___ Chilled and placed in cooler with wet ice.
___ Ambient and placed in cooler with wet ice.
___ Ambient temperature.

LABORATORY (Other than Calscience Courier):

___ °C Temperature blank.
___ °C IR thermometer.
___ Ambient temperature.

4.8 °C Temperature blank.

Initial: [illegible]

CUSTODY SEAL INTACT:

Sample(s): ___ Cooler: ___ No (Not Intact) : ___ Not Applicable (N/A): ✓

Initial: [illegible]

SAMPLE CONDITION:

	Yes	No	N/A
Chain-Of-Custody document(s) received with samples	✓		
Sample container label(s) consistent with custody papers	✓		
Sample container(s) intact and good condition	✓		
Correct containers for analyses requested	✓		
Proper preservation noted on sample label(s)	✓		
VOA vial(s) free of headspace.	✓		
Tedlar bag(s) free of condensation			✓

Initial: [illegible]

COMMENTS:

(1) SET TRIP BLANKS RECEIVED NOT LISTED ON THE COC. THE VIALS WERE ADDED AS #7 AND PLACED ON HOLD.

Calscience Environmental Laboratories, Inc.

Supplemental Report 1

February 08, 2006

Tom Tatnall
Haley & Aldrich
500 South Kraemer Boulevard, Suite 370
Brea, CA 92821-6728

Subject: Calscience Work Order No.: 06-02-0190
Client Reference: Delphi/32486-004

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 2/3/2006 and analyzed in accordance with the attached chain-of-custody.

Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of any subcontracted analysis is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.

If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

Original signed by Viendra Patel

Calscience Environmental
Laboratories, Inc.
Viendra Patel
Project Manager

Calscience Environmental Laboratories, Inc.

Analytical Report

Haley & Aldrich		Date Received:	02/03/06
500 South Kraemer Boulevard, Suite 370		Work Order No:	06-02-0190
Brea, CA 92821-6728		Preparation:	EPA 5030B
		Method:	EPA 8260B
		Units:	ug/L
Project: Delphi/32486-004			Page 1 of 12

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
HA-MW-5	06-02-0190-1	02/03/06	Aqueous	02/04/06	02/05/06	060204L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Acetone	ND	10	1		1,3-Dichlorpropane	ND	1.0	1	
Benzene	ND	0.50	1		2,2-Dichlorpropane	ND	1.0	1	
Bromobenzene	ND	1.0	1		1,1-Dichlorpropene	ND	1.0	1	
Bromochlromethane	ND	1.0	1		c-1,3-Dichlorpropene	ND	0.50	1	
Bromodichlromethane	ND	1.0	1		t-1,3-Dichlorpropene	ND	0.50	1	
Bromoform	ND	1.0	1		Ethylbenzene	ND	1.0	1	
Bromomethane	ND	10	1		2-Hexanone	ND	10	1	
2-Butanone	ND	10	1		Isopropylbenzene	ND	1.0	1	
n-Butylbenzene	ND	1.0	1		p-Isopropyltoluene	ND	1.0	1	
sec-Butylbenzene	ND	1.0	1		Methylene Chloride	ND	10	1	
tert-Butylbenzene	ND	1.0	1		4-Methyl-2-Pentanone	ND	10	1	
Carbon Disulfide	ND	10	1		Naphthalene	ND	10	1	
Carbon Tetrachloride	ND	0.50	1		n-Propylbenzene	ND	1.0	1	
Chlorobenzene	ND	1.0	1		Styrene	ND	1.0	1	
Chloroethane	ND	1.0	1		1,1,1,2-Tetrachloroethane	ND	1.0	1	
Chloroform	ND	1.0	1		1,1,2,2-Tetrachloroethane	ND	1.0	1	
Chloromethane	ND	10	1		Tetrachloroethene	ND	1.0	1	
2-Chlorotoluene	ND	1.0	1		Toluene	ND	1.0	1	
4-Chlorotoluene	ND	1.0	1		1,2,3-Trichlorobenzene	ND	1.0	1	
Dibromochloromethane	ND	1.0	1		1,2,4-Trichlorobenzene	ND	1.0	1	
1,2-Dibromo-3-Chloropropane	ND	5.0	1		1,1,1-Trichloroethane	ND	1.0	1	
1,2-Dibromoethane	ND	1.0	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	10	1	
Dibromomethane	ND	1.0	1		1,1,2-Trichloroethane	ND	1.0	1	
1,2-Dichlorobenzene	ND	1.0	1		Trichloroethene	ND	1.0	1	
1,3-Dichlorobenzene	ND	1.0	1		Trichlorofluoromethane	ND	10	1	
1,4-Dichlorobenzene	ND	1.0	1		1,2,3-Trichloropropane	ND	5.0	1	
Dichlorodifluoromethane	ND	1.0	1		1,2,4-Trimethylbenzene	ND	1.0	1	
1,1-Dichloroethane	ND	1.0	1		1,3,5-Trimethylbenzene	ND	1.0	1	
1,2-Dichloroethane	ND	0.50	1		Vinyl Acetate	ND	10	1	
1,1-Dichloroethene	3.6	1.0	1		Vinyl Chloride	ND	0.50	1	
c-1,2-Dichloroethene	ND	1.0	1		p/m-Xylene	ND	1.0	1	
t-1,2-Dichloroethene	ND	1.0	1		o-Xylene	ND	1.0	1	
1,2-Dichloropropane	ND	1.0	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	117	74-140		1,2-Dichloroethane-d4	111	74-146	
Toluene-d8	99	88-112		1,4-Bromofluorobenzene	85	74-110	

RL - Reporting Limit, DF - Dilution Factor, Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Haley & Aldrich		Date Received:	02/03/06
500 South Kraemer Boulevard, Suite 370		Work Order No:	06-02-0190
Brea, CA 92821-6728		Preparation:	EPA 5030B
		Method:	EPA 8260B
		Units:	ug/L
Project: Delphi/32486-004			Page 2 of 12

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
HA-MW-6	06-02-0190-2	02/03/06	Aqueous	02/04/06	02/04/06	060204L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Acetone	ND	10	1		1,3-Dichloropropane	ND	1.0	1	
Benzene	ND	0.50	1		2,2-Dichloropropane	ND	1.0	1	
Bromobenzene	ND	1.0	1		1,1-Dichloropropene	ND	1.0	1	
Bromochloromethane	ND	1.0	1		c-1,3-Dichloropropene	ND	0.50	1	
Bromodichloromethane	ND	1.0	1		t-1,3-Dichloropropene	ND	0.50	1	
Bromoform	ND	1.0	1		Ethylbenzene	ND	1.0	1	
Bromomethane	ND	10	1		2-Hexanone	ND	10	1	
2-Butanone	ND	10	1		Isopropylbenzene	ND	1.0	1	
n-Butylbenzene	ND	1.0	1		p-Isopropyltoluene	ND	1.0	1	
sec-Butylbenzene	ND	1.0	1		Methylene Chloride	ND	10	1	
tert-Butylbenzene	ND	1.0	1		4-Methyl-2-Pentanone	ND	10	1	
Carbon Disulfide	ND	10	1		Naphthalene	ND	10	1	
Carbon Tetrachloride	ND	0.50	1		n-Propylbenzene	ND	1.0	1	
Chlorobenzene	ND	1.0	1		Styrene	ND	1.0	1	
Chloroethane	ND	1.0	1		1,1,1,2-Tetrachloroethane	ND	1.0	1	
Chloroform	ND	1.0	1		1,1,2,2-Tetrachloroethane	ND	1.0	1	
Chloromethane	ND	10	1		Tetrachloroethene	ND	1.0	1	
2-Chlorotoluene	ND	1.0	1		Toluene	ND	1.0	1	
4-Chlorotoluene	ND	1.0	1		1,2,3-Trichlorobenzene	ND	1.0	1	
Dibromochloromethane	ND	1.0	1		1,2,4-Trichlorobenzene	ND	1.0	1	
1,2-Dibromo-3-Chloropropane	ND	5.0	1		1,1,1-Trichloroethane	ND	1.0	1	
1,2-Dibromoethane	ND	1.0	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	10	1	
Dibromomethane	ND	1.0	1		1,1,2-Trichloroethane	ND	1.0	1	
1,2-Dichlorobenzene	ND	1.0	1		Trichloroethene	ND	1.0	1	
1,3-Dichlorobenzene	ND	1.0	1		Trichlorofluoromethane	ND	10	1	
1,4-Dichlorobenzene	ND	1.0	1		1,2,3-Trichloropropane	ND	5.0	1	
Dichlorodifluoromethane	ND	1.0	1		1,2,4-Trimethylbenzene	ND	1.0	1	
1,1-Dichloroethane	5.0	1.0	1		1,3,5-Trimethylbenzene	ND	1.0	1	
1,2-Dichloroethane	ND	0.50	1		Vinyl Acetate	ND	10	1	
1,1-Dichloroethene	29	1	1		Vinyl Chloride	ND	0.50	1	
c-1,2-Dichloroethene	ND	1.0	1		p/m-Xylene	ND	1.0	1	
t-1,2-Dichloroethene	ND	1.0	1		o-Xylene	ND	1.0	1	
1,2-Dichloropropane	ND	1.0	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	106	74-140		1,2-Dichloroethane-d4	100	74-146	
Toluene-d8	99	88-112		1,4-Bromofluorobenzene	88	74-110	

RL - Reporting Limit, DF - Dilution Factor, Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Haley & Aldrich		Date Received:	02/03/06
500 South Kraemer Boulevard, Suite 370		Work Order No:	06-02-0190
Brea, CA 92821-6728		Preparation:	EPA 5030B
		Method:	EPA 8260B
		Units:	ug/L
Project: Delphi/32486-004			Page 3 of 12

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
HA-MW-6-02	06-02-0190-3	02/03/06	Aqueous	02/04/06	02/04/06	060204L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Acetone	ND	10	1		1,3-Dichloropropane	ND	1.0	1	
Benzene	ND	0.50	1		2,2-Dichloropropane	ND	1.0	1	
Bromobenzene	ND	1.0	1		1,1-Dichloropropene	ND	1.0	1	
Bromochloromethane	ND	1.0	1		c-1,3-Dichloropropene	ND	0.50	1	
Bromodichloromethane	ND	1.0	1		t-1,3-Dichloropropene	ND	0.50	1	
Bromoform	ND	1.0	1		Ethylbenzene	ND	1.0	1	
Bromomethane	ND	10	1		2-Hexanone	ND	10	1	
2-Butanone	ND	10	1		Isopropylbenzene	ND	1.0	1	
n-Butylbenzene	ND	1.0	1		p-Isopropyltoluene	ND	1.0	1	
sec-Butylbenzene	ND	1.0	1		Methylene Chloride	ND	10	1	
tert-Butylbenzene	ND	1.0	1		4-Methyl-2-Pentanone	ND	10	1	
Carbon Disulfide	ND	10	1		Naphthalene	ND	10	1	
Carbon Tetrachloride	ND	0.50	1		n-Propylbenzene	ND	1.0	1	
Chlorobenzene	ND	1.0	1		Styrene	ND	1.0	1	
Chloroethane	ND	1.0	1		1,1,1,2-Tetrachloroethane	ND	1.0	1	
Chloroform	ND	1.0	1		1,1,2,2-Tetrachloroethane	ND	1.0	1	
Chloromethane	ND	10	1		Tetrachloroethene	ND	1.0	1	
2-Chlorotoluene	ND	1.0	1		Toluene	ND	1.0	1	
4-Chlorotoluene	ND	1.0	1		1,2,3-Trichlorobenzene	ND	1.0	1	
Dibromochloromethane	ND	1.0	1		1,2,4-Trichlorobenzene	ND	1.0	1	
1,2-Dibromo-3-Chloropropane	ND	5.0	1		1,1,1-Trichloroethane	ND	1.0	1	
1,2-Dibromoethane	ND	1.0	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	10	1	
Dibromomethane	ND	1.0	1		1,1,2-Trichloroethane	ND	1.0	1	
1,2-Dichlorobenzene	ND	1.0	1		Trichloroethene	ND	1.0	1	
1,3-Dichlorobenzene	ND	1.0	1		Trichlorofluoromethane	ND	10	1	
1,4-Dichlorobenzene	ND	1.0	1		1,2,3-Trichloropropane	ND	5.0	1	
Dichlorodifluoromethane	ND	1.0	1		1,2,4-Trimethylbenzene	ND	1.0	1	
1,1-Dichloroethane	4.9	1.0	1		1,3,5-Trimethylbenzene	ND	1.0	1	
1,2-Dichloroethane	ND	0.50	1		Vinyl Acetate	ND	10	1	
1,1-Dichloroethene	27	1	1		Vinyl Chloride	ND	0.50	1	
c-1,2-Dichloroethene	ND	1.0	1		p/m-Xylene	ND	1.0	1	
t-1,2-Dichloroethene	ND	1.0	1		o-Xylene	ND	1.0	1	
1,2-Dichloropropane	ND	1.0	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	105	74-140		1,2-Dichloroethane-d4	99	74-146	
Toluene-d8	98	88-112		1,4-Bromofluorobenzene	87	74-110	

RL - Reporting Limit, DF - Dilution Factor, Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Haley & Aldrich		Date Received:	02/03/06
500 South Kraemer Boulevard, Suite 370		Work Order No:	06-02-0190
Brea, CA 92821-6728		Preparation:	EPA 5030B
		Method:	EPA 8260B
		Units:	ug/L
Project: Delphi/32486-004			Page 4 of 12

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
HA-MW-7	06-02-0190-4	02/03/06	Aqueous	02/04/06	02/04/06	060204L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Acetone	ND	10	1		1,3-Dichlorpropane	ND	1.0	1	
Benzene	ND	0.50	1		2,2-Dichlorpropane	ND	1.0	1	
Bromobenzene	ND	1.0	1		1,1-Dichlorpropene	ND	1.0	1	
Bromochlromethane	ND	1.0	1		c-1,3-Dichlorpropene	ND	0.50	1	
Bromodichlromethane	ND	1.0	1		t-1,3-Dichlorpropene	ND	0.50	1	
Bromoform	ND	1.0	1		Ethylbenzene	ND	1.0	1	
Bromomethane	ND	10	1		2-Hexanone	ND	10	1	
2-Butanone	ND	10	1		Isopropylbenzene	ND	1.0	1	
n-Butylbenzene	ND	1.0	1		p-Isopropyltoluene	ND	1.0	1	
sec-Butylbenzene	ND	1.0	1		Methylene Chloride	ND	10	1	
tert-Butylbenzene	ND	1.0	1		4-Methyl-2-Pentanone	ND	10	1	
Carbon Disulfide	ND	10	1		Naphthalene	ND	10	1	
Carbon Tetrachloride	ND	0.50	1		n-Propylbenzene	ND	1.0	1	
Chlorobenzene	ND	1.0	1		Styrene	ND	1.0	1	
Chloroethane	ND	1.0	1		1,1,1,2-Tetrachloroethane	ND	1.0	1	
Chloroform	ND	1.0	1		1,1,2,2-Tetrachloroethane	ND	1.0	1	
Chloromethane	ND	10	1		Tetrachloroethene	ND	1.0	1	
2-Chlorotoluene	ND	1.0	1		Toluene	ND	1.0	1	
4-Chlorotoluene	ND	1.0	1		1,2,3-Trichlorobenzene	ND	1.0	1	
Dibromochloromethane	ND	1.0	1		1,2,4-Trichlorobenzene	ND	1.0	1	
1,2-Dibromo-3-Chloropropane	ND	5.0	1		1,1,1-Trichloroethane	ND	1.0	1	
1,2-Dibromoethane	ND	1.0	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	10	1	
Dibromomethane	ND	1.0	1		1,1,2-Trichloroethane	ND	1.0	1	
1,2-Dichlorobenzene	ND	1.0	1		Trichloroethene	ND	1.0	1	
1,3-Dichlorobenzene	ND	1.0	1		Trichlorofluoromethane	ND	10	1	
1,4-Dichlorobenzene	ND	1.0	1		1,2,3-Trichloropropane	ND	5.0	1	
Dichlorodifluoromethane	ND	1.0	1		1,2,4-Trimethylbenzene	ND	1.0	1	
1,1-Dichloroethane	4.1	1.0	1		1,3,5-Trimethylbenzene	ND	1.0	1	
1,2-Dichloroethane	ND	0.50	1		Vinyl Acetate	ND	10	1	
1,1-Dichloroethene	12	1	1		Vinyl Chloride	ND	0.50	1	
c-1,2-Dichloroethene	ND	1.0	1		p/m-Xylene	ND	1.0	1	
t-1,2-Dichloroethene	ND	1.0	1		o-Xylene	ND	1.0	1	
1,2-Dichloropropane	ND	1.0	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	109	74-140		1,2-Dichloroethane-d4	103	74-146	
Toluene-d8	99	88-112		1,4-Bromofluorobenzene	87	74-110	

RL - Reporting Limit, DF - Dilution Factor, Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Haley & Aldrich		Date Received:	02/03/06
500 South Kraemer Boulevard, Suite 370		Work Order No:	06-02-0190
Brea, CA 92821-6728		Preparation:	EPA 5030B
		Method:	EPA 8260B
		Units:	ug/L
Project: Delphi/32486-004			Page 5 of 12

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
HA-MW-8	06-02-0190-5	02/03/06	Aqueous	02/04/06	02/04/06	060204L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Acetone	ND	10	1		1,3-Dichloropropane	ND	1.0	1	
Benzene	ND	0.50	1		2,2-Dichloropropane	ND	1.0	1	
Bromobenzene	ND	1.0	1		1,1-Dichloropropene	ND	1.0	1	
Bromochloromethane	ND	1.0	1		c-1,3-Dichloropropene	ND	0.50	1	
Bromodichloromethane	ND	1.0	1		t-1,3-Dichloropropene	ND	0.50	1	
Bromoform	ND	1.0	1		Ethylbenzene	ND	1.0	1	
Bromomethane	ND	10	1		2-Hexanone	ND	10	1	
2-Butanone	ND	10	1		Isopropylbenzene	ND	1.0	1	
n-Butylbenzene	ND	1.0	1		p-Isopropyltoluene	ND	1.0	1	
sec-Butylbenzene	ND	1.0	1		Methylene Chloride	ND	10	1	
tert-Butylbenzene	ND	1.0	1		4-Methyl-2-Pentanone	ND	10	1	
Carbon Disulfide	ND	10	1		Naphthalene	ND	10	1	
Carbon Tetrachloride	ND	0.50	1		n-Propylbenzene	ND	1.0	1	
Chlorobenzene	ND	1.0	1		Styrene	ND	1.0	1	
Chloroethane	ND	1.0	1		1,1,1,2-Tetrachloroethane	ND	1.0	1	
Chloroform	ND	1.0	1		1,1,2,2-Tetrachloroethane	ND	1.0	1	
Chloromethane	ND	10	1		Tetrachloroethene	ND	1.0	1	
2-Chlorotoluene	ND	1.0	1		Toluene	ND	1.0	1	
4-Chlorotoluene	ND	1.0	1		1,2,3-Trichlorobenzene	ND	1.0	1	
Dibromochloromethane	ND	1.0	1		1,2,4-Trichlorobenzene	ND	1.0	1	
1,2-Dibromo-3-Chloropropane	ND	5.0	1		1,1,1-Trichloroethane	ND	1.0	1	
1,2-Dibromoethane	ND	1.0	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	10	1	
Dibromomethane	ND	1.0	1		1,1,2-Trichloroethane	3.4	1.0	1	
1,2-Dichlorobenzene	ND	1.0	1		Trichloroethene	ND	1.0	1	
1,3-Dichlorobenzene	ND	1.0	1		Trichlorofluoromethane	ND	10	1	
1,4-Dichlorobenzene	ND	1.0	1		1,2,3-Trichloropropane	ND	5.0	1	
Dichlorodifluoromethane	ND	1.0	1		1,2,4-Trimethylbenzene	ND	1.0	1	
1,1-Dichloroethane	34	1	1		1,3,5-Trimethylbenzene	ND	1.0	1	
1,2-Dichloroethane	1.4	0.5	1		Vinyl Acetate	ND	10	1	
1,1-Dichloroethene	110	1	1		Vinyl Chloride	ND	0.50	1	
c-1,2-Dichloroethene	ND	1.0	1		p/m-Xylene	ND	1.0	1	
t-1,2-Dichloroethene	ND	1.0	1		o-Xylene	ND	1.0	1	
1,2-Dichloropropane	ND	1.0	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	106	74-140		1,2-Dichloroethane-d4	101	74-146	
Toluene-d8	98	88-112		1,4-Bromofluorobenzene	87	74-110	

RL - Reporting Limit, DF - Dilution Factor, Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Haley & Aldrich		Date Received:	02/03/06
500 South Kraemer Boulevard, Suite 370		Work Order No:	06-02-0190
Brea, CA 92821-6728		Preparation:	EPA 5030B
		Method:	EPA 8260B
		Units:	ug/L
Project: Delphi/32486-004			Page 6 of 12

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
HA-MW-8D	06-02-0190-6	02/03/06	Aqueous	02/07/06	02/07/06	060207L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Acetone	23	10	1		1,3-Dichloropropane	ND	1.0	1	
Benzene	ND	0.50	1		2,2-Dichloropropane	ND	1.0	1	
Bromobenzene	ND	1.0	1		1,1-Dichloropropene	ND	1.0	1	
Bromochloromethane	ND	1.0	1		c-1,3-Dichloropropene	ND	0.50	1	
Bromodichloromethane	ND	1.0	1		t-1,3-Dichloropropene	ND	0.50	1	
Bromoform	ND	1.0	1		Ethylbenzene	ND	1.0	1	
Bromomethane	ND	10	1		2-Hexanone	ND	10	1	
2-Butanone	ND	10	1		Isopropylbenzene	ND	1.0	1	
n-Butylbenzene	ND	1.0	1		p-Isopropyltoluene	ND	1.0	1	
sec-Butylbenzene	ND	1.0	1		Methylene Chloride	ND	10	1	
tert-Butylbenzene	ND	1.0	1		4-Methyl-2-Pentanone	ND	10	1	
Carbon Disulfide	ND	10	1		Naphthalene	ND	10	1	
Carbon Tetrachloride	ND	0.50	1		n-Propylbenzene	ND	1.0	1	
Chlorobenzene	ND	1.0	1		Styrene	ND	1.0	1	
Chloroethane	ND	1.0	1		1,1,1,2-Tetrachloroethane	ND	1.0	1	
Chloroform	ND	1.0	1		1,1,2,2-Tetrachloroethane	ND	1.0	1	
Chloromethane	ND	10	1		Tetrachloroethene	ND	1.0	1	
2-Chlorotoluene	ND	1.0	1		Toluene	ND	1.0	1	
4-Chlorotoluene	ND	1.0	1		1,2,3-Trichlorobenzene	ND	1.0	1	
Dibromochloromethane	ND	1.0	1		1,2,4-Trichlorobenzene	ND	1.0	1	
1,2-Dibromo-3-Chloropropane	ND	5.0	1		1,1,1-Trichloroethane	ND	1.0	1	
1,2-Dibromoethane	ND	1.0	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	10	1	
Dibromomethane	ND	1.0	1		1,1,2-Trichloroethane	ND	1.0	1	
1,2-Dichlorobenzene	ND	1.0	1		Trichloroethene	ND	1.0	1	
1,3-Dichlorobenzene	ND	1.0	1		Trichlorofluoromethane	ND	10	1	
1,4-Dichlorobenzene	ND	1.0	1		1,2,3-Trichloropropane	ND	5.0	1	
Dichlorodifluoromethane	ND	1.0	1		1,2,4-Trimethylbenzene	ND	1.0	1	
1,1-Dichloroethane	ND	1.0	1		1,3,5-Trimethylbenzene	ND	1.0	1	
1,2-Dichloroethane	ND	0.50	1		Vinyl Acetate	ND	10	1	
1,1-Dichloroethene	ND	1.0	1		Vinyl Chloride	ND	0.50	1	
c-1,2-Dichloroethene	ND	1.0	1		p/m-Xylene	ND	1.0	1	
t-1,2-Dichloroethene	ND	1.0	1		o-Xylene	ND	1.0	1	
1,2-Dichloropropane	ND	1.0	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	96	74-140		1,2-Dichloroethane-d4	100	74-146	
Toluene-d8	99	88-112		1,4-Bromofluorobenzene	89	74-110	

RL - Reporting Limit, DF - Dilution Factor, Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Haley & Aldrich		Date Received:	02/03/06
500 South Kraemer Boulevard, Suite 370		Work Order No:	06-02-0190
Brea, CA 92821-6728		Preparation:	EPA 5030B
		Method:	EPA 8260B
		Units:	ug/L
Project: Delphi/32486-004			Page 7 of 12

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
HA-MW-9	06-02-0190-7	02/03/06	Aqueous	02/07/06	02/08/06	060207L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Acetone	ND	10	1		1,3-Dichloropropane	ND	1.0	1	
Benzene	ND	0.50	1		2,2-Dichloropropane	ND	1.0	1	
Bromobenzene	ND	1.0	1		1,1-Dichloropropene	ND	1.0	1	
Bromochloromethane	ND	1.0	1		c-1,3-Dichloropropene	ND	0.50	1	
Bromodichloromethane	ND	1.0	1		t-1,3-Dichloropropene	ND	0.50	1	
Bromoform	ND	1.0	1		Ethylbenzene	ND	1.0	1	
Bromomethane	ND	10	1		2-Hexanone	ND	10	1	
2-Butanone	ND	10	1		Isopropylbenzene	ND	1.0	1	
n-Butylbenzene	ND	1.0	1		p-Isopropyltoluene	ND	1.0	1	
sec-Butylbenzene	ND	1.0	1		Methylene Chloride	ND	10	1	
tert-Butylbenzene	ND	1.0	1		4-Methyl-2-Pentanone	ND	10	1	
Carbon Disulfide	ND	10	1		Naphthalene	ND	10	1	
Carbon Tetrachloride	ND	0.50	1		n-Propylbenzene	ND	1.0	1	
Chlorobenzene	ND	1.0	1		Styrene	ND	1.0	1	
Chloroethane	ND	1.0	1		1,1,1,2-Tetrachloroethane	ND	1.0	1	
Chloroform	ND	1.0	1		1,1,2,2-Tetrachloroethane	ND	1.0	1	
Chloromethane	ND	10	1		Tetrachloroethene	ND	1.0	1	
2-Chlorotoluene	ND	1.0	1		Toluene	ND	1.0	1	
4-Chlorotoluene	ND	1.0	1		1,2,3-Trichlorobenzene	ND	1.0	1	
Dibromochloromethane	ND	1.0	1		1,2,4-Trichlorobenzene	ND	1.0	1	
1,2-Dibromo-3-Chloropropane	ND	5.0	1		1,1,1-Trichloroethane	ND	1.0	1	
1,2-Dibromoethane	ND	1.0	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	10	1	
Dibromomethane	ND	1.0	1		1,1,2-Trichloroethane	ND	1.0	1	
1,2-Dichlorobenzene	ND	1.0	1		Trichloroethene	ND	1.0	1	
1,3-Dichlorobenzene	ND	1.0	1		Trichlorofluoromethane	ND	10	1	
1,4-Dichlorobenzene	ND	1.0	1		1,2,3-Trichloropropane	ND	5.0	1	
Dichlorodifluoromethane	ND	1.0	1		1,2,4-Trimethylbenzene	ND	1.0	1	
1,1-Dichloroethane	2.8	1.0	1		1,3,5-Trimethylbenzene	ND	1.0	1	
1,2-Dichloroethane	ND	0.50	1		Vinyl Acetate	ND	10	1	
1,1-Dichloroethene	35	1	1		Vinyl Chloride	ND	0.50	1	
c-1,2-Dichloroethene	ND	1.0	1		p/m-Xylene	ND	1.0	1	
t-1,2-Dichloroethene	ND	1.0	1		o-Xylene	ND	1.0	1	
1,2-Dichloropropane	ND	1.0	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	107	74-140		1,2-Dichloroethane-d4	118	74-146	
Toluene-d8	100	88-112		1,4-Bromofluorobenzene	88	74-110	

RL - Reporting Limit, DF - Dilution Factor, Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Haley & Aldrich		Date Received:	02/03/06
500 South Kraemer Boulevard, Suite 370		Work Order No:	06-02-0190
Brea, CA 92821-6728		Preparation:	EPA 5030B
		Method:	EPA 8260B
		Units:	ug/L
Project: Delphi/32486-004			Page 8 of 12

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
EB-020306	06-02-0190-8	02/03/06	Aqueous	02/07/06	02/08/06	060207L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Acetone	ND	10	1		1,3-Dichlorpropane	ND	1.0	1	
Benzene	ND	0.50	1		2,2-Dichlorpropane	ND	1.0	1	
Bromobenzene	ND	1.0	1		1,1-Dichlorpropene	ND	1.0	1	
Bromochlromethane	ND	1.0	1		c-1,3-Dichlorpropene	ND	0.50	1	
Bromodichlromethane	ND	1.0	1		t-1,3-Dichlorpropene	ND	0.50	1	
Bromoform	ND	1.0	1		Ethylbenzene	ND	1.0	1	
Bromomethane	ND	10	1		2-Hexanone	ND	10	1	
2-Butanone	ND	10	1		Isopropylbenzene	ND	1.0	1	
n-Butylbenzene	ND	1.0	1		p-Isopropyltoluene	ND	1.0	1	
sec-Butylbenzene	ND	1.0	1		Methylene Chloride	ND	10	1	
tert-Butylbenzene	ND	1.0	1		4-Methyl-2-Pentanone	ND	10	1	
Carbon Disulfide	ND	10	1		Naphthalene	ND	10	1	
Carbon Tetrachloride	ND	0.50	1		n-Propylbenzene	ND	1.0	1	
Chlorobenzene	ND	1.0	1		Styrene	ND	1.0	1	
Chloroethane	ND	1.0	1		1,1,1,2-Tetrachloroethane	ND	1.0	1	
Chloroform	ND	1.0	1		1,1,2,2-Tetrachloroethane	ND	1.0	1	
Chloromethane	ND	10	1		Tetrachloroethene	ND	1.0	1	
2-Chlorotoluene	ND	1.0	1		Toluene	ND	1.0	1	
4-Chlorotoluene	ND	1.0	1		1,2,3-Trichlorobenzene	ND	1.0	1	
Dibromochloromethane	ND	1.0	1		1,2,4-Trichlorobenzene	ND	1.0	1	
1,2-Dibromo-3-Chloropropane	ND	5.0	1		1,1,1-Trichloroethane	ND	1.0	1	
1,2-Dibromoethane	ND	1.0	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	10	1	
Dibromomethane	ND	1.0	1		1,1,2-Trichloroethane	ND	1.0	1	
1,2-Dichlorobenzene	ND	1.0	1		Trichloroethene	ND	1.0	1	
1,3-Dichlorobenzene	ND	1.0	1		Trichlorofluoromethane	ND	10	1	
1,4-Dichlorobenzene	ND	1.0	1		1,2,3-Trichloropropane	ND	5.0	1	
Dichlorodifluoromethane	ND	1.0	1		1,2,4-Trimethylbenzene	ND	1.0	1	
1,1-Dichloroethane	ND	1.0	1		1,3,5-Trimethylbenzene	ND	1.0	1	
1,2-Dichloroethane	ND	0.50	1		Vinyl Acetate	ND	10	1	
1,1-Dichloroethene	ND	1.0	1		Vinyl Chloride	ND	0.50	1	
c-1,2-Dichloroethene	ND	1.0	1		p/m-Xylene	ND	1.0	1	
t-1,2-Dichloroethene	ND	1.0	1		o-Xylene	ND	1.0	1	
1,2-Dichloropropane	ND	1.0	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	102	74-140		1,2-Dichloroethane-d4	109	74-146	
Toluene-d8	97	88-112		1,4-Bromofluorobenzene	87	74-110	

RL - Reporting Limit, DF - Dilution Factor, Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Haley & Aldrich		Date Received:	02/03/06
500 South Kraemer Boulevard, Suite 370		Work Order No:	06-02-0190
Brea, CA 92821-6728		Preparation:	EPA 5030B
		Method:	EPA 8260B
		Units:	ug/L
Project: Delphi/32486-004			Page 9 of 12

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
TB-020306	06-02-0190-9	02/03/06	Aqueous	02/04/06	02/04/06	060204L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Acetone	ND	10	1		1,3-Dichloropropane	ND	1.0	1	
Benzene	ND	0.50	1		2,2-Dichloropropane	ND	1.0	1	
Bromobenzene	ND	1.0	1		1,1-Dichloropropene	ND	1.0	1	
Bromochloromethane	ND	1.0	1		c-1,3-Dichloropropene	ND	0.50	1	
Bromodichloromethane	ND	1.0	1		t-1,3-Dichloropropene	ND	0.50	1	
Bromoform	ND	1.0	1		Ethylbenzene	ND	1.0	1	
Bromomethane	ND	10	1		2-Hexanone	ND	10	1	
2-Butanone	ND	10	1		Isopropylbenzene	ND	1.0	1	
n-Butylbenzene	ND	1.0	1		p-Isopropyltoluene	ND	1.0	1	
sec-Butylbenzene	ND	1.0	1		Methylene Chloride	ND	10	1	
tert-Butylbenzene	ND	1.0	1		4-Methyl-2-Pentanone	ND	10	1	
Carbon Disulfide	ND	10	1		Naphthalene	ND	10	1	
Carbon Tetrachloride	ND	0.50	1		n-Propylbenzene	ND	1.0	1	
Chlorobenzene	ND	1.0	1		Styrene	ND	1.0	1	
Chloroethane	ND	1.0	1		1,1,1,2-Tetrachloroethane	ND	1.0	1	
Chloroform	ND	1.0	1		1,1,2,2-Tetrachloroethane	ND	1.0	1	
Chloromethane	ND	10	1		Tetrachloroethene	ND	1.0	1	
2-Chlorotoluene	ND	1.0	1		Toluene	ND	1.0	1	
4-Chlorotoluene	ND	1.0	1		1,2,3-Trichlorobenzene	ND	1.0	1	
Dibromochloromethane	ND	1.0	1		1,2,4-Trichlorobenzene	ND	1.0	1	
1,2-Dibromo-3-Chloropropane	ND	5.0	1		1,1,1-Trichloroethane	ND	1.0	1	
1,2-Dibromoethane	ND	1.0	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	10	1	
Dibromomethane	ND	1.0	1		1,1,2-Trichloroethane	ND	1.0	1	
1,2-Dichlorobenzene	ND	1.0	1		Trichloroethene	ND	1.0	1	
1,3-Dichlorobenzene	ND	1.0	1		Trichlorofluoromethane	ND	10	1	
1,4-Dichlorobenzene	ND	1.0	1		1,2,3-Trichloropropane	ND	5.0	1	
Dichlorodifluoromethane	ND	1.0	1		1,2,4-Trimethylbenzene	ND	1.0	1	
1,1-Dichloroethane	ND	1.0	1		1,3,5-Trimethylbenzene	ND	1.0	1	
1,2-Dichloroethane	ND	0.50	1		Vinyl Acetate	ND	10	1	
1,1-Dichloroethene	ND	1.0	1		Vinyl Chloride	ND	0.50	1	
c-1,2-Dichloroethene	ND	1.0	1		p/m-Xylene	ND	1.0	1	
t-1,2-Dichloroethene	ND	1.0	1		o-Xylene	ND	1.0	1	
1,2-Dichloropropane	ND	1.0	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	111	74-140		1,2-Dichloroethane-d4	107	74-146	
Toluene-d8	96	88-112		1,4-Bromofluorobenzene	89	74-110	

RL - Reporting Limit, DF - Dilution Factor, Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Haley & Aldrich		Date Received:	02/03/06
500 South Kraemer Boulevard, Suite 370		Work Order No:	06-02-0190
Brea, CA 92821-6728		Preparation:	EPA 5030B
		Method:	EPA 8260B
		Units:	ug/L

Project: Delphi/32486-004 — Page 10 of 12

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
Method Blank	099-10-006-16,981	N/A	Aqueous	02/04/06	02/04/06	060204L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Acetone	ND	10	1		1,3-Dichlorpropane	ND	1.0	1	
Benzene	ND	0.50	1		2,2-Dichlorpropane	ND	1.0	1	
Bromobenzene	ND	1.0	1		1,1-Dichlorpropene	ND	1.0	1	
Bromochlromethane	ND	1.0	1		c-1,3-Dichlorpropene	ND	0.50	1	
Bromodichlromethane	ND	1.0	1		t-1,3-Dichlorpropene	ND	0.50	1	
Bromoform	ND	1.0	1		Ethylbenzene	ND	1.0	1	
Bromomethane	ND	10	1		2-Hexanone	ND	10	1	
2-Butanone	ND	10	1		Isopropylbenzene	ND	1.0	1	
n-Butylbenzene	ND	1.0	1		p-Isopropyltoluene	ND	1.0	1	
sec-Butylbenzene	ND	1.0	1		Methylene Chloride	ND	10	1	
tert-Butylbenzene	ND	1.0	1		4-Methyl-2-Pentanone	ND	10	1	
Carbon Disulfide	ND	10	1		Naphthalene	ND	10	1	
Carbon Tetrachloride	ND	0.50	1		n-Propylbenzene	ND	1.0	1	
Chlorobenzene	ND	1.0	1		Styrene	ND	1.0	1	
Chloroethane	ND	1.0	1		1,1,1,2-Tetrachloroethane	ND	1.0	1	
Chloroform	ND	1.0	1		1,1,2,2-Tetrachloroethane	ND	1.0	1	
Chloromethane	ND	10	1		Tetrachloroethene	ND	1.0	1	
2-Chlorotoluene	ND	1.0	1		Toluene	ND	1.0	1	
4-Chlorotoluene	ND	1.0	1		1,2,3-Trichlorobenzene	ND	1.0	1	
Dibromochloromethane	ND	1.0	1		1,2,4-Trichlorobenzene	ND	1.0	1	
1,2-Dibromo-3-Chloropropane	ND	5.0	1		1,1,1-Trichloroethane	ND	1.0	1	
1,2-Dibromoethane	ND	1.0	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	10	1	
Dibromomethane	ND	1.0	1		1,1,2-Trichloroethane	ND	1.0	1	
1,2-Dichlorobenzene	ND	1.0	1		Trichloroethene	ND	1.0	1	
1,3-Dichlorobenzene	ND	1.0	1		Trichlorofluoromethane	ND	10	1	
1,4-Dichlorobenzene	ND	1.0	1		1,2,3-Trichloropropane	ND	5.0	1	
Dichlorodifluoromethane	ND	1.0	1		1,2,4-Trimethylbenzene	ND	1.0	1	
1,1-Dichloroethane	ND	1.0	1		1,3,5-Trimethylbenzene	ND	1.0	1	
1,2-Dichloroethane	ND	0.50	1		Vinyl Acetate	ND	10	1	
1,1-Dichloroethene	ND	1.0	1		Vinyl Chloride	ND	0.50	1	
c-1,2-Dichloroethene	ND	1.0	1		p/m-Xylene	ND	1.0	1	
t-1,2-Dichloroethene	ND	1.0	1		o-Xylene	ND	1.0	1	
1,2-Dichloropropane	ND	1.0	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	102	74-140		1,2-Dichloroethane-d4	95	74-146	
Toluene-d8	100	88-112		1,4-Bromofluorobenzene	89	74-110	

RL - Reporting Limit, DF - Dilution Factor, Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Haley & Aldrich		Date Received:	02/03/06
500 South Kraemer Boulevard, Suite 370		Work Order No:	06-02-0190
Brea, CA 92821-6728		Preparation:	EPA 5030B
		Method:	EPA 8260B
		Units:	ug/L
Project: Delphi/32486-004			Page 11 of 12

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
Method Blank	099-10-006-16,982	N/A	Aqueous	02/04/06	02/05/06	060204L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Acetone	ND	10	1		1,3-Dichlorpropane	ND	1.0	1	
Benzene	ND	0.50	1		2,2-Dichlorpropane	ND	1.0	1	
Bromobenzene	ND	1.0	1		1,1-Dichlorpropene	ND	1.0	1	
Bromochlromethane	ND	1.0	1		c-1,3-Dichlorpropene	ND	0.50	1	
Bromodichlromethane	ND	1.0	1		t-1,3-Dichlorpropene	ND	0.50	1	
Bromoform	ND	1.0	1		Ethylbenzene	ND	1.0	1	
Bromomethane	ND	10	1		2-Hexanone	ND	10	1	
2-Butanone	ND	10	1		Isopropylbenzene	ND	1.0	1	
n-Butylbenzene	ND	1.0	1		p-Isopropyltoluene	ND	1.0	1	
sec-Butylbenzene	ND	1.0	1		Methylene Chloride	ND	10	1	
tert-Butylbenzene	ND	1.0	1		4-Methyl-2-Pentanone	ND	10	1	
Carbon Disulfide	ND	10	1		Naphthalene	ND	10	1	
Carbon Tetrachloride	ND	0.50	1		n-Propylbenzene	ND	1.0	1	
Chlorobenzene	ND	1.0	1		Styrene	ND	1.0	1	
Chloroethane	ND	1.0	1		1,1,1,2-Tetrachloroethane	ND	1.0	1	
Chloroform	ND	1.0	1		1,1,2,2-Tetrachloroethane	ND	1.0	1	
Chloromethane	ND	10	1		Tetrachloroethene	ND	1.0	1	
2-Chlorotoluene	ND	1.0	1		Toluene	ND	1.0	1	
4-Chlorotoluene	ND	1.0	1		1,2,3-Trichlorobenzene	ND	1.0	1	
Dibromochloromethane	ND	1.0	1		1,2,4-Trichlorobenzene	ND	1.0	1	
1,2-Dibromo-3-Chloropropane	ND	5.0	1		1,1,1-Trichloroethane	ND	1.0	1	
1,2-Dibromoethane	ND	1.0	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	10	1	
Dibromomethane	ND	1.0	1		1,1,2-Trichloroethane	ND	1.0	1	
1,2-Dichlorobenzene	ND	1.0	1		Trichloroethene	ND	1.0	1	
1,3-Dichlorobenzene	ND	1.0	1		Trichlorofluoromethane	ND	10	1	
1,4-Dichlorobenzene	ND	1.0	1		1,2,3-Trichloropropane	ND	5.0	1	
Dichlorodifluoromethane	ND	1.0	1		1,2,4-Trimethylbenzene	ND	1.0	1	
1,1-Dichloroethane	ND	1.0	1		1,3,5-Trimethylbenzene	ND	1.0	1	
1,2-Dichloroethane	ND	0.50	1		Vinyl Acetate	ND	10	1	
1,1-Dichloroethene	ND	1.0	1		Vinyl Chloride	ND	0.50	1	
c-1,2-Dichloroethene	ND	1.0	1		p/m-Xylene	ND	1.0	1	
t-1,2-Dichloroethene	ND	1.0	1		o-Xylene	ND	1.0	1	
1,2-Dichloropropane	ND	1.0	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	108	74-140		1,2-Dichloroethane-d4	102	74-146	
Toluene-d8	101	88-112		1,4-Bromofluorobenzene	87	74-110	

RL - Reporting Limit, DF - Dilution Factor, Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Haley & Aldrich		Date Received:	02/03/06
500 South Kraemer Boulevard, Suite 370		Work Order No:	06-02-0190
Brea, CA 92821-6728		Preparation:	EPA 5030B
		Method:	EPA 8260B
		Units:	ug/L

Project: Delphi/32486-004

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
Method Blank	099-10-006-16,996	N/A	Aqueous	02/07/06	02/07/06	060207L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Acetone	ND	10	1		1,3-Dichloropropane	ND	1.0	1	
Benzene	ND	0.50	1		2,2-Dichloropropane	ND	1.0	1	
Bromobenzene	ND	1.0	1		1,1-Dichloropropene	ND	1.0	1	
Bromochloromethane	ND	1.0	1		c-1,3-Dichloropropene	ND	0.50	1	
Bromodichloromethane	ND	1.0	1		t-1,3-Dichloropropene	ND	0.50	1	
Bromoform	ND	1.0	1		Ethylbenzene	ND	1.0	1	
Bromomethane	ND	10	1		2-Hexanone	ND	10	1	
2-Butanone	ND	10	1		Isopropylbenzene	ND	1.0	1	
n-Butylbenzene	ND	1.0	1		p-Isopropyltoluene	ND	1.0	1	
sec-Butylbenzene	ND	1.0	1		Methylene Chloride	ND	10	1	
tert-Butylbenzene	ND	1.0	1		4-Methyl-2-Pentanone	ND	10	1	
Carbon Disulfide	ND	10	1		Naphthalene	ND	10	1	
Carbon Tetrachloride	ND	0.50	1		n-Propylbenzene	ND	1.0	1	
Chlorobenzene	ND	1.0	1		Styrene	ND	1.0	1	
Chloroethane	ND	1.0	1		1,1,1,2-Tetrachloroethane	ND	1.0	1	
Chloroform	ND	1.0	1		1,1,2,2-Tetrachloroethane	ND	1.0	1	
Chloromethane	ND	10	1		Tetrachloroethene	ND	1.0	1	
2-Chlorotoluene	ND	1.0	1		Toluene	ND	1.0	1	
4-Chlorotoluene	ND	1.0	1		1,2,3-Trichlorobenzene	ND	1.0	1	
Dibromochloromethane	ND	1.0	1		1,2,4-Trichlorobenzene	ND	1.0	1	
1,2-Dibromo-3-Chloropropane	ND	5.0	1		1,1,1-Trichloroethane	ND	1.0	1	
1,2-Dibromoethane	ND	1.0	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	10	1	
Dibromomethane	ND	1.0	1		1,1,2-Trichloroethane	ND	1.0	1	
1,2-Dichlorobenzene	ND	1.0	1		Trichloroethene	ND	1.0	1	
1,3-Dichlorobenzene	ND	1.0	1		Trichlorofluoromethane	ND	10	1	
1,4-Dichlorobenzene	ND	1.0	1		1,2,3-Trichloropropane	ND	5.0	1	
Dichlorodifluoromethane	ND	1.0	1		1,2,4-Trimethylbenzene	ND	1.0	1	
1,1-Dichloroethane	ND	1.0	1		1,3,5-Trimethylbenzene	ND	1.0	1	
1,2-Dichloroethane	ND	0.50	1		Vinyl Acetate	ND	10	1	
1,1-Dichloroethene	ND	1.0	1		Vinyl Chloride	ND	0.50	1	
c-1,2-Dichloroethene	ND	1.0	1		p/m-Xylene	ND	1.0	1	
t-1,2-Dichloroethene	ND	1.0	1		o-Xylene	ND	1.0	1	
1,2-Dichloropropane	ND	1.0	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	98	74-140		1,2-Dichloroethane-d4	105	74-146	
Toluene-d8	99	88-112		1,4-Bromofluorobenzene	90	74-110	

RL - Reporting Limit, DF - Dilution Factor, Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Quality Control - Spike/Spike Duplicate

Haley & Aldrich		Date Received:	02/03/06
500 South Kraemer Boulevard, Suite 370		Work Order No:	06-02-0190
Brea, CA 92821-6728		Preparation:	EPA 5030B
		Method:	EPA 8260B

Project Delphi/32486-004

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
06-02-0175-10	Aqueous	GC/MST	02/04/06	02/04/06	060204S01

Parameter	MS % REC	MSD % REC	% REC CL	RPD	RPD CL	Qualifiers
Benzene	109	110	88-118	1	0-7	
Carbon Tetrachloride	116	118	67-145	1	0-11	
Chlorobenzene	112	113	88-118	1	0-7	
1,2-Dichlorobenzene	111	111	86-116	0	0-8	
1,1-Dichloroethene	107	107	70-130	0	0-25	
Toluene	114	114	87-123	0	0-8	
Trichloroethene	108	108	79-127	0	0-10	
Vinyl Chloride	122	128	69-129	5	0-13	
Methyl-t-Butyl Ether (MTBE)	93	99	71-131	6	0-13	
Tert-Butyl Alcohol (TBA)	83	93	36-168	12	0-45	
Diisopropyl Ether (DIPE)	106	108	81-123	2	0-9	
Ethyl-t-Butyl Ether (ETBE)	93	97	72-126	4	0-12	
Tert-Amyl-Methyl Ether (TAME)	96	100	72-126	4	0-12	
Ethanol	84	89	53-149	6	0-31	

RPD - Relative Percent Difference, CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - Spike/Spike Duplicate

Haley & Aldrich		Date Received:	02/03/06
500 South Kraemer Boulevard, Suite 370		Work Order No:	06-02-0190
Brea, CA 92821-6728		Preparation:	EPA 5030B
		Method:	EPA 8260B

Project Delphi/32486-004

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
06-02-0192-1	Aqueous	GC/MST	02/04/06	02/05/06	060204S02

Parameter	MS % REC	MSD % REC	% REC CL	RPD	RPD CL	Qualifiers
Benzene	114	113	88-118	1	0-7	
Carbon Tetrachloride	123	121	67-145	1	0-11	
Chlorobenzene	116	115	88-118	1	0-7	
1,2-Dichlorobenzene	114	114	86-116	0	0-8	
1,1-Dichloroethene	120	120	70-130	0	0-25	
Toluene	116	116	87-123	0	0-8	
Trichloroethene	112	110	79-127	1	0-10	
Vinyl Chloride	133	137	69-129	3	0-13	3
Methyl-t-Butyl Ether (MTBE)	99	100	71-131	1	0-13	
Tert-Butyl Alcohol (TBA)	83	93	36-168	9	0-45	
Diisopropyl Ether (DIPE)	113	111	81-123	2	0-9	
Ethyl-t-Butyl Ether (ETBE)	97	97	72-126	0	0-12	
Tert-Amyl-Methyl Ether (TAME)	99	100	72-126	1	0-12	
Ethanol	97	104	53-149	7	0-31	

RPD - Relative Percent Difference, CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - Spike/Spike Duplicate

Haley & Aldrich		Date Received:	02/03/06
500 South Kraemer Boulevard, Suite 370		Work Order No:	06-02-0190
Brea, CA 92821-6728		Preparation:	EPA 5030B
		Method:	EPA 8260B

Project Delphi/32486-004

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
HA-MW-8D	Aqueous	GC/MST	02/07/06	02/07/06	060207S01

Parameter	MS % REC	MSD % REC	% REC CL	RPD	RPD CL	Qualifiers
Benzene	94	95	88-118	1	0-7	
Carbon Tetrachloride	94	93	67-145	1	0-11	
Chlorobenzene	96	97	88-118	1	0-7	
1,2-Dichlorobenzene	96	98	86-116	2	0-8	
1,1-Dichloroethene	96	96	70-130	0	0-25	
Toluene	100	102	87-123	2	0-8	
Trichloroethene	96	96	79-127	0	0-10	
Vinyl Chloride	103	108	69-129	5	0-13	
Methyl-t-Butyl Ether (MTBE)	96	97	71-131	2	0-13	
Tert-Butyl Alcohol (TBA)	95	102	36-168	8	0-45	
Diisopropyl Ether (DIPE)	97	96	81-123	1	0-9	
Ethyl-t-Butyl Ether (ETBE)	93	93	72-126	0	0-12	
Tert-Amyl-Methyl Ether (TAME)	98	100	72-126	2	0-12	
Ethanol	116	119	53-149	3	0-31	

RPD - Relative Percent Difference, CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - LCS/LCS Duplicate

Haley & Aldrich		Date Received:	N/A
500 South Kraemer Boulevard, Suite 370		Work Order No:	06-02-0190
Brea, CA 92821-6728		Preparation:	EPA 5030B
		Method:	EPA 8260B

Project: Delphi/32486-004

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-10-006-16,981	Aqueous	GC/MST	02/04/06	02/04/06	060204L01

Parameter	LCS % REC	LCSD % REC	% REC CL	RPD	RPD CL	Qualifiers
Benzene	109	109	84-120	1	0-8	
Carbon Tetrachloride	118	117	63-147	1	0-10	
Chlorobenzene	112	111	89-119	1	0-7	
1,2-Dichlorobenzene	109	109	89-119	1	0-9	
1,1-Dichloroethene	107	104	77-125	2	0-16	
Toluene	112	113	83-125	1	0-9	
Trichloroethene	108	106	89-119	1	0-8	
Vinyl Chloride	119	119	63-135	0	0-13	
Methyl-t-Butyl Ether (MTBE)	94	95	82-118	1	0-13	
Tert-Butyl Alcohol (TBA)	73	74	46-154	2	0-32	
Diisopropyl Ether (DIPE)	108	107	81-123	1	0-11	
Ethyl-t-Butyl Ether (ETBE)	96	94	74-122	2	0-12	
Tert-Amyl-Methyl Ether (TAME)	98	98	76-124	0	0-10	
Ethanol	74	79	60-138	7	0-32	

RPD - Relative Percent Difference, CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - LCS/LCS Duplicate

Haley & Aldrich		Date Received:	N/A
500 South Kraemer Boulevard, Suite 370		Work Order No:	06-02-0190
Brea, CA 92821-6728		Preparation:	EPA 5030B
		Method:	EPA 8260B

Project: Delphi/32486-004

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-10-006-16,982	Aqueous	GC/MST	02/04/06	02/04/06	060204L02

Parameter	LCS % REC	LCSD % REC	% REC CL	RPD	RPD CL	Qualifiers
Benzene	104	102	84-120	3	0-8	
Carbon Tetrachloride	120	111	63-147	8	0-10	
Chlorobenzene	104	103	89-119	1	0-7	
1,2-Dichlorobenzene	105	103	89-119	3	0-9	
1,1-Dichloroethene	111	103	77-125	8	0-16	
Toluene	107	105	83-125	2	0-9	
Trichloroethene	101	100	89-119	1	0-8	
Vinyl Chloride	128	117	63-135	10	0-13	
Methyl-t-Butyl Ether (MTBE)	97	90	82-118	7	0-13	
Tert-Butyl Alcohol (TBA)	74	70	46-154	5	0-32	
Diisopropyl Ether (DIPE)	110	102	81-123	8	0-11	
Ethyl-t-Butyl Ether (ETBE)	96	90	74-122	6	0-12	
Tert-Amyl-Methyl Ether (TAME)	92	90	76-124	2	0-10	
Ethanol	89	74	60-138	19	0-32	

RPD - Relative Percent Difference, CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control-LCS/LCS Duplicate

Haley & Aldrich		Date Received:	N/A
500 South Kraemer Boulevard, Suite 370		Work Order No:	06-02-0190
Brea, CA 92821-6728		Preparation:	EPA 5030B
		Method:	EPA 8260B

Project: Delphi/32486-004

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-10-006-16,996	Aqueous	GC/MST	02/07/06	02/07/06	060207L01

Parameter	LCS % REC	LCSD % REC	% REC CL	RPD	RPD CL	Qualifiers
Benzene	94	94	84-120	0	0-8	
Carbon Tetrachloride	96	95	63-147	2	0-10	
Chlorobenzene	96	96	89-119	0	0-7	
1,2-Dichlorobenzene	98	98	89-119	1	0-9	
1,1-Dichloroethene	103	102	77-125	1	0-16	
Toluene	100	100	83-125	1	0-9	
Trichloroethene	95	94	89-119	1	0-8	
Vinyl Chloride	102	105	63-135	3	0-13	
Methyl-t-Butyl Ether (MTBE)	103	101	82-118	2	0-13	
Tert-Butyl Alcohol (TBA)	93	88	46-154	5	0-32	
Diisopropyl Ether (DIPE)	104	103	81-123	1	0-11	
Ethyl-t-Butyl Ether (ETBE)	101	101	74-122	0	0-12	
Tert-Amyl-Methyl Ether (TAME)	105	103	76-124	2	0-10	
Ethanol	109	102	60-138	6	0-32	

RPD - Relative Percent Difference, CL - Control Limit

Calscience Environmental Laboratories, Inc.

Glossary of Terms and Qualifiers

Work Order Number: 06-02-0190

Qualifier	Definition
*	See applicable analysis comment.
1	Surrogate compound recovery was out of control due to a required sample dilution, therefore, the sample data was reported without further clarification.
2	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
3	Recovery of the Matrix Spike or Matrix Spike Duplicate compound was out of control due to matrix interference. The associated LCS and/or LCSD was in control and, therefore, the sample data was reported without further clarification.
4	The MS/MSD RPD was out of control due to matrix interference. The LCS/LCSD RPD was in control and, therefore, the sample data was reported without further clarification.
5	The PDS/PDSD associated with this batch of samples was out of control due to a matrix interference effect. The associated batch LCS/LCSD was in control and, hence, the associated sample data was reported with no further corrective action required.
A	Result is the average of all dilutions, as defined by the method.
B	Analyte was present in the associated method blank.
C	Analyte presence was not confirmed on primary column.
E	Concentration exceeds the calibration range.
H	Sample received and/or analyzed past the recommended holding time.
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
N	Nontarget Analyte.
ND	Parameter not detected at the indicated reporting limit.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
U	Undetected at the laboratory method detection limit.
X	% Recovery and/or RPD out-of-range.
Z	Analyte presence was not confirmed by second column or GC/MS analysis.

From: Hoggan, Kelly
To: Virendra Patel;
CC:
Subject: RE: 32486-004 / CEL 06-02-0190 - final PDF and EDD files. - 72 hr Rush results.
Date: Wednesday, February 08, 2006 4:05:21 PM
Attachments:

Virendra,
Would you please change the sample name of HA-MW-8A to HW-MW-8 and HA-MW-8B to HA-MW-8D and resend the lab report. Also add Delphi to the Project Name.
Thank you,
Kelly Hoggan
Geologist
Haley & Aldrich, Inc.
KHoggan@HaleyAldrich.com

-----Original Message-----
From: Virendra Patel [mailto:VPatel@calscience.com]
Sent: 08 February 2006 3:31 PM
To: Hoggan, Kelly
Subject: 32486-004 / CEL 06-02-0190 - final PDF and EDD files. - 72 hr Rush results.
Importance: High

<<06-02-0190.pdf>> <<06020190.xls>>
Kelly,
Resending a copy to you. Virendra
Final PDF and EDD files attached for the subject project samples collected on 02/03/06. Note, a final hard copy will not be mailed to your attention, therefore, we ask that you print the attached file and accept it as final. Please call with any questions or concerns.
Best Regards,
Virendra R. Patel
Project Manager
Calscience Environmental

Laboratories, Inc.
7440 Lincoln Way
Garden Grove, CA 92841-1427
Tel.: 714-895-5494 Ext. 103
Fax : 714-894-7501
vpatel@calscience.com
REPORT SECURITY NOTICE: The client or recipient of any attached analytical report is specifically prohibited from making material changes to said report and, to the extent that such changes are made, Calscience Environmental Laboratories, Inc. is not responsible, legally or otherwise. The client or recipient agrees to indemnify Calscience Environmental Laboratories, Inc. for any defense to any litigation which arises.
PRIVACY NOTICE:
This email (and/or the documents attached to it) is intended only for the use of the individual or entity to which it is addressed and may contain information that is privileged, confidential, or exempt from disclosure under applicable Federal or State law. If the reader of this message is not the intended recipient or the employee or agent responsible for delivering the message to the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this communication is strictly prohibited. If you have received this communication in error, please notify us immediately by telephone or else to arrange for the return of the documents.

NOTICE

The information contained in this communication is confidential and privileged proprietary information intended only for the individual or entity to whom it is addressed. Any unauthorized use, distribution, copying or disclosure of this communication is prohibited. If you have received this communication in error, please contact the sender immediately.

CALSCIENCE ENVIRONMENTAL LABORATORIES, INC.
7440 LINCOLN WAY
GARDEN GROVE, CA 92841-1427
TEL: (714) 895-5494 • FAX: (714) 894-7501

CHAIN OF CUSTODY RECORD

Date 2-3-06

Page 1 of 1

LABORATORY CLIENT: Haley + Aldrich
ADDRESS: 500 S. Kraemer Blvd
CITY: Brea STATE: CA ZIP:
TEL: 714-985-3434 FAX: 714-985-3433 E-MAIL:

CLIENT PROJECT NAME / NUMBER: 32486-004
PROJECT CONTACT: Tom Tatnall
SAMPLER(S): (SIGNATURE) K. Hogg
COELT LOG CODE ☐☐☐☐
P.O. NO.:
LAB USE ONLY: 02-0190
COOLER RECEIPT TEMP = ____ °C

TURNAROUND TIME: ☐ SAME DAY ☐ 24 HR ☐ 48 HR ☒ 72 HR ☐ 5 DAYS ☐ 10 DAYS

SPECIAL REQUIREMENTS (ADDITIONAL COSTS MAY APPLY)
☐ RWQCB REPORTING FORMS ☐ COELT EDF ☐ ____

SPECIAL INSTRUCTIONS:

REQUESTED ANALYSES

LAB USE ONLY	SAMPLE ID	FIELD POINT NAME (FOR COELT EDF)	SAMPLING DATE	SAMPLING TIME	MATRIX	NO. OF CONT.	TPH (G)	TPH (D) or ____	BTEX / MTBE (8260B) or ____	OXYGENATES (8260B)	VOCs (8260B)	5035 ENCORE PREP	SVOCs (8270C)	PEST (8081A)	PCBs (8082)	CAC, T22 METALS (6010B) / 747	PNAs (8310) or (8270C)	VOCs (TO-14A) or (TO-15)	TPH(G) (TO-3M)
1	HA-MW-5		2/3/06	0953	W	3					X								
2	HA-MW-6			1113							X								
3	HA-MW-6-02			1115							X								
4	HA-MW-7			1225							X								
5	HA-MW-8A			1445							X								
6	HA-MW-8B			1545							X								
7	HA-MW-9			1630							X								
8	EB_020306			1010							X								
9	TB_020306			700		2					X								

Relinquished by: (Signature) Kelly Hogg	Received by: (Signature) CEC	Date: 2/3/06	Time: 1630
Relinquished by: (Signature)	Received by: (Signature)	Date:	Time:
Relinquished by: (Signature)	Received for Laboratory by: (Signature)	Date: 2/3/6	Time: 17 00

DISTRIBUTION: When with final report, Green to file, Yellow to Client.
Please note that pages 1 and 2 of 2 of our T/Cs are printed on the reverse side of the Green and Yellow copies respectively.

10/20/04 Revision

Q&Q Graphic 714-898-9702

Calscience Environmental Laboratories, Inc.

WORK ORDER #: 06 - 02 - 0190

Cooler 1 of 1

SAMPLE RECEIPT FORM

CLIENT: H&A **DATE:** 2/3/6

TEMPERATURE – SAMPLES RECEIVED BY:

CALSCIENCE COURIER:

- ____ Chilled, cooler with temperature blank provided.
- ____ Chilled, cooler without temperature blank.
- ✓ Chilled and placed in cooler with wet ice.
- ____ Ambient and placed in cooler with wet ice.
- ____ Ambient temperature.
- 2.0 °C Temperature blank.

LABORATORY (Other than Calscience Courier):

- ____ °C Temperature blank.
- ____ °C IR thermometer.
- ____ Ambient temperature.

Initial: [illegible]

CUSTODY SEAL INTACT:

Sample(s): ____ Cooler: ____ No (Not Intact) : ____ Not Applicable (N/A): ✓

Initial: [illegible]

SAMPLE CONDITION:

	Yes	No	N/A
Chain-Of-Custody document(s) received with samples	✓		
Sample container label(s) consistent with custody papers	✓		
Sample container(s) intact and good condition	✓		
Correct containers for analyses requested	✓		
Proper preservation noted on sample label(s)	✓		
VOA vial(s) free of headspace.	✓		
Tedlar bag(s) free of condensation			✓

Initial: [illegible]

COMMENTS: