



**PUBLIC NOTICE OF
DRAFT CORRECTIVE MEASURES STUDY AND
CORRECTIVE MEASURES IMPLEMENTATION PLAN**

**TOPPAN ELECTRONICS, INC.
7770 MIRAMAR ROAD, SAN DIEGO, CA 92126**

Public Comment Period: October 18, 2006 to November 18, 2006

The California Department of Toxic Substances Control (DTSC) invites the public to review and comment on the proposed Corrective Measure Study/Corrective Measures Implementation WorkPlan for the former Toppan Electronics, Inc. Manufacturing facility (TEI). The Corrective Measure is needed to remove high concentration of contaminants from the soil at the site to prevent potential risk to human health and the environment. The public will have 30 days to provide comments to DTSC.

TEI conducted a Facility Investigation and the results of the investigation identified arsenic, lead, and several volatile organic compounds which may have been released into the soil. There is no immediate health risk to the public, since the public is not exposed to the chemicals and access to the site is restricted by a fence. TEI proposes to remove the soil that exceeds established clean up standards from the site in order to provide long-term protection of human health and the environment. In compliance with the California Environmental Quality Act (CEQA), DTSC has determined that the project has no significant potential to affect the environment and has prepared a Notice of Exemption for the Project.

The proposed Corrective Measure Study/Corrective Measure Implementation Plan and Notice of Exemption are available for review at the San Diego Public Library/Mira Mesa Branch, 8405 New Salem Street, San Diego, telephone number (858) 538-8165 or the Department of Toxic Substances Control, 5796 Corporate Avenue, Cypress, 90630, telephone number (714) 484-5337. Your comments may be submitted via email to Ms. Nirupma Suryavanshi, DTSC Project Manager at nsuryava@dtsc.ca.gov or mail them to DTSC at the address cited above. All written comments must be postmarked no later than November 18, 2006. If you have any questions, please contact Ms. Nirupma Suryavanshi, Project Manager, at (714) 484-5375 or Ms. Leticia Hernandez at (714) 484-5488 or toll free 1-866-495-5651.

Si desea información en español, comuníquese con Leticia Hernandez al (714) 484-5488 o número gratis 1-866-495-5651.

Notice to the Hearing Impaired: TDD users can obtain information about this site by using the California State Relay Service at 888-877-5378 to reach Leticia Hernandez at (714) 484-5488

For more information about DTSC please visit our website at www.dtsc.ca.gov