GPO Seed Item #19 – 3-lb Cast Iron Practice Bomb

GPO Seed Item #20 – 3-lb Cast Iron Practice Bomb

GPO Seed Item #21 – 3-lb Cast Iron Practice Bomb

GPO Seed Item #22 – 3-lb Cast Iron Practice Bomb

GPO Seed Item #23 – 3 lb Zinc Practice Bomb

GPO Seed Item #24 – 3 lb Zinc Practice Bomb



GPO Seed Item #25 – 3 lb Zinc Practice Bomb

GPO Seed Item #26 – 3 lb Zinc Practice Bomb

GPO Seed Item #27 – Bomb Dummy Unit (BDU) 33 Practice Bomb

GPO Seed Item #28 – 20mm Projectile

GPO Seed Item #29 – Bomb Dummy Unit (BDU) 33 Practice Bomb

GPO Seed Item #30 – 20mm Projectile

MARRS personnel using auger to reach proper depth for seed emplacement

MARRS personnel measuring hole for proper depth prior to seed emplacement

MARRS personnel conducting transect-based survey with the GA-52X gradiometer

MARRS personnel conducting validation of the EM61 on test strip prior to DGM

MARRS personnel conducting grid-based DGM with the EM61

MARRS personnel conducting validation of G858 on test strip prior to DGM

MARRS personnel conducting grid-based DGM with the G858