



WORK NOTICE

PG&E Hunters Point Power Plant Site
1000 Evans Avenue, San Francisco,
California



Field Work to be Conducted Beginning December 28, 2009 and Continuing through February 2010

Under the oversight of the Department of Toxic Substances Control (DTSC), PG&E will conduct a Time Critical Removal Action (TCRA) at the PG&E Hunters Point Power Plant (Site) located at 1000 Evans Avenue in San Francisco, California. The TCRA will include three product collection trenches and a system to remove petroleum from groundwater to reduce the potential for it to reach the San Francisco Bay. Work will also include a field test which involves digging 10 test pits and mixing a reactive chemical to reduce petroleum concentrations in soil and groundwater. The map on the reverse side of this notice shows the locations and dimensions of the trenches and test pits. The TCRA work is expected to begin in December 2009 and will take about three weeks to complete. The field test and sampling will continue through February 2010. Field work will occur weekdays between 8 a.m. and 5 p.m. and will include the following activities:

- The use of large construction equipment such as loaders, excavators, and drilling rigs.
- Onsite workers wearing safety gear such as protective coveralls and respirators.
- Collection of soil and groundwater samples with sampling equipment.

Air Monitoring and Safety Measures

The established air monitoring program for the Site will continue during the work. In addition, soil will be sprayed with water to control dust during work., Air sampling will occur daily to monitor potential airborne contamination. An odor suppressant will be used to control potential odors at the Site and equipment will be cleaned before leaving the Site.

Work will be completed according to the TCRA and Pilot Study Work Plans for the Site, which have been approved by DTSC. **A public comment period on the administrative record that forms the basis for DTSC’s selection of the TCRA will be held from December 28, 2009 through January 26, 2010.** You are encouraged to comment on the TCRA during this time. Please send written comments to: Janet Naito, DTSC Project Manager, 700 Heinz Avenue, Berkeley, California 94710, or email them to JNaito@dtsc.ca.gov. The Administrative Record and other site-related documents can be found in the Information Repositories at:

<p>Bayview/Anna E. Waden Branch Library 5075 3rd Street San Francisco, CA 94124 (415) 355-5757 (Sun 1-5, Mon 10-6, Tues 10-6, Wed 1-8, Thur 10-8, Fri 1-6, Sat 10-6)</p>	<p>APRI Office 1301 Evans Avenue San Francisco, CA 94124 (415) 821 4777 (Mon-Fri, 9-5)</p>	<p>DTSC File Room 700 Heinz Avenue, Suite 200 Berkeley, CA 94710 (510) 540-3800 M-F 8–5 (call for appointment)</p>
---	---	---


Please direct questions or concerns about this work to Janet Naito, DTSC Project Manager, at (510) 540-3833, or email her at Jnaito@dtsc.ca.gov. For questions about public participation, please contact Marcus Simpson, DTSC Public Participation Specialist, at (916) 255-6683, toll free at 1-866-495-5651, or by email at Msimpson@dtsc.ca.gov. For media inquiries, please contact Claudia Loomis, DTSC Public Information Officer, at (916) 255-6578, or by email at Cloomis@dtsc.ca.gov.

LEGEND


--- PROPERTY LINE (APPROXIMATE)



SCALE (FEET)



PROPOSED SOIL MIXING TEST PITS (EACH 10' x 10')



COLLECTION TRENCH #1 (175' x 3')

WHITE CAP CONSTRUCTION SUPPLY MAIN BUILDING

WHITE CAP CONSTRUCTION SUPPLY


WAREHOUSE

FORMER TANK LOCATION #1

FORMER TANK LOCATION #2

FORMER TANK LOCATION #3

PROPOSED SOIL MIXING TEST PITS (EACH 10' x 10')



FORMER TANK LOCATION #8

COLLECTION TRENCH #2 (130' x 3')

COLLECTION TRENCH #3 (120' x 3')

FORMER TANK LOCATION #8
CONDARY CONTAINMENT WALL

EVANS AVE

JENNINGS ST

LOCATIONS OF TRENCHES AND TEST PITS

Hunters Point Power Plant
1000 Evans Avenue
San Francisco, California



FIGURE 1

...:\hunters_point\firm work notice_sept09\fig1_locations of trenches and test pits.dwg