American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: **13**
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
36834	03/31/2006	H&A

Method: (6010BSCAN), Lead by ICP

QC Batch No: 040506-3

Our Lab I.D.			Method Blank	**36834.45**			
Client Sample I.D.				XR0183-SS-0 000-01			
Date Sampled				03/31/2006			
Date Prepared			04/05/2006	04/05/2006			
Preparation Method			3050B	3050B			
Date Analyzed			04/05/2006	04/05/2006			
Matrix			Soil	Soil			
Units			mg/Kg	mg/Kg			
Dilution Factor			1	1			
Analytes	**MDL**	**PQL**	**Results**	**Results**			
Lead	0.5	5.0	ND	6.40			

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: **14**
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
36834	03/31/2006	H&A

Method: (6010BSCAN), Antimony by ICP

QC Batch No: 040506-2

Our Lab I.D.			Method Blank	36834.04	36834.05		
Client Sample I.D.				DP0164-SS-000-01	DP0164-SS-001-01		
Date Sampled				03/31/2006	03/31/2006		
Date Prepared			04/05/2006	04/05/2006	04/05/2006		
Preparation Method			3050B	3050B	3050B		
Date Analyzed			04/07/2006	04/07/2006	04/07/2006		
Matrix			Soil	Soil	Soil		
Units			mg/Kg	mg/Kg	mg/Kg		
Dilution Factor			1	1	1		
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**		
Antimony	5.0	10.0	ND	36.3	ND		

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 15
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
36834	03/31/2006	H&A

Method: (6010BSCAN), Arsenic by ICP

QUALITY CONTROL REPORT

QC Batch No: 040506-2 Sample Spiked: 36834.09 QC Prepared: 04/05/2006 QC Analyzed: 04/07/2006 Units: mg/Kg

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Arsenic	0.056	1.00	0.98	92	1.00	0.96	90	2.2	80-120	<15

QC Batch No: 040506-2 Sample Spiked: 36834.09 QC Prepared: 04/05/2006 QC Analyzed: 04/07/2006 Units: mg/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Arsenic	1.00	0.95	95	80-120						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: **16**
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
36834	03/31/2006	H&A

Method: (6010BSCAN), Lead by ICP

QUALITY CONTROL REPORT

QC Batch No: 040506-2 Sample Spiked: 36834.09 QC Prepared: 04/05/2006 QC Analyzed: 04/05/2006 Units: mg/Kg

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Lead	0.368	1.00	1.20	83	1.00	1.17	80	3.7	80-120	<15

QC Batch No: 040506-2 Sample Spiked: 36834.09 QC Prepared: 04/05/2006 QC Analyzed: 04/05/2006 Units: mg/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Lead	1.00	0.98	98	80-120						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 17
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
36834	03/31/2006	H&A

Method: (6010BSCAN), Lead by ICP

QUALITY CONTROL REPORT

QC Batch No: 040506-3 Sample Spiked: 36835.01 QC Prepared: 04/05/2006 QC Analyzed: 04/05/2006 Units: mg/Kg

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Lead	0.122	1.00	0.94	82	1.00	0.94	82	<1	80-120	<15

QC Batch No: 040506-3 Sample Spiked: 36835.01 QC Prepared: 04/05/2006 QC Analyzed: 04/05/2006 Units: mg/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Lead	1.00	1.01	101	80-120						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: **18**
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
36834	03/31/2006	H&A

Method: (6010BSCAN), Antimony by ICP

QUALITY CONTROL REPORT

QC Batch No: 040506-2 Sample Spiked: 36834.09 QC Prepared: 04/05/2006 QC Analyzed: 04/07/2006 Units: mg/Kg

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Antimony	ND	1.00	0.89	89	1.00	0.89	89	<1	80-120	<15

QC Batch No: 040506-2 Sample Spiked: 36834.09 QC Prepared: 04/05/2006 QC Analyzed: 04/07/2006 Units: mg/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Antimony	1.00	0.84	84	80-120						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: **19**
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
36834	03/31/2006	H&A

Method: (8260B), Volatile Organic Compounds by GC/MS (SW846)

QUALITY CONTROL REPORT

QC Batch No: 040406 Sample Spiked: 040406 QC Prepared: 04/04/2006 QC Analyzed: 04/04/2006 Units: ug/Kg

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Benzene	0.0	50.00	44.00	88	50.00	43.00	86	2.3	75-125	<20
Chlorobenzene	0.0	50.00	51.00	102	50.00	49.50	99	3.0	75-125	<20
1,1-Dichloroethene	0.0	50.00	43.50	87	50.00	41.50	83	4.7	75-125	<20
Methyl-tert-butyl ether (MTBE)	0.0	50.00	43.50	87	50.00	44.00	88	1.1	75-125	<20
Toluene (Methyl benzene)	0.0	50.00	51.00	102	50.00	50.00	100	2.0	75-125	<20
Trichloroethene	0.0	50.00	48.50	97	50.00	48.50	97	<1	75-125	<20

QC Batch No: 040406 Sample Spiked: 040406 QC Prepared: 04/04/2006 QC Analyzed: 04/04/2006 Units: ug/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Benzene	50.00	58.00	116	75-125						
Chlorobenzene	50.00	59.50	119	75-125						
1,1-Dichloroethene	50.00	48.00	96	75-125						
Methyl-tert-butyl ether (MTBE)	50.00	51.00	102	75-125						
Toluene (Methyl benzene)	50.00	58.50	117	75-125						
Trichloroethene	50.00	62.00	124	75-125						
LCS										
Chloroform (Trichloromethane)	50.00	50.50	101	75-125						
Ethylbenzene	50.00	56.50	113	75-125						
1,1,1-Trichloroethane	50.00	54.00	108	75-125						
o-Xylene	50.00	59.50	119	75-125						
m,p-Xylenes	100.00	118.00	118	75-125						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 20
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
36834	03/31/2006	H&A

Method: (M8015D), TPH as Diesel and Heavy Hydrocarbons Using GC/FID

QUALITY CONTROL REPORT

QC Batch No: 040306 Sample Spiked: 36837.22 QC Prepared: 04/03/2006 QC Analyzed: 04/04/2006 Units: mg/Kg

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
TPH as Diesel (C13-C22)	0.0	500.00	470.00	94	500.00	475.00	95	1.1	75-125	<20

QC Batch No: 040306 Sample Spiked: 36837.22 QC Prepared: 04/03/2006 QC Analyzed: 04/04/2006 Units: mg/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
TPH as Diesel (C13-C22)	500.00	460.00	92	75-125						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: **21**
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
36834	03/31/2006	H&A

Method: (M8015G), TPH as Gasoline and Light Hydrocarbons Using GC/FID

QUALITY CONTROL REPORT

QC Batch No: 040506 Sample Spiked: 040506 QC Prepared: 04/05/2006 QC Analyzed: 04/05/2006 Units: mg/Kg

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
TPH as Gasoline and Light HC. (C4-C12)	0.0	2.50	2.25 X	90	2.50	2.25 X	90	<1	75-125	<20

American Environmental Testing Laboratory Inc.
2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

Data Qualifiers and Descriptors

Data Qualifier:

*:	In the QC section, sample results have been taken directly from the ICP reading. No preparation factor has been applied.
B:	Analyte was present in the Method Blank.
D:	Result is from a diluted analysis.
E:	Result is beyond calibration limits and is estimated.
H:	Analysis was performed over the allowed holding time due to circumstances which were beyond laboratory control.
J:	Analyte was detected . However, the analyte concentration is an estimated value, which is between the Method Detection Limit (MDL) and the Practical Quantitation Limit (PQL).
M:	Matrix spike recovery is outside control limits due to matrix interference. Laboratory Control Sample recovery was acceptable.
S6:	Surrogate recovery is outside control limits due to matrix interference.
S8:	The analysis of the sample required a dilution such that the surrogate concentration was diluted below the method acceptance criteria.
X:	Results represent LCS and LCSD data.

Definition:

%Limi:	Percent acceptable limits.
%REC:	Percent recovery.
Con.L:	Acceptable Control Limits
Conce:	Added concentration to the sample.
LCS:	Laboratory Control Sample
MDL:	Method Detection Limit is a statistically derived number which is specific for each instrument, each method, and each compound. It indicates a distinctively detectable quantity with 99% probability.
MS:	Matrix Spike
MS DU:	Matrix Spike Duplicate

American Environmental Testing Laboratory Inc.
2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

Data Qualifiers and Descriptors

ND: Analyte was not detected in the sample at or above MDL.

PQL: Practical Quantitation Limit or ML (Minimum Level as per RWQCB) is the minimum concentration that can be quantified with more than 99% confidence. Taking into account all aspects of the entire analytical instrumentation and practice.

Recov: Recovered concentration in the sample.

RPD: Relative Percent Difference

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

Ordered By

Haley & Aldrich
500 South Kraemer Blvd. Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attention: Tom Tatnall

Number of Pages	**27**
Date Received	**03/31/2006**
Date Reported	**04/12/2006**

Job Number	Order Date	Client
36835	03/31/2006	H&A

Project ID: 32486-006
Project Name: Delphi System Corp.
Site: 1201 N. Magnolia Avenue
Anaheim, CA 92801

Enclosed please find results of analyses of 1 gaseous and 2 water and 23 soil samples which were analyzed as specified on the attached chain of custody. If there are any questions, please do not hesitate to call.

RECEIVED

APR 17 2006

Haley & Aldrich, Inc.

Checked By: CC

Approved By: C. Razmara

Cyrus Razmara, Ph.D.
Laboratory Director

HALEY & ALDRICH
500 S. Kraemer Blvd., Suite 370
Brea, CA 92821
(714) 985-3434 Fax (714) 985-3433

CHAIN OF CUSTODY FORM

2315

Job # 36835

Project Name/Address: Delphi Anaheim 1201 N. Magnolia

Project /PO Number: 32486-006

Project Manager: T. Tatnall

Phone Number:

Sampled by (signature): K. Hogg

Fax Number:

Analysis Required: 6010B lead; Hold

Lab Name: AETL

Lab Address:

Sample Identification	Lab ID No.	Sample Matrix	Container Type	# of Cont.	Sampling Date	Sampling Time	Preservatives	6010B lead	Hold							Special Instructions
XR0183-SS-0005-01		S	sleeve	1	3/31/06	1226		X								36835.01
0010-01						1227		X								36835.02
0015-01						1228			X							36835.03
0020-01						1229			X							36835.04
0025-01						1230			X							36835.05
XR0184-SS-0000-01						1235		X								36835.06
0005-01						1236		X								36835.07
0010-01						1237		X								36835.08
0015-01						1238			X							36835.09
0020-01						1239			X							36835.10
0025-01						1240			X							36835.11
0025-02						1241			X							36835.12
XR0185-SS-0000-01						1245		X								36835.13
0005-01						1246		X								36835.14
0010-01						1247		X								36835.15

Relinquished By: K. Hogg	Date/Time: 3/31/06 1500	~~Received By:~~ relinquished by K. Hogg	Date/Time: 3/31/06 1700
Relinquished By:	Date/Time:	Received By:	Date/Time:
Relinquished By: K. Hogg	Date/Time: 3/31/06 1500	Received in Lab By: [illegible]	Date/Time: 03/31/06 17:06

Turnaround Time (Check): 24 Hours ___ 5 Days ✓ 48 Hours ___ 10 Days ___ 72 Hours ___ Other ___

Sample Integrity (Check): On Ice ___ Intact ___

HALEY & ALDRICH
500 S. Kraemer Blvd., Suite 370
Brea, CA 92821
(714) 985-3434 Fax (714) 985-3433

CHAIN OF CUSTODY FORM

Job # 36835

2317

Project Name/Address: Delphi - Anaheim 1201 N. Magnolia

Project /PO Number: 32486-006

Project Manager: T. Tatnall

Phone Number:

Sampled by (signature): K. Hess

Fax Number:

Analysis Required: 6010B lead; Hold

Lab Name: AETL

Lab Address:

Sample Identification	Lab ID No.	Sample Matrix	Container Type	# of Cont.	Sampling Date	Sampling Time	Preservatives	6010B lead	Hold							Special Instructions
XR0185_SS_0015_01		S	Sleeve	1	3/31/06	1248			X							36835.16
0020_01						1249			X							36835.17
0025_01						1250			X							36835.18
XR0186_SS_0000_01						1255		X								36835.19
0005_01						1256		X								36835.20
0010_01						1257		X								36835.21
0015_01						1259			X							36835.22
0020_01						1300			X							36835.23
0025_01						1301			X							36835.24
0010_02						1258		X								36835.25
XR0187_SS_0000_01						1310		X								36835.26
0005_01						1311		X								36835.27
0010_01						1312		X								36835.28
0015_01						1314			X							36835.29
0020_01						1315			X							36835.30

Relinquished By: Kelly Hess	Date/Time: 3/31/06 1500	~~Received By:~~ Relinquished by	Date/Time: 3/31/06 1700
Relinquished By:	Date/Time:	Received By:	Date/Time:
Relinquished By:	Date/Time: 3/31/06 1500	Received in Lab By:	Date/Time: 03/31/06 17:00

Turnaround Time (Check): 24 Hours ___ 5 Days ✓ 48 Hours ___ 10 Days ___ 72 Hours ___ Other ___

Sample Integrity (Check): On Ice ___ Intact ___

HALEY & ALDRICH
500 S. Kraemer Blvd., Suite 370
Brea, CA 92821
(714) 985-3434 Fax (714) 985-3433

CHAIN OF CUSTODY FORM

Job #36835

2321

Project Name/Address: Delphi - Anaheim

Project /PO Number: 32486-006

Project Manager: T. Tatnall

Phone Number:

Sampled by (signature): K. Hogg

Fax Number:

Analysis Required

Lab Name: AETL

Lab Address:

Sample Identification	Lab ID No.	Sample Matrix	Container Type	# of Cont.	Sampling Date	Sampling Time	Preservatives	6010B lead	Hold							Special Instructions
XR0187_SS_0025_01		S	sleeve	1	3/31/06	1316			X							36835.31
0010_01						1313		X								36835.32
XR0188_SS_0000_01						1325		X								36835.33
0005_01						1326		X								36835.34
0010_01						1327		X								36835.35
0015_01						1329			X							36835.36
0020_01						1330			X							36835.37
0025_01						1331			X							36835.38
0010_02						1328		X								36835.39
XR0189-SS0000-01						1345		X								36835.40
0005_01						1346		X								36835.41
0010_01						1347		X								36835.42
0015_01						1348			X							36835.43
0020_01						1349			X							36835.44
0025_01						1350			X							36835.45

Relinquished By: Kelly Hogg	Date/Time: 3/31/06 1500	~~Received By:~~ Relinquished by	Date/Time: 3/31/06 1700
Relinquished By:	Date/Time:	Received By:	Date/Time:
Relinquished By:	Date/Time: 3/31/06 1500	Received in Lab By:	Date/Time: 03/31/06 17:00

Turnaround Time (Check)
24 Hours ___ 5 Days ✓
48 Hours ___ 10 Days ___
72 Hours ___ Other ___

Sample Integrity (Check):
On Ice ___ Intact ___

HALEY & ALDRICH
500 S. Kraemer Blvd., Suite 370
Brea, CA 92821
(714) 985-3434 Fax (714) 985-3433

CHAIN OF CUSTODY FORM

Job# 36835

2322

Project Name/Address: Delphi - Anaheim 1201 N. Magnolia

Project /PO Number: 32486-006

Project Manager: T. Tatnall

Phone Number:

Sampled by (signature): K. Hogg

Fax Number:

Lab Name: AETL

Lab Address:

Analysis Required

Sample Identification	Lab ID No.	Sample Matrix	Container Type	# of Cont.	Sampling Date	Sampling Time	Preservatives	6010B (Pb, As, Sb)	8082 PCBs	TPH 8015CC	8260B VOCs	TO15				Special Instructions
EB_033106		W	VOA Amber ~~Plastic~~	2 2 1	3/31/06	1400		X	X	X	X					36835.46
TB_033106		W	VOA	2	↓	700					X					36835.47
DP0160_SG_005_01		SG	Summa	1	↓	1038						X				36835.48
DP0014C_SG_015_01		SG	Summa	1	↓	959						X				36835.49

Relinquished By	Date/Time	Received By	Date/Time
Kelly Hogg	3/31/06 1500	~~Received By~~: Relinquished by [signature]	3/31/06 1700
~~Relinquished By~~:		Received By:	
Relinquished By: [signature]	3/31/06 1500	Received in Lab By: [signature]	03/31/06 17:00

Turnaround Time (Check): 24 Hours ___ 5 Days ✓ 48 Hours ___ 10 Days ___ 72 Hours ___ Other ___

Sample Integrity (Check): On Ice ___ Intact ___

TABLE
Summary of Aqueous Analytical Results for Total Arsenic
1201 N. Magnolia Avenue Anaheim, CA 92801

Total Arsenic. Method: 6010BSCAN

Sample ID	STLC Limit mg/L	TCLP Limit mg/L	TTLC Limit mg/Kg	Units	EB-033106
Sample Date					3/31/2006
Laboratory Job Number					36835
Arsenic	5.0	5.0	500	mg/L	ND<0.05

1) "ND<X" INDICATES CONSTITUENT(S) NOT DETECTED AT OR ABOVE METHOD DETECTION LIMIT.
2) "J" INDICATES ANALYTE WAS DETECTED. HOWEVER, ANALYTE CONCENTRATION IS AN ESTIMATED VALUE WHICH IS BETWEEN THE METHOD DETECTION LIMIT (MDL) AND THE PRACTICAL QUANTITATION LIMIT(PQL).
3) "D" INDICATES THE SAMPLE WAS DILUTED TO BRING THE ANALYTE CONCENTRATION WITHIN CALIBRATION RANGE.

File: AQ_6010BSCAN.xls

TABLE
Summary of Aqueous Analytical Results for Total Lead
1201 N. Magnolia Avenue Anaheim, CA 92801

Total Lead. Method: 6010BSCAN

Sample ID	STLC Limit mg/L	TCLP Limit mg/L	TTLC Limit mg/Kg	Units	EB-033106
Sample Date					3/31/2006
Laboratory Job Number					36835
Lead	5.0	5.0	1000	mg/L	ND<0.05

1) "ND<X" INDICATES CONSTITUENT(S) NOT DETECTED AT OR ABOVE METHOD DETECTION LIMIT.
2) "J" INDICATES ANALYTE WAS DETECTED. HOWEVER, ANALYTE CONCENTRATION IS AN ESTIMATED VALUE WHICH IS BETWEEN THE METHOD DETECTION LIMIT (MDL) AND THE PRACTICAL QUANTITATION LIMIT(PQL).
3) "D" INDICATES THE SAMPLE WAS DILUTED TO BRING THE ANALYTE CONCENTRATION WITHIN CALIBRATION RANGE.

File: AQ_6010BSCAN_1.xls

TABLE
Summary of Aqueous Analytical Results for Total Antimony
1201 N. Magnolia Avenue Anaheim, CA 92801

Total Antimony. Method: 6010BSCAN

Sample ID	STLC Limit mg/L	TTLC Limit mg/Kg	Units	EB-033106
Sample Date				3/31/2006
Laboratory Job Number				36835
Antimony	15	500	mg/L	ND<0.05

1) "ND<X" INDICATES CONSTITUENT(S) NOT DETECTED AT OR ABOVE METHOD DETECTION LIMIT.
2) "J" INDICATES ANALYTE WAS DETECTED. HOWEVER, ANALYTE CONCENTRATION IS AN ESTIMATED VALUE WHICH IS BETWEEN THE METHOD DETECTION LIMIT (MDL) AND THE PRACTICAL QUANTITATION LIMIT(PQL).
3) "D" INDICATES THE SAMPLE WAS DILUTED TO BRING THE ANALYTE CONCENTRATION WITHIN CALIBRATION RANGE.

File: AQ_6010BSCAN_2.xls

TABLE
Summary of Aqueous Analytical Results for Polychlorinated Biphenyls (PCBs) by GC
1201 N. Magnolia Avenue Anaheim, CA 92801

Polychlorinated Biphenyls (PCBs) by GC. Method: 8082

Sample ID	Units	EB-033106
Sample Date		3/31/2006
Laboratory Job Number		36835
Aroclor-1016 (PCB-1016)	ug/L	ND<1.0
Aroclor-1221 (PCB-1221)	ug/L	ND<2.0
Aroclor-1232 (PCB-1232)	ug/L	ND<1.0
Aroclor-1242 (PCB-1242)	ug/L	ND<1.0
Aroclor-1248 (PCB-1248)	ug/L	ND<1.0
Aroclor-1254 (PCB-1254)	ug/L	ND<1.0
Aroclor-1260 (PCB-1260)	ug/L	ND<1.0
Aroclor-1262 (PCB-1262)	ug/L	ND<1.0
Aroclor-1268 (PCB-1268)	ug/L	ND<1.0

1) "ND<X" INDICATES CONSTITUENT(S) NOT DETECTED AT OR ABOVE METHOD DETECTION LIMIT.
2) "J" INDICATES ANALYTE WAS DETECTED. HOWEVER, ANALYTE CONCENTRATION IS AN ESTIMATED VALUE WHICH IS BETWEEN THE METHOD DETECTION LIMIT (MDL) AND THE PRACTICAL QUANTITATION LIMIT(PQL).
3) "D" INDICATES THE SAMPLE WAS DILUTED TO BRING THE ANALYTE CONCENTRATION WITHIN CALIBRATION RANGE.

File: AQ_8082.xls

TABLE

Summary of Aqueous Analytical Results for Volatile Organic Compounds by GC/MS (SW846)

1201 N. Magnolia Avenue Anaheim, CA 92801

Volatile Organic Compounds by GC/MS (SW846). Method: 8260B

Sample ID	Units	EB-033106	TB
Sample Date		3/31/2006	3/31/2006
Laboratory Job Number		36835	36835
Acetone	ug/L	ND<10	ND<10
Benzene	ug/L	ND<0.5	ND<0.5
Bromobenzene (Phenyl bromide)	ug/L	ND<0.5	ND<0.5
Bromochloromethane	ug/L	ND<0.5	ND<0.5
Bromodichloromethane	ug/L	ND<0.5	ND<0.5
Bromoform (Tribromomethane)	ug/L	ND<2.5	ND<2.5
Bromomethane (Methyl bromide)	ug/L	ND<1.5	ND<1.5
2-Butanone (MEK)	ug/L	ND<5.0	ND<5.0
n-Butylbenzene	ug/L	ND<0.5	ND<0.5
sec-Butylbenzene	ug/L	ND<0.5	ND<0.5
tert-Butylbenzene	ug/L	ND<0.5	ND<0.5
Carbon Disulfide	ug/L	ND<0.5	ND<0.5
Carbon tetrachloride	ug/L	ND<0.5	ND<0.5
Chlorobenzene	ug/L	ND<0.5	ND<0.5
Chloroethane	ug/L	ND<1.5	ND<1.5
2-Chloroethyl vinyl ether	ug/L	ND<2.5	ND<2.5
Chloroform (Trichloromethane)	ug/L	ND<0.5	ND<0.5
Chloromethane (Methyl chloride)	ug/L	ND<1.5	ND<1.5
2-Chlorotoluene	ug/L	ND<0.5	ND<0.5
4-Chlorotoluene	ug/L	ND<0.5	ND<0.5
1,2-Dibromo-3-chloropropane (DBCP)	ug/L	ND<2.5	ND<2.5
Dibromochloromethane	ug/L	ND<0.5	ND<0.5
1,2-Dibromoethane (EDB)	ug/L	ND<0.5	ND<0.5
Dibromomethane	ug/L	ND<0.5	ND<0.5
1,2-Dichlorobenzene	ug/L	ND<0.5	ND<0.5
1,3-Dichlorobenzene	ug/L	ND<0.5	ND<0.5
1,4-Dichlorobenzene	ug/L	ND<0.5	ND<0.5
Dichlorodifluoromethane	ug/L	ND<1.5	ND<1.5
1,1-Dichloroethane	ug/L	ND<0.5	ND<0.5
1,2-Dichloroethane (EDC)	ug/L	ND<0.5	ND<0.5
1,1-Dichloroethene	ug/L	ND<0.5	ND<0.5

TABLE

Summary of Aqueous Analytical Results for Volatile Organic Compounds by GC/MS (SW846)

1201 N. Magnolia Avenue Anaheim, CA 92801

Volatile Organic Compounds by GC/MS (SW846). Method: 8260B

Sample ID	Units	EB-033106	TB
Sample Date		3/31/2006	3/31/2006
Laboratory Job Number		36835	36835
cis-1,2-Dichloroethene	ug/L	ND<0.5	ND<0.5
trans-1,2-Dichloroethene	ug/L	ND<0.5	ND<0.5
1,2-Dichloropropane	ug/L	ND<0.5	ND<0.5
1,3-Dichloropropane	ug/L	ND<0.5	ND<0.5
2,2-Dichloropropane	ug/L	ND<0.5	ND<0.5
1,1-Dichloropropene	ug/L	ND<0.5	ND<0.5
cis-1,3-Dichloropropene	ug/L	ND<0.5	ND<0.5
trans-1,3-Dichloropropene	ug/L	ND<0.5	ND<0.5
Ethylbenzene	ug/L	ND<0.5	ND<0.5
Hexachlorobutadiene	ug/L	ND<1.5	ND<1.5
2-Hexanone	ug/L	ND<2.5	ND<2.5
Isopropylbenzene	ug/L	ND<0.5	ND<0.5
p-Isopropyltoluene	ug/L	ND<0.5	ND<0.5
4-Methyl-2-pentanone (MIBK)	ug/L	ND<2.5	ND<2.5
Methyl-tert-butyl ether (MTBE)	ug/L	ND<0.5	ND<0.5
Methylene chloride (DCM)	ug/L	ND<2.0	ND<2.0
Naphthalene	ug/L	ND<0.5	ND<0.5
n-Propylbenzene	ug/L	ND<0.5	ND<0.5
Styrene	ug/L	ND<0.5	ND<0.5
1,1,1,2-Tetrachloroethane	ug/L	ND<0.5	ND<0.5
1,1,2,2-Tetrachloroethane	ug/L	ND<0.5	ND<0.5
Tetrachloroethene	ug/L	ND<0.5	ND<0.5
Toluene (Methyl benzene)	ug/L	ND<0.5	ND<0.5
1,2,3-Trichlorobenzene	ug/L	ND<0.5	ND<0.5
1,2,4-Trichlorobenzene	ug/L	ND<0.5	ND<0.5
1,1,1-Trichloroethane	ug/L	ND<0.5	ND<0.5
1,1,2-Trichloroethane	ug/L	ND<0.5	ND<0.5
Trichloroethene	ug/L	ND<0.5	ND<0.5
Trichlorofluoromethane	ug/L	ND<0.5	ND<0.5
1,2,3-Trichloropropane	ug/L	ND<0.5	ND<0.5
1,2,4-Trimethylbenzene	ug/L	ND<0.5	ND<0.5

TABLE
Summary of Aqueous Analytical Results for Volatile Organic Compounds by GC/MS (SW846)
1201 N. Magnolia Avenue Anaheim, CA 92801

Volatile Organic Compounds by GC/MS (SW846). Method: 8260B

Sample ID	Units	EB-033106	TB
Sample Date		3/31/2006	3/31/2006
Laboratory Job Number		36835	36835
1,3,5-Trimethylbenzene	ug/L	ND<0.5	ND<0.5
Vinyl Acetate	ug/L	ND<0.5	ND<0.5
Vinyl chloride (Chloroethene)	ug/L	ND<0.5	ND<0.5
o-Xylene	ug/L	ND<0.5	ND<0.5
m,p-Xylenes	ug/L	ND<1.0	ND<1.0

1) "ND<X" INDICATES CONSTITUENT(S) NOT DETECTED AT OR ABOVE METHOD DETECTION LIMIT.
2) "J" INDICATES ANALYTE WAS DETECTED. HOWEVER, ANALYTE CONCENTRATION IS AN ESTIMATED VALUE WHICH IS BETWEEN THE METHOD DETECTION LIMIT (MDL) AND THE PRACTICAL QUANTITATION LIMIT(PQL).
3) "D" INDICATES THE SAMPLE WAS DILUTED TO BRING THE ANALYTE CONCENTRATION WITHIN CALIBRATION RANGE.

File: AQ_8260B.xls

TABLE
Summary of Aqueous Analytical Results for TPH as Diesel and Heavy Hydrocarbons Using GC/FID
1201 N. Magnolia Avenue Anaheim, CA 92801

TPH as Diesel and Heavy Hydrocarbons Using GC/FID. Method: M8015D

Sample ID	Units	EB-033106
Sample Date		3/31/2006
Laboratory Job Number		36835
TPH as Diesel (C13-C22)	mg/L	ND<0.1
TPH as Heavy Hydrocarbons (C23-C40)	mg/L	ND<0.1
TPH Total as Diesel and Heavy HC.C13-C40	mg/L	ND<0.1

1) "ND<X" INDICATES CONSTITUENT(S) NOT DETECTED AT OR ABOVE METHOD DETECTION LIMIT.
2) "J" INDICATES ANALYTE WAS DETECTED. HOWEVER, ANALYTE CONCENTRATION IS AN ESTIMATED VALUE WHICH IS BETWEEN THE METHOD DETECTION LIMIT (MDL) AND THE PRACTICAL QUANTITATION LIMIT(PQL).
3) "D" INDICATES THE SAMPLE WAS DILUTED TO BRING THE ANALYTE CONCENTRATION WITHIN CALIBRATION RANGE.

File: AQ_M8015D.xls

TABLE

Summary of Aqueous Analytical Results for TPH as Gasoline and Light Hydrocarbons Using GC/FID

1201 N. Magnolia Avenue Anaheim, CA 92801

TPH as Gasoline and Light Hydrocarbons Using GC/FID. Method: M8015G

Sample ID	Units	EB-033106
Sample Date		3/31/2006
Laboratory Job Number		36835
TPH as Gasoline and Light HC. (C4-C12)	mg/L	ND<0.005

1) "ND<X" INDICATES CONSTITUENT(S) NOT DETECTED AT OR ABOVE METHOD DETECTION LIMIT.
2) "J" INDICATES ANALYTE WAS DETECTED. HOWEVER, ANALYTE CONCENTRATION IS AN ESTIMATED VALUE WHICH IS BETWEEN THE METHOD DETECTION LIMIT (MDL) AND THE PRACTICAL QUANTITATION LIMIT(PQL).
3) "D" INDICATES THE SAMPLE WAS DILUTED TO BRING THE ANALYTE CONCENTRATION WITHIN CALIBRATION RANGE.

File: AQ_M8015G.xls

TABLE

Summary of Gaseous Analytical Results for Volatile Organic Compounds (ug/m3)

1201 N. Magnolia Avenue Anaheim, CA 92801

Volatile Organic Compounds (ug/m3). Method: TO-15

Sample ID	Units	DP0014C-SG-015-01	DP0160-SG-005-01
Sample Date		3/31/2006	3/31/2006
Laboratory Job Number		36835	36835
1,2-Dichlorotetrafluoroethane (Freon114)	ug/m3	ND<5	ND<5
4-Ethyltoluene	ug/m3	ND<10	ND<10
Acetone	ug/m3	**277**	**53.4**
Benzene	ug/m3	**4.4**	**38.5**
Bromodichloromethane	ug/m3	ND<3.0	ND<3.0
Bromoform	ug/m3	ND<3.0	ND<3.0
Bromomethane (Methyl bromide)	ug/m3	ND<3.0	ND<3.0
2-Butanone (MEK)	ug/m3	ND<10	ND<10
Carbon disulfide	ug/m3	ND<3.0	**25.1**
Carbon tetrachloride	ug/m3	ND<4.0	ND<4.0
Chlorobenzene	ug/m3	ND<2.0	ND<2.0
Chloroethane	ug/m3	ND<3.0	ND<3.0
Chloroform (Trichloromethane)	ug/m3	**3.3**	**97.0**
Chloromethane (Methyl chloride)	ug/m3	ND<2.0	ND<2.0
Dibromochloromethane	ug/m3	ND<3.0	**7.6**
1,2-Dibromoethane (EDB)	ug/m3	ND<4.0	ND<4.0
1,2-Dichlorobenzene	ug/m3	ND<4.0	ND<4.0
1,3-Dichlorobenzene	ug/m3	ND<4.0	ND<4.0
1,4-Dichlorobenzene	ug/m3	**4.7**	ND<4.0
Dichlorodifluoromethane	ug/m3	ND<4.0	**4.9**
1,1-Dichloroethane	ug/m3	**5.9**	**363**
1,2-Dichloroethane (EDC)	ug/m3	ND<3.0	ND<3.0
1,1-Dichloroethene	ug/m3	**94.2**	**11,000**
cis-1,2-Dichloroethene	ug/m3	ND<3.0	ND<3.0
trans-1,2-Dichloroethene	ug/m3	ND<3.0	ND<3.0
1,2-Dichloropropane	ug/m3	ND<3.0	ND<3.0
cis-1,3-Dichloropropene	ug/m3	ND<3.0	ND<3.0
trans-1,3-Dichloropropene	ug/m3	ND<3.0	ND<3.0
Ethylbenzene	ug/m3	**12.7**	**47.4**
Hexachlorobutadiene	ug/m3	ND<12	ND<12
2-Hexanone	ug/m3	ND<10	ND<10

TABLE
Summary of Gaseous Analytical Results for Volatile Organic Compounds (ug/m3)
1201 N. Magnolia Avenue Anaheim, CA 92801

Volatile Organic Compounds (ug/m3). Method: TO-15

Sample ID	Units	DP0014C-SG-015-01	DP0160-SG-005-01
Sample Date		3/31/2006	3/31/2006
Laboratory Job Number		36835	36835
4-Methyl-2-pentanone (MIBK)	ug/m3	ND<10	ND<10
Methyl-tert-butyl ether (MTBE)	ug/m3	ND<2.0	ND<2.0
Methylene chloride (DCM)	ug/m3	ND<10	ND<10
Styrene	ug/m3	**4.7**	**7.1**
1,1,2,2-Tetrachloroethane	ug/m3	ND<4.0	ND<4.0
Tetrachloroethene	ug/m3	**28.7**	**17.6**
Toluene (Methyl benzene)	ug/m3	**34.5**	**245**
1,2,4-Trichlorobenzene	ug/m3	ND<2.0	ND<2.0
1,1,1-Trichloroethane	ug/m3	**31.0**	**1,900**
1,1,2-Trichloroethane	ug/m3	ND<3.0	ND<3.0
Trichloroethene	ug/m3	ND<3.0	ND<3.0
Trichlorofluoromethane	ug/m3	ND<4.0	**4.0**
Trichlorotrifluoroethane (Freon-113)	ug/m3	ND<5	**6.2**
1,2,4-Trimethylbenzene	ug/m3	**5.5**	**11.8**
1,3,5-Trimethylbenzene	ug/m3	**4.1**	**15.4**
Vinyl acetate	ug/m3	ND<10	ND<10
Vinyl chloride (Chloroethene)	ug/m3	ND<2.0	ND<2.0
o-Xylene	ug/m3	**8.2**	**41.1**
m,p-Xylenes	ug/m3	**32.3**	**154**

1) "ND<X" INDICATES CONSTITUENT(S) NOT DETECTED AT OR ABOVE METHOD DETECTION LIMIT.
2) "J" INDICATES ANALYTE WAS DETECTED. HOWEVER, ANALYTE CONCENTRATION IS AN ESTIMATED VALUE WHICH IS BETWEEN THE METHOD DETECTION LIMIT (MDL) AND THE PRACTICAL QUANTITATION LIMIT(PQL).
3) "D" INDICATES THE SAMPLE WAS DILUTED TO BRING THE ANALYTE CONCENTRATION WITHIN CALIBRATION RANGE.

File: GU_TO15.xls

TABLE
Summary of Soil Analytical Results for Lead, ICP
1201 N. Magnolia Avenue Anaheim, CA 92801

Lead, ICP. Method: (6010B.LEAD)

Sample ID	STLC Limit mg/L	TCLP Limit mg/L	TTLC Limit mg/Kg	Units	XR0183-SS-0005-01	XR0183-SS-0010-01	XR0184-SS-0000-01	XR0184-SS-0005-01	XR0184-SS-0010-01	XR0185-SS-0000-01	XR0185-SS-0005-01	XR0185-SS-0010-01	XR0186-SS-0000-01
Sample Date					3/31/2006	3/31/2006	3/31/2006	3/31/2006	3/31/2006	3/31/2006	3/31/2006	3/31/2006	3/31/2006
Laboratory Job Number					36835	36835	36835	36835	36835	36835	36835	36835	36835
Lead	5.0	5.0	1000	mg/Kg	**6.10**	**21.3**	**8.55**	**3.60J**	**44.5**	**254**	**4.45J**	**4.15J**	**96.5**

1) "ND<X" INDICATES CONSTITUENT(S) NOT DETECTED AT OR ABOVE METHOD DETECTION LIMIT.
2) "J" INDICATES ANALYTE WAS DETECTED. HOWEVER, ANALYTE CONCENTRATION IS AN ESTIMATED VALUE WHICH IS BETWEEN THE METHOD DETECTION LIMIT (MDL) AND THE PRACTICAL QUANTITATION LIMIT(PQL).
3) "D" INDICATES THE SAMPLE WAS DILUTED TO BRING THE ANALYTE CONCENTRATION WITHIN CALIBRATION RANGE.

File: SO_6010B_LEAD.xls

TABLE
Summary of Soil Analytical Results for Lead, ICP
1201 N. Magnolia Avenue Anaheim, CA 92801

Lead, ICP. Method: (6010B.LEAD)

Sample ID	STLC Limit mg/L	XR0186-SS-0005-01	XR0186-SS-0010-01	XR0186-SS-0010-02	XR0187-SS-0000-01	XR0187-SS-0005-01	XR0187-SS-0010-01	XR0187-SS-0010-02	XR0188-SS-0000-01	XR0188-SS-0005-01	XR0188-SS-0010-01	XR0188-SS-0010-02	XR0189-SS-0000-01
Sample Date		3/31/2006	3/31/2006	3/31/2006	3/31/2006	3/31/2006	3/31/2006	3/31/2006	3/31/2006	3/31/2006	3/31/2006	3/31/2006	3/31/2006
Laboratory Job Number		36835	36835	36835	36835	36835	36835	36835	36835	36835	36835	36835	36835
Lead	5.0	**3.20J**	**7.00**	**5.55**	**76.5**	**19.4**	**5.00**	**5.10**	**307**	**204**	**5.10**	**4.15J**	**64.5**

File: SO_6010B_LEAD.xls

TABLE
Summary of Soil Analytical Results for Lead, ICP
1201 N. Magnolia Avenue Anaheim, CA 92801

Lead, ICP. Method: (6010B.LEAD)

Sample ID	STLC Limit mg/L	XR0189-SS-0005-01	XR0189-SS-0010-01
Sample Date		3/31/2006	3/31/2006
Laboratory Job Number		36835	36835
Lead	5.0	**83.0**	**7.75**

File: SO_6010B_LEAD.xls

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 2
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
36835	03/31/2006	H&A

Method: (6010B.LEAD), Lead, ICP

QC Batch No: 040506-3

Our Lab I.D.			Method Blank	36835.01	36835.02	36835.06	36835.07
Client Sample I.D.				XR0183-SS-0 005-01	XR0183-SS-0 010-01	XR0184-SS-0 000-01	XR0184-SS-0 005-01
Date Sampled				03/31/2006	03/31/2006	03/31/2006	03/31/2006
Date Prepared			04/05/2006	04/05/2006	04/05/2006	04/05/2006	04/05/2006
Preparation Method			3050B	3050B	3050B	3050B	3050B
Date Analyzed			04/05/2006	04/05/2006	04/05/2006	04/05/2006	04/05/2006
Matrix			Soil	Soil	Soil	Soil	Soil
Units			mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg
Dilution Factor			1	1	1	1	1
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**	**Results**	**Results**
Lead	2.5	5.0	ND	6.10	21.3	8.55	3.60J

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 3
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
36835	03/31/2006	H&A

Method: (6010B.LEAD), Lead, ICP

QC Batch No: 040506-3

Our Lab I.D.			36835.08	36835.13	36835.14	36835.15	36835.19
Client Sample I.D.			XR0184-SS-0 010-01	XR0185-SS-0 000-01	XR0185-SS-0 005-01	XR0185-SS-0 010-01	XR0186-SS-0 000-01
Date Sampled			03/31/2006	03/31/2006	03/31/2006	03/31/2006	03/31/2006
Date Prepared			04/05/2006	04/05/2006	04/05/2006	04/05/2006	04/05/2006
Preparation Method			3050B	3050B	3050B	3050B	3050B
Date Analyzed			04/05/2006	04/05/2006	04/05/2006	04/05/2006	04/05/2006
Matrix			Soil	Soil	Soil	Soil	Soil
Units			mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg
Dilution Factor			1	1	1	1	1
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**	**Results**	**Results**
Lead	2.5	5.0	44.5	254	4.45J	4.15J	96.5

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: **4**
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
36835	03/31/2006	H&A

Method: (6010B.LEAD), Lead, ICP

QC Batch No: 040506-3

Our Lab I.D.			36835.20	36835.21	36835.25	36835.26	36835.27
Client Sample I.D.			XR0186-SS-0 005-01	XR0186-SS-0 010-01	XR0186-SS-0 010-02	XR0187-SS-0 000-01	XR0187-SS-0 005-01
Date Sampled			03/31/2006	03/31/2006	03/31/2006	03/31/2006	03/31/2006
Date Prepared			04/05/2006	04/05/2006	04/05/2006	04/05/2006	04/05/2006
Preparation Method			3050B	3050B	3050B	3050B	3050B
Date Analyzed			04/05/2006	04/05/2006	04/05/2006	04/05/2006	04/05/2006
Matrix			Soil	Soil	Soil	Soil	Soil
Units			mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg
Dilution Factor			1	1	1	1	1
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**	**Results**	**Results**
Lead	2.5	5.0	3.20J	7.00	5.55	76.5	19.4

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 5
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
36835	03/31/2006	H&A

Method: (6010B.LEAD), Lead, ICP

QC Batch No: 040506-3

Our Lab I.D.			36835.28	36835.32	36835.33	36835.34	36835.35
Client Sample I.D.			XR0187-SS-0010-01	XR0187-SS-0010-02	XR0188-SS-0000-01	XR0188-SS-0005-01	XR0188-SS-0010-01
Date Sampled			03/31/2006	03/31/2006	03/31/2006	03/31/2006	03/31/2006
Date Prepared			04/05/2006	04/05/2006	04/05/2006	04/05/2006	04/05/2006
Preparation Method			3050B	3050B	3050B	3050B	3050B
Date Analyzed			04/05/2006	04/05/2006	04/05/2006	04/05/2006	04/05/2006
Matrix			Soil	Soil	Soil	Soil	Soil
Units			mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg
Dilution Factor			1	1	1	1	1
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**	**Results**	**Results**
Lead	2.5	5.0	5.00	5.10	307	204	5.10

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 6
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
36835	03/31/2006	H&A

Method: (6010B.LEAD), Lead, ICP

QC Batch No: 040606

Our Lab I.D.			Method Blank	36835.39	36835.40	36835.41	36835.42
Client Sample I.D.				XR0188-SS-0 010-02	XR0189-SS-0 000-01	XR0189-SS-0 005-01	XR0189-SS-0 010-01
Date Sampled				03/31/2006	03/31/2006	03/31/2006	03/31/2006
Date Prepared			04/06/2006	04/06/2006	04/06/2006	04/06/2006	04/06/2006
Preparation Method			3050B	3050B	3050B	3050B	3050B
Date Analyzed			04/06/2006	04/06/2006	04/06/2006	04/06/2006	04/06/2006
Matrix			Soil	Soil	Soil	Soil	Soil
Units			mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg
Dilution Factor			1	1	1	1	1
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**	**Results**	**Results**
Lead	2.5	5.0	ND	4.15J	64.5	83.0	7.75

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Telephone: (714)985-3434
Attn: Tom Tatnall

Page: 7

Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
36835	03/31/2006	H&A

Method: 8260B, Volatile Organic Compounds by GC/MS (SW846)

QC Batch No: 040606

Our Lab I.D.			Method Blank	36835.46	36835.47		
Client Sample I.D.				EB-033106	TB		
Date Sampled				03/31/2006	03/31/2006		
Date Prepared			04/06/2006	04/06/2006	04/06/2006		
Preparation Method			5030B	5030B	5030B		
Date Analyzed			04/06/2006	04/06/2006	04/06/2006		
Matrix			Aqueous	Aqueous	Aqueous		
Units			ug/L	ug/L	ug/L		
Dilution Factor			1	1	1		
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**		
Acetone	10	10	ND	ND	ND		
Benzene	0.5	1.0	ND	ND	ND		
Bromobenzene (Phenyl bromide)	0.5	1.0	ND	ND	ND		
Bromochloromethane	0.5	1.0	ND	ND	ND		
Bromodichloromethane	0.5	1.0	ND	ND	ND		
Bromoform (Tribromomethane)	2.5	5.0	ND	ND	ND		
Bromomethane (Methyl bromide)	1.5	3.0	ND	ND	ND		
2-Butanone (MEK)	5.0	5.0	ND	ND	ND		
n-Butylbenzene	0.5	1.0	ND	ND	ND		
sec-Butylbenzene	0.5	1.0	ND	ND	ND		
tert-Butylbenzene	0.5	1.0	ND	ND	ND		
Carbon Disulfide	0.5	1.0	ND	ND	ND		
Carbon tetrachloride	0.5	1.0	ND	ND	ND		
Chlorobenzene	0.5	1.0	ND	ND	ND		
Chloroethane	1.5	3.0	ND	ND	ND		
2-Chloroethyl vinyl ether	2.5	5.0	ND	ND	ND		
Chloroform (Trichloromethane)	0.5	1.0	ND	ND	ND		
Chloromethane (Methyl chloride)	1.5	3.0	ND	ND	ND		
2-Chlorotoluene	0.5	1.0	ND	ND	ND		
4-Chlorotoluene	0.5	1.0	ND	ND	ND		
1,2-Dibromo-3-chloropropane (DBCP)	2.5	5.0	ND	ND	ND		
Dibromochloromethane	0.5	1.0	ND	ND	ND		
1,2-Dibromoethane (EDB)	0.5	1.0	ND	ND	ND		
Dibromomethane	0.5	1.0	ND	ND	ND		
1,2-Dichlorobenzene	0.5	1.0	ND	ND	ND		
1,3-Dichlorobenzene	0.5	1.0	ND	ND	ND		
1,4-Dichlorobenzene	0.5	1.0	ND	ND	ND		
Dichlorodifluoromethane	1.5	3.0	ND	ND	ND		
1,1-Dichloroethane	0.5	1.0	ND	ND	ND		

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
36835	03/31/2006	H&A

Method: 8260B, Volatile Organic Compounds by GC/MS (SW846)

QC Batch No: 040606

Our Lab I.D.			Method Blank	**36835.46**	**36835.47**		
Client Sample I.D.				EB-033106	TB		
Date Sampled				03/31/2006	03/31/2006		
Date Prepared			04/06/2006	04/06/2006	04/06/2006		
Preparation Method			5030B	5030B	5030B		
Date Analyzed			04/06/2006	04/06/2006	04/06/2006		
Matrix			Aqueous	Aqueous	Aqueous		
Units			ug/L	ug/L	ug/L		
Dilution Factor			1	1	1		
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**		
1,2-Dichloroethane (EDC)	0.5	1.0	ND	ND	ND		
1,1-Dichloroethene	0.5	1.0	ND	ND	ND		
cis-1,2-Dichloroethene	0.5	1.0	ND	ND	ND		
trans-1,2-Dichloroethene	0.5	1.0	ND	ND	ND		
1,2-Dichloropropane	0.5	1.0	ND	ND	ND		
1,3-Dichloropropane	0.5	1.0	ND	ND	ND		
2,2-Dichloropropane	0.5	1.0	ND	ND	ND		
1,1-Dichloropropene	0.5	1.0	ND	ND	ND		
cis-1,3-Dichloropropene	0.5	1.0	ND	ND	ND		
trans-1,3-Dichloropropene	0.5	1.0	ND	ND	ND		
Ethylbenzene	0.5	1.0	ND	ND	ND		
Hexachlorobutadiene	1.5	3.0	ND	ND	ND		
2-Hexanone	2.5	5.0	ND	ND	ND		
Isopropylbenzene	0.5	1.0	ND	ND	ND		
p-Isopropyltoluene	0.5	1.0	ND	ND	ND		
4-Methyl-2-pentanone (MIBK)	2.5	5.0	ND	ND	ND		
Methyl-tert-butyl ether (MTBE)	0.5	1.0	ND	ND	ND		
Methylene chloride (DCM)	2.0	4.0	ND	ND	ND		
Naphthalene	0.5	1.0	ND	ND	ND		
n-Propylbenzene	0.5	1.0	ND	ND	ND		
Styrene	0.5	1.0	ND	ND	ND		
1,1,1,2-Tetrachloroethane	0.5	1.0	ND	ND	ND		
1,1,2,2-Tetrachloroethane	0.5	1.0	ND	ND	ND		
Tetrachloroethene	0.5	1.0	ND	ND	ND		
Toluene (Methyl benzene)	0.5	1.0	ND	ND	ND		
1,2,3-Trichlorobenzene	0.5	1.0	ND	ND	ND		
1,2,4-Trichlorobenzene	0.5	1.0	ND	ND	ND		
1,1,1-Trichloroethane	0.5	1.0	ND	ND	ND		
1,1,2-Trichloroethane	0.5	1.0	ND	ND	ND		
Trichloroethene	0.5	1.0	ND	ND	ND		
Trichlorofluoromethane	0.5	1.0	ND	ND	ND		
1,2,3-Trichloropropane	0.5	1.0	ND	ND	ND		
1,2,4-Trimethylbenzene	0.5	1.0	ND	ND	ND		
1,3,5-Trimethylbenzene	0.5	1.0	ND	ND	ND		
Vinyl Acetate	0.5	5.0	ND	ND	ND		
Vinyl chloride (Chloroethene)	0.5	3.0	ND	ND	ND		

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
36835	03/31/2006	H&A

Method: 8260B, Volatile Organic Compounds by GC/MS (SW846)

QC Batch No: 040606

Our Lab I.D.			Method Blank	36835.46	36835.47		
Client Sample I.D.				EB-033106	TB		
Date Sampled				03/31/2006	03/31/2006		
Date Prepared			04/06/2006	04/06/2006	04/06/2006		
Preparation Method			5030B	5030B	5030B		
Date Analyzed			04/06/2006	04/06/2006	04/06/2006		
Matrix			Aqueous	Aqueous	Aqueous		
Units			ug/L	ug/L	ug/L		
Dilution Factor			1	1	1		
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**		
o-Xylene	0.5	1.0	ND	ND	ND		
m,p-Xylenes	1.0	2.0	ND	ND	ND		
Our Lab I.D.			Method Blank	36835.46	36835.47		
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**	**% Rec.**		
Bromofluorobenzene	75-125		101	103	104		
Dibromofluoromethane	75-125		96	94	92		
Toluene-d8	75-125		94	95	95		

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: **10**

Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
36835	03/31/2006	H&A

Method: M8015G, TPH as Gasoline and Light Hydrocarbons Using GC/FID

QC Batch No: 040506

Our Lab I.D.			Method Blank	**36835.46**			
Client Sample I.D.				EB-033106			
Date Sampled				03/31/2006			
Date Prepared			04/05/2006	04/05/2006			
Preparation Method			5030B	5030B			
Date Analyzed			04/05/2006	04/05/2006			
Matrix			Aqueous	Aqueous			
Units			mg/L	mg/L			
Dilution Factor			1	1			
Analytes	**MDL**	**PQL**	**Results**	**Results**			
TPH as Gasoline and Light HC. (C4-C12)	0.005	0.010	ND	ND			
Our Lab I.D.			Method Blank	**36835.46**			
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**			
Bromofluorobenzene	75-125		100	107			

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Telephone: (714)985-3434
Attn: Tom Tatnall

Page: 11

Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
36835	03/31/2006	H&A

Method: M8015D, TPH as Diesel and Heavy Hydrocarbons Using GC/FID

QC Batch No: 040306

Our Lab I.D.			Method Blank	**36835.46**			
Client Sample I.D.				EB-033106			
Date Sampled				03/31/2006			
Date Prepared			04/03/2006	04/03/2006			
Preparation Method			3510C	3510C			
Date Analyzed			04/05/2006	04/05/2006			
Matrix			Aqueous	Aqueous			
Units			mg/L	mg/L			
Dilution Factor			1	1			
Analytes	**MDL**	**PQL**	**Results**	**Results**			
TPH as Diesel (C13-C22)	0.1	0.5	ND	ND			
TPH as Heavy Hydrocarbons (C23-C40)	0.1	0.5	ND	ND			
TPH Total as Diesel and Heavy HC.C13-C40	0.1	0.5	ND	ND			
Our Lab I.D.			Method Blank	**36835.46**			
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**			
Chlorobenzene	60-125		85	101			

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Telephone: (714)985-3434
Attn: Tom Tatnall

Page: **12**

Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
36835	03/31/2006	H&A

Method: 8082, Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 040306

Our Lab I.D.			Method Blank	**36835.46**			
Client Sample I.D.				EB-033106			
Date Sampled				03/31/2006			
Date Prepared			04/03/2006	04/03/2006			
Preparation Method			3510C	3510C			
Date Analyzed			04/05/2006	04/05/2006			
Matrix			Aqueous	Aqueous			
Units			ug/L	ug/L			
Dilution Factor			1	1			
Analytes	**MDL**	**PQL**	**Results**	**Results**			
Aroclor-1016 (PCB-1016)	1.0	5.0	ND	ND			
Aroclor-1221 (PCB-1221)	2.0	10.0	ND	ND			
Aroclor-1232 (PCB-1232)	1.0	5.0	ND	ND			
Aroclor-1242 (PCB-1242)	1.0	5.0	ND	ND			
Aroclor-1248 (PCB-1248)	1.0	5.0	ND	ND			
Aroclor-1254 (PCB-1254)	1.0	5.0	ND	ND			
Aroclor-1260 (PCB-1260)	1.0	5.0	ND	ND			
Aroclor-1262 (PCB-1262)	1.0	5.0	ND	ND			
Aroclor-1268 (PCB-1268)	1.0	5.0	ND	ND			
Our Lab I.D.			Method Blank	**36835.46**			
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**			
Tetrachloro-m-xylene	30-150		76	97			

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714) 985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page 13
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
36835	03/31/2006	H&A

Analytes			Arsenic	Lead	Antimony	
Methods of Analyses			6010BSCAN	6010BSCAN	6010BSCAN	
Date Prepared			04/06/2006	04/06/2006	04/06/2006	
Date Analyzed			04/06/2006	04/06/2006	04/06/2006	
Matrix			Aqueous	Aqueous	Aqueous	
QC Batch Number			040606	040606	040606	
Units			mg/L	mg/L	mg/L	
Method Detection Limit			0.05	0.05	0.05	
Practical Quantitation Limit			0.10	0.10	0.10	
Dilution Factor			1	1	1	
Lab ID	**Sample ID**	**Sampled**	**Results**	**Results**	**Results**	
36835.46	EB-033106	03/31/2006	ND	ND	ND	
N/A	Method Blank	03/31/2006	ND	ND	ND	

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Telephone: (714)985-3434
Attn: Tom Tatnall

Page: **14**

Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
36835	03/31/2006	H&A

Method: TO-15, Volatile Organic Compounds (ug/m3)

QC Batch No: 040406

Our Lab I.D.			Method Blank				
Client Sample I.D.							
Date Sampled							
Date Prepared			04/04/2006				
Preparation Method			TO-15				
Date Analyzed			04/04/2006				
Matrix			Gaseous				
Units			ug/m3				
Dilution Factor			1				
Analytes	**MDL**	**PQL**	**Results**				
1,2-Dichlorotetrafluoroethane (Freon114)	2.5	2.5	ND				
4-Ethyltoluene	5.0	5.0	ND				
Acetone	5.0	5.0	ND				
Benzene	1.0	1.0	ND				
Bromodichloromethane	1.5	1.5	ND				
Bromoform	1.5	1.5	ND				
Bromomethane (Methyl bromide)	1.5	1.5	ND				
2-Butanone (MEK)	5.0	5.0	ND				
Carbon disulfide	1.5	1.5	ND				
Carbon tetrachloride	2.0	2.0	ND				
Chlorobenzene	1.0	1.0	ND				
Chloroethane	1.5	1.5	ND				
Chloroform (Trichloromethane)	1.5	1.5	ND				
Chloromethane (Methyl chloride)	1.0	1.0	ND				
Dibromochloromethane	1.5	1.5	ND				
1,2-Dibromoethane (EDB)	2.0	2.0	ND				
1,2-Dichlorobenzene	2.0	2.0	ND				
1,3-Dichlorobenzene	2.0	2.0	ND				
1,4-Dichlorobenzene	2.0	2.0	ND				
Dichlorodifluoromethane	2.0	2.0	ND				
1,1-Dichloroethane	1.5	1.5	ND				
1,2-Dichloroethane (EDC)	1.5	1.5	ND				
1,1-Dichloroethene	1.5	1.5	ND				
cis-1,2-Dichloroethene	1.5	1.5	ND				
trans-1,2-Dichloroethene	1.5	1.5	ND				
1,2-Dichloropropane	1.5	1.5	ND				
cis-1,3-Dichloropropene	1.5	1.5	ND				
trans-1,3-Dichloropropene	1.5	1.5	ND				
Ethylbenzene	1.5	1.5	ND				

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
36835	03/31/2006	H&A

Method: TO-15, Volatile Organic Compounds (ug/m3)

QC Batch No: 040406

Our Lab I.D.			Method Blank				
Client Sample I.D.							
Date Sampled							
Date Prepared			04/04/2006				
Preparation Method			TO-15				
Date Analyzed			04/04/2006				
Matrix			Gaseous				
Units			ug/m3				
Dilution Factor			1				
Analytes	**MDL**	**PQL**	**Results**				
Hexachlorobutadiene	6.0	6.0	ND				
2-Hexanone	5.0	5.0	ND				
4-Methyl-2-pentanone (MIBK)	5.0	5.0	ND				
Methyl-tert-butyl ether (MTBE)	1.0	1.0	ND				
Methylene chloride (DCM)	5.0	5.0	ND				
Styrene	1.5	1.5	ND				
1,1,2,2-Tetrachloroethane	2.0	2.0	ND				
Tetrachloroethene	1.5	1.5	ND				
Toluene (Methyl benzene)	1.0	1.0	ND				
1,2,4-Trichlorobenzene	1.0	1.0	ND				
1,1,1-Trichloroethane	1.5	1.5	ND				
1,1,2-Trichloroethane	1.5	1.5	ND				
Trichloroethene	1.5	1.5	ND				
Trichlorofluoromethane	2.0	2.0	ND				
Trichlorotrifluoroethane (Freon-113)	2.5	2.5	ND				
1,2,4-Trimethylbenzene	1.5	1.5	ND				
1,3,5-Trimethylbenzene	1.5	1.5	ND				
Vinyl acetate	5.0	5.0	ND				
Vinyl chloride (Chloroethene)	1.0	1.0	ND				
o-Xylene	1.0	1.0	ND				
m,p-Xylenes	2.0	2.0	ND				
Our Lab I.D.			Method Blank				
Surrogates	**%Rec.Limit**		**% Rec.**				
4-Bromofluorobenzene	70-130		94				
1,2-Dichloroethane-d4	70-130		114				
Toluene-d8	70-130		92				

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Telephone: (714)985-3434
Attn: Tom Tatnall

Page: **16**

Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
36835	03/31/2006	H&A

Method: TO-15, Volatile Organic Compounds (ug/m3)

QC Batch No: 040406

Our Lab I.D.			**36835.48**	**36835.49**			
Client Sample I.D.			DP0160-SG-005-01	DP0014C-SG-015-01			
Date Sampled			03/31/2006	03/31/2006			
Date Prepared			04/04/2006	04/04/2006			
Preparation Method			TO-15	TO-15			
Date Analyzed			04/04/2006	04/04/2006			
Matrix			Gaseous	Gaseous			
Units			ug/m3	ug/m3			
Dilution Factor			2	2			
Analytes	**MDL**	**PQL**	**Results**	**Results**			
1,2-Dichlorotetrafluoroethane (Freon114)	5	5	ND	ND			
4-Ethyltoluene	10	10	ND	ND			
Acetone	10	10	53.4	277			
Benzene	2.0	2.0	38.5	4.4			
Bromodichloromethane	3.0	3.0	ND	ND			
Bromoform	3.0	3.0	ND	ND			
Bromomethane (Methyl bromide)	3.0	3.0	ND	ND			
2-Butanone (MEK)	10	10	ND	ND			
Carbon disulfide	3.0	3.0	25.1	ND			
Carbon tetrachloride	4.0	4.0	ND	ND			
Chlorobenzene	2.0	2.0	ND	ND			
Chloroethane	3.0	3.0	ND	ND			
Chloroform (Trichloromethane)	3.0	3.0	97.0	3.3			
Chloromethane (Methyl chloride)	2.0	2.0	ND	ND			
Dibromochloromethane	3.0	3.0	7.6	ND			
1,2-Dibromoethane (EDB)	4.0	4.0	ND	ND			
1,2-Dichlorobenzene	4.0	4.0	ND	ND			
1,3-Dichlorobenzene	4.0	4.0	ND	ND			
1,4-Dichlorobenzene	4.0	4.0	ND	4.7			
Dichlorodifluoromethane	4.0	4.0	4.9	ND			
1,1-Dichloroethane	3.0	3.0	363	5.9			
1,2-Dichloroethane (EDC)	3.0	3.0	ND	ND			
1,1-Dichloroethene	3.0	3.0	11,000	94.2			
cis-1,2-Dichloroethene	3.0	3.0	ND	ND			
trans-1,2-Dichloroethene	3.0	3.0	ND	ND			
1,2-Dichloropropane	3.0	3.0	ND	ND			
cis-1,3-Dichloropropene	3.0	3.0	ND	ND			
trans-1,3-Dichloropropene	3.0	3.0	ND	ND			

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
36835	03/31/2006	H&A

Method: TO-15, Volatile Organic Compounds (ug/m3)

QC Batch No: 040406

Our Lab I.D.			36835.48	36835.49			
Client Sample I.D.			DP0160-SG-005-01	DP0014C-SG-015-01			
Date Sampled			03/31/2006	03/31/2006			
Date Prepared			04/04/2006	04/04/2006			
Preparation Method			TO-15	TO-15			
Date Analyzed			04/04/2006	04/04/2006			
Matrix			Gaseous	Gaseous			
Units			ug/m3	ug/m3			
Dilution Factor			2	2			
Analytes	**MDL**	**PQL**	**Results**	**Results**			
Ethylbenzene	3.0	3.0	47.4	12.7			
Hexachlorobutadiene	12	12	ND	ND			
2-Hexanone	10	10	ND	ND			
4-Methyl-2-pentanone (MIBK)	10	10	ND	ND			
Methyl-tert-butyl ether (MTBE)	2.0	2.0	ND	ND			
Methylene chloride (DCM)	10	10	ND	ND			
Styrene	3.0	3.0	7.1	4.7			
1,1,2,2-Tetrachloroethane	4.0	4.0	ND	ND			
Tetrachloroethene	3.0	3.0	17.6	28.7			
Toluene (Methyl benzene)	2.0	2.0	245	34.5			
1,2,4-Trichlorobenzene	2.0	2.0	ND	ND			
1,1,1-Trichloroethane	3.0	3.0	1,900	31.0			
1,1,2-Trichloroethane	3.0	3.0	ND	ND			
Trichloroethene	3.0	3.0	ND	ND			
Trichlorofluoromethane	4.0	4.0	4.0	ND			
Trichlorotrifluoroethane (Freon-113)	5	5	6.2	ND			
1,2,4-Trimethylbenzene	3.0	3.0	11.8	5.5			
1,3,5-Trimethylbenzene	3.0	3.0	15.4	4.1			
Vinyl acetate	10	10	ND	ND			
Vinyl chloride (Chloroethene)	2.0	2.0	ND	ND			
o-Xylene	2.0	2.0	41.1	8.2			
m,p-Xylenes	4.0	4.0	154	32.3			
Our Lab I.D.			**36835.48**	**36835.49**			
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**			
4-Bromofluorobenzene	70-130		103	103			
1,2-Dichloroethane-d4	70-130		113	116			
Toluene-d8	70-130		97	97			

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 18
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
36835	03/31/2006	H&A

Method: 6010BSCAN, Total Arsenic

QUALITY CONTROL REPORT

QC Batch No: 040606 Sample Spiked: 36837.31 QC Prepared: 04/06/2006 QC Analyzed: 04/06/2006 Units: mg/L

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Arsenic	ND	1.00	1.04	104	1.00	1.02	102	1.9	80-120	<15

QC Batch No: 040606 Sample Spiked: 36837.31 QC Prepared: 04/06/2006 QC Analyzed: 04/06/2006 Units: mg/L

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Arsenic	1.00	1.02	102	80-120						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 19
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
36835	03/31/2006	H&A

Method: 6010BSCAN, Total Lead

QUALITY CONTROL REPORT

QC Batch No: 040606 Sample Spiked: 36837.31 QC Prepared: 04/06/2006 QC Analyzed: 04/06/2006 Units: mg/L

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Lead	0.004	1.00	1.00	100	1.00	0.99	99	1.0	80-120	<15

QC Batch No: 040606 Sample Spiked: 36837.31 QC Prepared: 04/06/2006 QC Analyzed: 04/06/2006 Units: mg/L

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Lead	1.00	1.00	100	80-120						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 20
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
36835	03/31/2006	H&A

Method: 6010BSCAN, Total Antimony

QUALITY CONTROL REPORT

QC Batch No: 040606 Sample Spiked: 36837.31 QC Prepared: 04/06/2006 QC Analyzed: 04/06/2006 Units: mg/L

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Antimony	0.038	1.00	0.92	88	1.00	0.93	89	1.1	80-120	<15

QC Batch No: 040606 Sample Spiked: 36837.31 QC Prepared: 04/06/2006 QC Analyzed: 04/06/2006 Units: mg/L

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Antimony	1.00	0.85	85	80-120						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: **21**
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
36835	03/31/2006	H&A

Method: 8082, Polychlorinated Biphenyls (PCBs) by GC

QUALITY CONTROL REPORT

QC Batch No: 040306 Sample Spiked: 040306 QC Prepared: 04/03/2006 QC Analyzed: 04/05/2006 Units: ug/L

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Aroclor-1260 (PCB-1260)	0.0	2.50	2.23	89	2.50	2.30	92	3.3	75-125	<20

QC Batch No: 040306 Sample Spiked: 040306 QC Prepared: 04/03/2006 QC Analyzed: 04/05/2006 Units: ug/L

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Aroclor-1260 (PCB-1260)	2.50	2.20	88	75-125						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 22
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
36835	03/31/2006	H&A

Method: 8260B, Volatile Organic Compounds by GC/MS (SW846)

QUALITY CONTROL REPORT

QC Batch No: 040606 Sample Spiked: 040606 QC Prepared: 04/06/2006 QC Analyzed: 04/06/2006 Units: ug/L

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Benzene	0.0	50.00	53.00	106	50.00	52.00	104	1.9	75-125	<20
Chlorobenzene	0.0	50.00	51.00	102	50.00	49.00	98	4.0	75-125	<20
1,1-Dichloroethene	0.0	50.00	55.00	110	50.00	50.50	101	8.5	75-125	<20
Methyl-tert-butyl ether (MTBE)	0.0	50.00	48.50	97	50.00	47.00	94	3.1	75-125	<20
Toluene (Methyl benzene)	0.0	50.00	47.00	94	50.00	44.50	89	5.5	75-125	<20
Trichloroethene	0.0	50.00	60.50	121	50.00	59.00	118	2.5	75-125	<20

QC Batch No: 040606 Sample Spiked: 040606 QC Prepared: 04/06/2006 QC Analyzed: 04/06/2006 Units: ug/L

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Benzene	50.00	52.50	105	75-125						
Chlorobenzene	50.00	51.00	102	75-125						
1,1-Dichloroethene	50.00	52.50	105	75-125						
Methyl-tert-butyl ether (MTBE)	50.00	47.00	94	75-125						
Toluene (Methyl benzene)	50.00	46.50	93	75-125						
Trichloroethene	50.00	62.00	124	75-125						
LCS										
Chloroform (Trichloromethane)	50.00	50.00	100	75-125						
Ethylbenzene	50.00	45.50	91	75-125						
1,1,1-Trichloroethane	50.00	44.50	89	75-125						
o-Xylene	50.00	50.50	101	75-125						
m,p-Xylenes	100.00	98.00	98	75-125						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 23
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
36835	03/31/2006	H&A

Method: M8015D, TPH as Diesel and Heavy Hydrocarbons Using GC/FID

QUALITY CONTROL REPORT

QC Batch No: 040306 Sample Spiked: 040306 QC Prepared: 04/03/2006 QC Analyzed: 04/05/2006 Units: mg/L

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
TPH as Diesel (C13-C22)	0.0	500.00	470.00	94	500.00	490.00	98	4.2	75-125	<20

QC Batch No: 040306 Sample Spiked: 040306 QC Prepared: 04/03/2006 QC Analyzed: 04/05/2006 Units: mg/L

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
TPH as Diesel (C13-C22)	500.00	545.00	109	75-125						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: **24**
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
36835	03/31/2006	H&A

Method: M8015G, TPH as Gasoline and Light Hydrocarbons Using GC/FID

QUALITY CONTROL REPORT

QC Batch No: 040506 Sample Spiked: 040506 QC Prepared: 04/05/2006 QC Analyzed: 04/05/2006 Units: mg/L

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
TPH as Gasoline and Light HC. (C4-C12)	0.0	0.50	0.46	91	0.50	0.48	96	5.3	75-125	<20

QC Batch No: 040506 Sample Spiked: 040506 QC Prepared: 04/05/2006 QC Analyzed: 04/05/2006 Units: mg/L

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
TPH as Gasoline and Light HC. (C4-C12)	0.50	0.51	101	75-125						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 25
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
36835	03/31/2006	H&A

Method: TO-15, Volatile Organic Compounds (ug/m3)

QUALITY CONTROL REPORT

QC Batch No: 040406 Sample Spiked: 040406 QC Prepared: 04/04/2006 QC Analyzed: 04/04/2006 Units: ug/m3

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS DUP Concen	LCS DUP Recov	LCS DUP % REC	LCS RPD % REC	LCS/LCSD % Limit	LCS RPD % Limit	
1,1-Dichloroethene	50.00	123.50	247	50.00	114.00	228	8.0	70-130	<30	
Methylene chloride (DCM)	50.00	49.50	99	50.00	49.50	99	<1	70-130	<30	
1,1,2,2-Tetrachloroethane	50.00	50.50	101	50.00	57.00	114	12.1	70-130	<30	
Toluene (Methyl benzene)	50.00	51.50	103	50.00	48.00	96	7.0	70-130	<30	
Trichloroethene	50.00	51.50	103	50.00	48.50	97	6.0	70-130	<30	

LCS/LCSD is high for 1,1-Dichloroethene due to carry-over

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: **26**
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
36835	03/31/2006	H&A

Method: (6010B.LEAD), Lead, ICP

QUALITY CONTROL REPORT

QC Batch No: 040506-3 Sample Spiked: 36835.01 QC Prepared: 04/05/2006 QC Analyzed: 04/05/2006 Units: mg/Kg

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Lead	0.122	1.00	0.94	82	1.00	0.94	82	<1	80-120	<15

QC Batch No: 040506-3 Sample Spiked: 36835.01 QC Prepared: 04/05/2006 QC Analyzed: 04/05/2006 Units: mg/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Lead	1.00	1.01	101	80-120						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 27
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
36835	03/31/2006	H&A

Method: (6010B.LEAD), Lead, ICP

QUALITY CONTROL REPORT

QC Batch No: 040606 Sample Spiked: 36851.01 QC Prepared: 04/06/2006 QC Analyzed: 04/06/2006 Units: mg/Kg

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Lead	0.031	1.00	0.93	90	1.00	0.91	88	2.2	80-120	<15

QC Batch No: 040606 Sample Spiked: 36851.01 QC Prepared: 04/06/2006 QC Analyzed: 04/06/2006 Units: mg/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Lead	1.00	0.98	98	80-120						

American Environmental Testing Laboratory Inc.
2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

Data Qualifiers and Descriptors

Data Qualifier:

*:	In the QC section, sample results have been taken directly from the ICP reading. No preparation factor has been applied.
B:	Analyte was present in the Method Blank.
D:	Result is from a diluted analysis.
E:	Result is beyond calibration limits and is estimated.
H:	Analysis was performed over the allowed holding time due to circumstances which were beyond laboratory control.
J:	Analyte was detected . However, the analyte concentration is an estimated value, which is between the Method Detection Limit (MDL) and the Practical Quantitation Limit (PQL).
M:	Matrix spike recovery is outside control limits due to matrix interference. Laboratory Control Sample recovery was acceptable.
S6:	Surrogate recovery is outside control limits due to matrix interference.
S8:	The analysis of the sample required a dilution such that the surrogate concentration was diluted below the method acceptance criteria.
X:	Results represent LCS and LCSD data.

Definition:

%Limi:	Percent acceptable limits.
%REC:	Percent recovery.
Con.L:	Acceptable Control Limits
Conce:	Added concentration to the sample.
LCS:	Laboratory Control Sample
MDL:	Method Detection Limit is a statistically derived number which is specific for each instrument, each method, and each compound. It indicates a distinctively detectable quantity with 99% probability.
MS:	Matrix Spike
MS DU:	Matrix Spike Duplicate

American Environmental Testing Laboratory Inc.
2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

Data Qualifiers and Descriptors

ND: Analyte was not detected in the sample at or above MDL.

PQL: Practical Quantitation Limit or ML (Minimum Level as per RWQCB) is the minimum concentration that can be quantified with more than 99% confidence. Taking into account all aspects of the entire analytical instrumentation and practice.

Recov: Recovered concentration in the sample.

RPD: Relative Percent Difference

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

Ordered By

Haley & Aldrich
500 South Kraemer Blvd. Suite 370
Brea, CA 92821-6723

Telephone: (714) 985-3434
Attention: Tom Tatnall

Number of Pages	**6**
Date Received	**03/27/2006**
Date Reported	**04/14/2006**

Job Number	Order Date	Client
36896	04/06/2006	H&A

Project ID: 32486-006
Project Name: Delphi System Corp.
Site: 1201 N. Magnolia Avenue
Anaheim, CA 92801

Enclosed please find results of analyses of 8 soil samples which were analyzed as specified on the attached chain of custody. If there are any questions, please do not hesitate to call.

RECEIVED

APR 19 2006

Haley & Aldrich, Inc.

Checked By: _____ Approved By: C. Razmara

Cyrus Razmara, Ph.D.
Laboratory Director

HALEY & ALDRICH

500 S. Kraemer Blvd., Suite 370
Brea, CA 92821
(714) 985-3434 Fax (714) 985-3433

CHAIN OF CUSTODY FORM

1934

AA ~~Job #36741~~ 36896

Project Name/Address: Delphi - Anaheim	Project /PO Number: 32486-006
Project Manager: T. Tathall	Phone Number:
Sampled by (signature): K. Higgs	Fax Number:

Lab Name: AETL

Lab Address: (*) added on 04/06/06 due 04/13/06 by 4PM

Analysis Required

Sample Identification	Lab ID No.	Sample Matrix	Container Type	# of Cont.	Sampling Date	Sampling Time	Preservatives	6010B Arsenic	Hold	VOCs 8260B	TO-15					Special Instructions
DP0103A_SS_000_01		S	Sleeve	1	3/27/06	1255		X								36741.01
_001_01						1256		(*)	X				36896.01			~~36741.02~~ AA
_002_01						1257			X							36741.03
_003_01						1258			X							36741.04
DP0103B_SS_000_01						1315		X								36741.05
001_01						1316		(*)	X				36896.02			~~36741.06~~ AA
002_01						1317			X							36741.07
003_01						1318			X							36741.08
DP0103C_SS_000_01						1345		X								36741.09
001_01						1346		(*)	X				36896.03			~~36741.10~~ AA
002_01						1347			X							36741.11
003_01						1348			X							36741.12
DP0143D_SG_015_01		SG	summa			1400				X	X					36741.13
DP0160_SS_002_01		S	VOA ~~summa~~ KH	4		1420				X						36741.14
007_01		S	VOA	4		1430				X						36741.15

Relinquished By:	Date/Time:	Received By:	Date/Time:
K. Higgs	3/27/06 1608	[signature]	3/27/06 1608
Relinquished By:	Date/Time:	Received By:	Date/Time:
Relinquished By: [signature] Carlos G.	Date/Time: 3/27/06 1812	Received in Lab By: [signature]	Date/Time: 3/27/06 1812

Turnaround Time (Check)
24 Hours ___ 5 Days ✓
48 Hours ___ 10 Days ___
72 Hours ___ Other ___

Sample Integrity (Check):
On Ice ___ Intact ___

Chain of Custody Record

HALEY & ALDRICH

Job # ~~36807~~ 36896

Client	Project Manager	Laboratory Name	Date	Custody Number
Haley & Aldrich	Tom Tatnall	AETL	3/28/2006	HA-000057

Address	Telephone Number (Area Code)	Laboratory Address & Telephone Number	Lab Number
500 S. Kraemer Blvd., Suite 370	(714) 985-3434	2834 Naomi St., Burbank CA 91504 Tel: (818) 845-8200	

Page 4 of 7

City	State	ZipCode	Site Contact	LabContact
Brea	CA	92821	T. Tatnall	Jim Lin

Project Name and Location (State): Delphi, Anaheim CA

Carrier/Waybill:

Contract/Purchase Order/Quote No.:

Analysis (Attach list if more space is needed)

Special Instructions/ Conditions of Receipt

Sample /. D. No. and Description (Containers for each sample may be combin on one line)	Date	Time	Matrix: Air	Water	Sed.	Soil	Preservatives Containers: Unpres.	H2SO4	HNO3	HCL	NaOH	ZnAc/NaOH	PCB (EPA 8082)	Hold	Special Instructions/ Conditions of Receipt
DP0229_SS_002_01	3/28/2006	09:17				X	X							X	36807.01
DP0227_SS_003_01	3/28/2006	08:58				X	X						X	~~X~~	36896.04 ~~36807.02~~ AA
DP0228_SS_001_02	3/28/2006	09:07				X	X						X		36807.03
DP0228_SS_000_01	3/28/2006	09:05				X	X						X		36807.04
DP0229_SS_001_01	3/28/2006	09:16				X	X						X		36807.05
DP0227_SS_002_01	3/28/2006	08:57				X	X						X	~~X~~	36896.05 ~~36807.06~~ AA
DP0228_SS_002_01	3/28/2006	09:08				X	X						X	~~X~~	36896.06 ~~36807.07~~ AA
DP0228_SS_001_01	3/28/2006	09:06				X	X						X		36807.08
DP0229_SS_000_01	3/28/2006	09:15				X	X						X		36807.09
DP0228_SS_003_01	3/28/2006	09:09				X	X						X	X	36807.10
DP0229_SS_003_01	3/28/2006	09:18				X	X							X	36807.11
DP0227_SS_001_01	3/28/2006	08:56				X	X						X		36807.12

Possible Hazard Identification: ☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☒ Unknown

Sample Disposal: ☐ Return To Client ☒ Disposal By Lab ☐ Archive For _____ Months (A fee may be assessed if samples are retained Months longer than 1 month)

Turn Around Time Required: ☐ 24 Hours ☐ 48 Hours ☐ 7 Days ☐ 14 Days ☐ 21 Days ☒ Others 5Days

QC Requirements (Specify):

	Date	Time		Date	Time
1. Relinquished By: [signature]	3/28/06	1700	1. Received By: [signature]	3/28/06	1700
2. Relinquished By:			2. Received By:		
3. Relinquished By: [signature]	3/28/06	1430	3. Received By: [signature]	03/28/06	19:30

Comments

Chain of Custody Record

Job # ~~36807~~ 36896

HALEY & ALDRICH

Client	Project Manager	Laboratory Name	Date	Custody Number
Haley & Aldrich	Tom Tatnall	AETL	3/28/2006	HA-000058

Address	Telephone Number (Area Code)	Laboratory Address & Telephone Number	Lab Number
500 S. Kraemer Blvd., Suite 370	(714) 985-3434	2834 Naomi St., Burbank CA 91504 Tel: (818) 845-8200	

Page 5 of 7

City	State	ZipCode	Site Contact	LabContact
Brea	CA	92821	T. Tatnall	Jim Lin

Project Name and Location (State): Delphi, Anaheim CA

Carrier/Waybill:

Contract/Purchase Order/Quote No.:

Analysis (Attach list if more space is needed)

Special Instructions/ Conditions of Receipt

Sample /. D. No. and Description (Containers for each sample may be combin on one line)	Date	Time	Matrix: Air	Water	Sed.	Soil		Preservatives Containers: Unpres.	H2SO4	HNO3	HCL	NaOH	ZnAc/NaOH		Metals (EPA 6010B) Pb only	PCB (EPA 8082)	Hold										Special Instructions/ Conditions of Receipt
DP0233_SS_000_01	3/28/2006	10:19				X		X							X												36807.13
DP0231_SS_000_01	3/28/2006	09:35				X		X								X											36807.14
DP0233_SS_001_01	3/28/2006	10:21				X		X									X										36807.15
DP0230_SS_003_01	3/28/2006	15:35				X		X									X										36807.16
DP0230_SS_002_01	3/28/2006	09:27				X		X								⊛	~~X~~						36896.07				~~36807.17~~ AA
~~DP0229_SS_003_01~~	~~3/28/2006~~	~~09:18~~				~~X~~		~~X~~									~~X~~										Sample ID repeated AA
DP0231_SS_002_01	3/28/2006	09:37				X		X								⊛	~~X~~						36896.08				~~36807.18~~ AA
DP0231_SS_003_01	3/28/2006	09:38				X		X								~~X~~	X										36807.19
DP0231_SS_001_01	3/28/2006	15:37				X		X								X											36807.20
DP0230_SS_000_01	3/28/2006	09:25				X		X								X											36807.21
DP0230_SS_001_01	3/28/2006	09:26				X		X								X											36807.22
DP0233_SS_002_01	3/28/2006	10:21				X		X									X										36807.23

Possible Hazard Identification: ☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☒ Unknown

Sample Disposal: ☐ Return To Client ☒ Disposal By Lab ☐ Archive For ____ Months (A fee may be assessed if samples are retained Months longer than 1 month)

Turn Around Time Required: ☐ 24 Hours ☐ 48 Hours ☐ 7 Days ☐ 14 Days ☐ 21 Days ☒ Others 5Days

QC Requirements (Specify):

	Date	Time		Date	Time
1. Relinquished By: Helen Andrich	3-28-06	1700	1. Received By: [signature]	3-28-06	1700
2. Relinquished By:			2. Received By:		
3. Relinquished By: [signature]	3/28/06	1930	3. Received By: [signature]	03/28/06	19:30

Comments:

TABLE
Summary of Soil Analytical Results for Arsenic by ICP
1201 N. Magnolia Avenue Anaheim, CA 92801

Arsenic by ICP. Method: (6010BSCAN)

Sample ID	STLC Limit mg/L	TCLP Limit mg/L	TTLC Limit mg/Kg	Units	DP0103A-SS-001-01	DP0103B-SS-001-01	DP0103C-SS-001-01
Sample Date					3/27/2006	3/27/2006	3/27/2006
Laboratory Job Number					36896	36896	36896
Arsenic	5.0	5.0	500	mg/Kg	**2.10J**	**1.85J**	**1.25J**

1) "ND<X" INDICATES CONSTITUENT(S) NOT DETECTED AT OR ABOVE METHOD DETECTION LIMIT.
2) "J" INDICATES ANALYTE WAS DETECTED. HOWEVER, ANALYTE CONCENTRATION IS AN ESTIMATED VALUE WHICH IS BETWEEN THE METHOD DETECTION LIMIT (MDL) AND THE PRACTICAL QUANTITATION LIMIT(PQL).
3) "D" INDICATES THE SAMPLE WAS DILUTED TO BRING THE ANALYTE CONCENTRATION WITHIN CALIBRATION RANGE.

File: SO_6010BSCAN.xls

TABLE
Summary of Soil Analytical Results for Polychlorinated Biphenyls (PCBs) by GC
1201 N. Magnolia Avenue Anaheim, CA 92801

Polychlorinated Biphenyls (PCBs) by GC. Method: (8082)

Sample ID	Units	DP0227-SS-002-01	DP0227-SS-003-01	DP0228-SS-002-01	DP0230-SS-002-01	DP0231-SS-002-01
Sample Date		3/28/2006	3/28/2006	3/28/2006	3/28/2006	3/28/2006
Laboratory Job Number		36896	36896	36896	36896	36896
Aroclor-1016 (PCB-1016)	ug/Kg	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0
Aroclor-1221 (PCB-1221)	ug/Kg	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0
Aroclor-1232 (PCB-1232)	ug/Kg	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0
Aroclor-1242 (PCB-1242)	ug/Kg	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0
Aroclor-1248 (PCB-1248)	ug/Kg	**19,800**	**1,530**	**1,840**	ND<25.0	**44.5J**
Aroclor-1254 (PCB-1254)	ug/Kg	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0
Aroclor-1260 (PCB-1260)	ug/Kg	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0
Aroclor-1262 (PCB-1262)	ug/Kg	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0
Aroclor-1268 (PCB-1268)	ug/Kg	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0

1) "ND<X" INDICATES CONSTITUENT(S) NOT DETECTED AT OR ABOVE METHOD DETECTION LIMIT.
2) "J" INDICATES ANALYTE WAS DETECTED. HOWEVER, ANALYTE CONCENTRATION IS AN ESTIMATED VALUE WHICH IS BETWEEN THE METHOD DETECTION LIMIT (MDL) AND THE PRACTICAL QUANTITATION LIMIT(PQL).
3) "D" INDICATES THE SAMPLE WAS DILUTED TO BRING THE ANALYTE CONCENTRATION WITHIN CALIBRATION RANGE.

File: SO_8082.xls

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 2
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
36896	03/27/2006	H&A

Method: (6010BSCAN), Arsenic by ICP

QC Batch No: 041006

Our Lab I.D.			Method Blank	**36896.01**	**36896.02**	**36896.03**	
Client Sample I.D.				DP0103A-SS-001-01	DP0103B-SS-001-01	DP0103C-SS-001-01	
Date Sampled				03/27/2006	03/27/2006	03/27/2006	
Date Prepared			04/10/2006	04/10/2006	04/10/2006	04/10/2006	
Preparation Method			3050B	3050B	3050B	3050B	
Date Analyzed			04/10/2006	04/10/2006	04/10/2006	04/10/2006	
Matrix			Soil	Soil	Soil	Soil	
Units			mg/Kg	mg/Kg	mg/Kg	mg/Kg	
Dilution Factor			1	1	1	1	
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**	**Results**	
Arsenic	0.5	5.0	ND	2.10J	1.85J	1.25J	

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 3
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
36896	03/27/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 040706

Our Lab I.D.			Method Blank	36896.04	36896.05	36896.06	36896.07
Client Sample I.D.				DP0227-SS-003-01	DP0227-SS-002-01	DP0228-SS-002-01	DP0230-SS-002-01
Date Sampled				03/28/2006	03/28/2006	03/28/2006	03/28/2006
Date Prepared			04/07/2006	04/07/2006	04/07/2006	04/07/2006	04/07/2006
Preparation Method			3550B	3550B	3550B	3550B	3550B
Date Analyzed			04/11/2006	04/11/2006	04/11/2006	04/11/2006	04/11/2006
Matrix			Soil	Soil	Soil	Soil	Soil
Units			ug/Kg	ug/Kg	ug/Kg	ug/Kg	ug/Kg
Dilution Factor			1	1	1	1	1
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**	**Results**	**Results**
Aroclor-1016 (PCB-1016)	25.0	50.0	ND	ND	ND	ND	ND
Aroclor-1221 (PCB-1221)	25.0	50.0	ND	ND	ND	ND	ND
Aroclor-1232 (PCB-1232)	25.0	50.0	ND	ND	ND	ND	ND
Aroclor-1242 (PCB-1242)	25.0	50.0	ND	ND	ND	ND	ND
Aroclor-1248 (PCB-1248)	25.0	50.0	ND	1,530	19,800	1,840	ND
Aroclor-1254 (PCB-1254)	25.0	50.0	ND	ND	ND	ND	ND
Aroclor-1260 (PCB-1260)	25.0	50.0	ND	ND	ND	ND	ND
Aroclor-1262 (PCB-1262)	25.0	50.0	ND	ND	ND	ND	ND
Aroclor-1268 (PCB-1268)	25.0	50.0	ND	ND	ND	ND	ND

Our Lab I.D.				36896.04	36896.05	36896.06	36896.07
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**	**% Rec.**	**% Rec.**	**% Rec.**
Tetrachloro-m-xylene	30-150		90	126	116	115	118

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: **4**
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
36896	03/27/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 040706

Our Lab I.D.			**36896.08**				
Client Sample I.D.			DP0231-SS-0 02-01				
Date Sampled			03/28/2006				
Date Prepared			04/07/2006				
Preparation Method			3550B				
Date Analyzed			04/11/2006				
Matrix			Soil				
Units			ug/Kg				
Dilution Factor			1				
Analytes	**MDL**	**PQL**	**Results**				
Aroclor-1016 (PCB-1016)	25.0	50.0	ND				
Aroclor-1221 (PCB-1221)	25.0	50.0	ND				
Aroclor-1232 (PCB-1232)	25.0	50.0	ND				
Aroclor-1242 (PCB-1242)	25.0	50.0	ND				
Aroclor-1248 (PCB-1248)	25.0	50.0	44.5J				
Aroclor-1254 (PCB-1254)	25.0	50.0	ND				
Aroclor-1260 (PCB-1260)	25.0	50.0	ND				
Aroclor-1262 (PCB-1262)	25.0	50.0	ND				
Aroclor-1268 (PCB-1268)	25.0	50.0	ND				

Our Lab I.D.			**36896.08**				
Surrogates	**%Rec.Limit**		**% Rec.**				
Tetrachloro-m-xylene	30-150		111				

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 5
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
36896	03/27/2006	H&A

Method: (6010BSCAN), Arsenic by ICP

QUALITY CONTROL REPORT

QC Batch No: 041006 Sample Spiked: 36892.01 QC Prepared: 04/10/2006 QC Analyzed: 04/10/2006 Units: mg/Kg

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Arsenic	0.027	1.00	0.96	93	1.00	0.92	89	4.4	80-120	<15

QC Batch No: 041006 Sample Spiked: 36892.01 QC Prepared: 04/10/2006 QC Analyzed: 04/10/2006 Units: mg/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Arsenic	1.00	0.93	93	80-120						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 6
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
36896	03/27/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QUALITY CONTROL REPORT

QC Batch No: 040706 Sample Spiked: 040706 QC Prepared: 04/07/2006 QC Analyzed: 04/11/2006 Units: ug/Kg

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Aroclor-1260 (PCB-1260)	0.0	500.00	460.00	92	500.00	465.00	93	1.1	75-125	<20

QC Batch No: 040706 Sample Spiked: 040706 QC Prepared: 04/07/2006 QC Analyzed: 04/11/2006 Units: ug/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Aroclor-1260 (PCB-1260)	500.00	425.00	85	75-125						

American Environmental Testing Laboratory Inc.
2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

Data Qualifiers and Descriptors

Data Qualifier:

*:	In the QC section, sample results have been taken directly from the ICP reading. No preparation factor has been applied.
B:	Analyte was present in the Method Blank.
D:	Result is from a diluted analysis.
E:	Result is beyond calibration limits and is estimated.
H:	Analysis was performed over the allowed holding time due to circumstances which were beyond laboratory control.
J:	Analyte was detected . However, the analyte concentration is an estimated value, which is between the Method Detection Limit (MDL) and the Practical Quantitation Limit (PQL).
M:	Matrix spike recovery is outside control limits due to matrix interference. Laboratory Control Sample recovery was acceptable.
S6:	Surrogate recovery is outside control limits due to matrix interference.
S8:	The analysis of the sample required a dilution such that the surrogate concentration was diluted below the method acceptance criteria.
X:	Results represent LCS and LCSD data.

Definition:

%Limi:	Percent acceptable limits.
%REC:	Percent recovery.
Con.L:	Acceptable Control Limits
Conce:	Added concentration to the sample.
LCS:	Laboratory Control Sample
MDL:	Method Detection Limit is a statistically derived number which is specific for each instrument, each method, and each compound. It indicates a distinctively detectable quantity with 99% probability.
MS:	Matrix Spike
MS DU:	Matrix Spike Duplicate

American Environmental Testing Laboratory Inc.
2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

Data Qualifiers and Descriptors

ND: Analyte was not detected in the sample at or above MDL.

PQL: Practical Quantitation Limit or ML (Minimum Level as per RWQCB) is the minimum concentration that can be quantified with more than 99% confidence. Taking into account all aspects of the entire analytical instrumentation and practice.

Recov: Recovered concentration in the sample.

RPD: Relative Percent Difference

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

Ordered By

Haley & Aldrich
500 South Kraemer Blvd. Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attention: Tom Tatnall

Number of Pages	**3**
Date Received	**03/27/2006**
Date Reported	**04/14/2006**

Job Number	Order Date	Client
36917	04/07/2006	H&A

Project ID: 32486-006
Project Name: Delphi System Corp.
Site: 1201 N. Magnolia Avenue
Anaheim, CA 92801

Enclosed please find results of analyses of 2 soil samples which were analyzed as specified on the attached chain of custody. If there are any questions, please do not hesitate to call.

RECEIVED
APR 19 2006
Haley & Aldrich, Inc.

Checked By: _____ Approved By: _____

Cyrus Razmara, Ph.D.
Laboratory Director

HALEY & ALDRICH
500 S. Kraemer Blvd., Suite 370
Brea, CA 92821
(714) 985-3434 Fax (714) 985-3433

CHAIN OF CUSTODY FORM

1934

Job #~~36741~~ AA Job # 36917

Project Name/Address: Delphi - Anaheim

Project /PO Number: 32486-006

Project Manager: T. Tatnall

Phone Number:

Sampled by (signature): R. Higgs

Fax Number:

Analysis Required

Lab Name: AETL

Lab Address: (*) Added on 04/07/06 Normal TAT due on 04/14/06

Sample Identification	Lab ID No.	Sample Matrix	Container Type	# of Cont.	Sampling Date	Sampling Time	Preservatives	6010B Arsenic	Hold	VOCs 8260B	TO-15	PCB (8082)				Special Instructions
DP0103A_SS_000_01		S	Sleeve	1	3/27/06	1255		X				(*)	36917.01			~~36741.01~~ AA
_001_01						1256			X			(*)				36741.02
_002_01						1257			X			(*)				36741.03
_003_01						1258			X			(*)				36741.04
DP0103B_SS_000_01						1315		X				(*)	36917.02			~~36741.05~~ AA
001_01						1316			X			(*)				36741.06
002_01						1317			X			(*)				36741.07
003_01						1318			X			(*)				36741.08
DP0103C_SS_000_01						1345		X								36741.09
001_01						1346			X							36741.10
002_01						1347			X							36741.11
003_01						1348			X							36741.12
DP0143D_SG_015_01		SG	summa			1400				~~X~~	X					36741.13
DP0160_SS_002_01		S	~~summa~~ VOA	4		1420				X						36741.14
001_01		S	VOA	4		1430				X						36741.15

Relinquished By:	Date/Time:	Received By:	Date/Time:	Turnaround Time (Check)
R. Higgs	3/27/06 1608	[signature]	3/27/06 1608	24 Hours ___ 5 Days ✓
Relinquished By:	Date/Time:	Received By:	Date/Time:	48 Hours ___ 10 Days ___
				72 Hours ___ Other ___
Relinquished By: Carlos G.	Date/Time: 3/27/06 1812	Received in Lab By: [signature]	Date/Time: 3/27/06 1812	Sample Integrity (Check): On Ice ___ Intact ___

Cyrus Razmara

From: Hoggan, Kelly [KHoggan@haleyaldrich.com]
Sent: Friday, April 07, 2006 3:28 PM
To: Cyrus Razmara
Cc: Tatnall, Thomas

Cyrus,

Can you run 8082 PCBs on the following samples from job # 36741 with normal TOT.

DP0103A_SS_000_01
DP0103B_SS_000_01

Thanks,

Kelly Hoggan
Geologist
Haley Aldrich, Inc.
500 S. Kraemer Blvd., Suite 370
Brea, CA 92821-6723
Direct Line: 714.984.2104
Cell: 714.709.3072
Office: 714.985.3434
Fax: 714.985.3433
KHoggan@HaleyAldrich.com
www.HaleyAldrich.com

NOTICE

The information contained in this communication is confidential and privileged proprietary information intended only for the individual or entity to whom it is addressed. Any unauthorized use, distribution, copying or disclosure of this communication is prohibited. If you have received this communication in error, please contact the sender immediately.

TABLE
Summary of Soil Analytical Results for Polychlorinated Biphenyls (PCBs) by GC
1201 N. Magnolia Avenue Anaheim, CA 92801

Polychlorinated Biphenyls (PCBs) by GC. Method: (8082)

Sample ID	Units	DP0103A-SS-000-01	DP0103B-SS-000-01
Sample Date		3/27/2006	3/27/2006
Laboratory Job Number		36917	36917
Aroclor-1016 (PCB-1016)	ug/Kg	ND<25.0	ND<25.0
Aroclor-1221 (PCB-1221)	ug/Kg	ND<25.0	ND<25.0
Aroclor-1232 (PCB-1232)	ug/Kg	ND<25.0	ND<25.0
Aroclor-1242 (PCB-1242)	ug/Kg	ND<25.0	ND<25.0
Aroclor-1248 (PCB-1248)	ug/Kg	**2,370**	**1,430**
Aroclor-1254 (PCB-1254)	ug/Kg	ND<25.0	ND<25.0
Aroclor-1260 (PCB-1260)	ug/Kg	ND<25.0	ND<25.0
Aroclor-1262 (PCB-1262)	ug/Kg	ND<25.0	ND<25.0
Aroclor-1268 (PCB-1268)	ug/Kg	ND<25.0	ND<25.0

1) "ND<X" INDICATES CONSTITUENT(S) NOT DETECTED AT OR ABOVE METHOD DETECTION LIMIT.
2) "J" INDICATES ANALYTE WAS DETECTED. HOWEVER, ANALYTE CONCENTRATION IS AN ESTIMATED VALUE WHICH IS BETWEEN THE METHOD DETECTION LIMIT (MDL) AND THE PRACTICAL QUANTITATION LIMIT(PQL).
3) "D" INDICATES THE SAMPLE WAS DILUTED TO BRING THE ANALYTE CONCENTRATION WITHIN CALIBRATION RANGE.

File: SO_8082.xls

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Telephone: (714)985-3434
Attn: Tom Tatnall

Page: 2

Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
36917	03/27/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 040706

Our Lab I.D.			Method Blank	**36917.01**	**36917.02**		
Client Sample I.D.				DP0103A-SS-000-01	DP0103B-SS-000-01		
Date Sampled				03/27/2006	03/27/2006		
Date Prepared			04/07/2006	04/07/2006	04/07/2006		
Preparation Method			3550B	3550B	3550B		
Date Analyzed			04/11/2006	04/11/2006	04/11/2006		
Matrix			Soil	Soil	Soil		
Units			ug/Kg	ug/Kg	ug/Kg		
Dilution Factor			1	1	1		
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**		
Aroclor-1016 (PCB-1016)	25.0	50.0	ND	ND	ND		
Aroclor-1221 (PCB-1221)	25.0	50.0	ND	ND	ND		
Aroclor-1232 (PCB-1232)	25.0	50.0	ND	ND	ND		
Aroclor-1242 (PCB-1242)	25.0	50.0	ND	ND	ND		
Aroclor-1248 (PCB-1248)	25.0	50.0	ND	2,370	1,430		
Aroclor-1254 (PCB-1254)	25.0	50.0	ND	ND	ND		
Aroclor-1260 (PCB-1260)	25.0	50.0	ND	ND	ND		
Aroclor-1262 (PCB-1262)	25.0	50.0	ND	ND	ND		
Aroclor-1268 (PCB-1268)	25.0	50.0	ND	ND	ND		
Our Lab I.D.			Method Blank	**36917.01**	**36917.02**		
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**	**% Rec.**		
Tetrachloro-m-xylene	30-150		90	102	100		

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 3
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
36917	03/27/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QUALITY CONTROL REPORT

QC Batch No: 040706 Sample Spiked: 040706 QC Prepared: 04/07/2006 QC Analyzed: 04/11/2006 Units: ug/Kg

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Aroclor-1260 (PCB-1260)	0.0	500.00	460.00	92	500.00	465.00	93	1.1	75-125	<20

QC Batch No: 040706 Sample Spiked: 040706 QC Prepared: 04/07/2006 QC Analyzed: 04/11/2006 Units: ug/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Aroclor-1260 (PCB-1260)	500.00	425.00	85	75-125						

American Environmental Testing Laboratory Inc.
2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

Data Qualifiers and Descriptors

Data Qualifier:

*:	In the QC section, sample results have been taken directly from the ICP reading. No preparation factor has been applied.
B:	Analyte was present in the Method Blank.
D:	Result is from a diluted analysis.
E:	Result is beyond calibration limits and is estimated.
H:	Analysis was performed over the allowed holding time due to circumstances which were beyond laboratory control.
J:	Analyte was detected . However, the analyte concentration is an estimated value, which is between the Method Detection Limit (MDL) and the Practical Quantitation Limit (PQL).
M:	Matrix spike recovery is outside control limits due to matrix interference. Laboratory Control Sample recovery was acceptable.
S6:	Surrogate recovery is outside control limits due to matrix interference.
S8:	The analysis of the sample required a dilution such that the surrogate concentration was diluted below the method acceptance criteria.
X:	Results represent LCS and LCSD data.

Definition:

%Limi:	Percent acceptable limits.
%REC:	Percent recovery.
Con.L:	Acceptable Control Limits
Conce:	Added concentration to the sample.
LCS:	Laboratory Control Sample
MDL:	Method Detection Limit is a statistically derived number which is specific for each instrument, each method, and each compound. It indicates a distinctively detectable quantity with 99% probability.
MS:	Matrix Spike
MS DU:	Matrix Spike Duplicate

American Environmental Testing Laboratory Inc.
2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

Data Qualifiers and Descriptors

ND: Analyte was not detected in the sample at or above MDL.

PQL: Practical Quantitation Limit or ML (Minimum Level as per RWQCB) is the minimum concentration that can be quantified with more than 99% confidence. Taking into account all aspects of the entire analytical instrumentation and practice.

Recov: Recovered concentration in the sample.

RPD: Relative Percent Difference