American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: **24**
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37092	04/20/2006	H&A

Method: 6010BSCAN, 3 Metals(As,Pb,Sb)

QC Batch No: 042406

Our Lab I.D.			Method Blank	**37092.18**			
Client Sample I.D.				EB-042006			
Date Sampled				04/20/2006			
Date Prepared			04/24/2006	04/24/2006			
Preparation Method			3005A	3005A			
Date Analyzed			04/25/2006	04/25/2006			
Matrix			Aqueous	Aqueous			
Units			mg/L	mg/L			
Dilution Factor			1	1			
Analytes	**MDL**	**PQL**	**Results**	**Results**			
Antimony	0.05	0.10	ND	ND			
Arsenic	0.05	0.10	ND	ND			
Lead	0.03	0.10	ND	ND			

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 25
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37092	04/20/2006	H&A

Method: 6010BSCAN, 3 Metals(As,Pb,Sb)

QUALITY CONTROL REPORT

QC Batch No: 042406 Sample Spiked: 37095.01 QC Prepared: 04/24/2006 QC Analyzed: 04/25/2006 Units: mg/L

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Antimony	0.013	1.00	1.00	99	1.00	1.02	101	2.0	80-120	<15
Arsenic	ND	1.00	1.10	110	1.00	1.11	111	<1	80-120	<15
Lead	0.004	1.00	1.06	106	1.00	1.05	105	<1	80-120	<15

QC Batch No: 042406 Sample Spiked: 37095.01 QC Prepared: 04/24/2006 QC Analyzed: 04/25/2006 Units: mg/L

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Antimony	1.00	0.90	90	80-120						
Arsenic	1.00	1.04	104	80-120						
Lead	1.00	1.01	101	80-120						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 26
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37092	04/20/2006	H&A

Method: 8082, Polychlorinated Biphenyls (PCBs) by GC

QUALITY CONTROL REPORT

QC Batch No: 042106 Sample Spiked: 042106 QC Prepared: 04/21/2006 QC Analyzed: 04/24/2006 Units: ug/L

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Aroclor-1260 (PCB-1260)	0.0	2.50	2.43	97	2.50	2.35	94	3.1	75-125	<20

QC Batch No: 042106 Sample Spiked: 042106 QC Prepared: 04/21/2006 QC Analyzed: 04/24/2006 Units: ug/L

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Aroclor-1260 (PCB-1260)	2.50	2.53	101	75-125						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: **27**
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37092	04/20/2006	H&A

Method: 8260B, Volatile Organic Compounds by GC/MS (SW846)

QUALITY CONTROL REPORT

QC Batch No: 042106 Sample Spiked: 042106 QC Prepared: 04/21/2006 QC Analyzed: 04/21/2006 Units: ug/L

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Benzene	0.0	50.00	52.00	104	50.00	55.50	111	6.5	75-125	<20
Chlorobenzene	0.0	50.00	47.00	94	50.00	49.00	98	4.2	75-125	<20
1,1-Dichloroethene	0.0	50.00	54.00	108	50.00	55.50	111	2.7	75-125	<20
Methyl-tert-butyl ether (MTBE)	0.0	50.00	53.50	107	50.00	56.50	113	5.5	75-125	<20
Toluene (Methyl benzene)	0.0	50.00	47.50	95	50.00	48.50	97	2.1	75-125	<20
Trichloroethene	0.0	50.00	53.50	107	50.00	54.00	108	<1	75-125	<20

QC Batch No: 042106 Sample Spiked: 042106 QC Prepared: 04/21/2006 QC Analyzed: 04/21/2006 Units: ug/L

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Benzene	50.00	52.00	104	75-125						
Chlorobenzene	50.00	47.50	95	75-125						
1,1-Dichloroethene	50.00	52.50	105	75-125						
Methyl-tert-butyl ether (MTBE)	50.00	55.00	110	75-125						
Toluene (Methyl benzene)	50.00	47.50	95	75-125						
Trichloroethene	50.00	55.00	110	75-125						
LCS										
Chloroform (Trichloromethane)	50.00	54.00	108	75-125						
Ethylbenzene	50.00	47.50	95	75-125						
1,1,1-Trichloroethane	50.00	51.00	102	75-125						
o-Xylene	50.00	47.50	95	75-125						
m,p-Xylenes	100.00	95.00	95	75-125						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: **28**
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37092	04/20/2006	H&A

Method: 8270C, Semivolatile Organic Compounds by GC/MS (SW-846)

QUALITY CONTROL REPORT

QC Batch No: 042406 Sample Spiked: 042406 QC Prepared: 04/24/2006 QC Analyzed: 04/26/2006 Units: ug/L

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Acenaphthene	0.0	100.00	88.00	88	100.00	89.00	89	1.1	46-118	<20
4-Chloro-3-methylphenol	0.0	200.00	180.00	90	200.00	180.00	90	<1	39-98	<20
2-Chlorophenol	0.0	200.00	170.00	85	200.00	172.00	86	1.2	27-123	<20
1,4-Dichlorobenzene	0.0	100.00	76.00	76	100.00	80.00	80	5.1	36-97	<20
2,4-Dinitrotoluene	0.0	100.00	85.00	85	100.00	85.00	85	<1	24-96	<20
N-Nitroso-Di-n-propylamine	0.0	100.00	85.00	85	100.00	85.00	85	<1	41-116	<20
4-Nitrophenol	0.0	200.00	92.00	46	200.00	94.00	47	2.2	10-80	<20
Pentachlorophenol	0.0	200.00	172.00	86	200.00	170.00	85	1.2	40-125	<20
Phenol	0.0	200.00	82.00	41	200.00	96.00	48	15.7	12-98	<20
Pyrene	0.0	100.00	119.00	119	100.00	108.00	108	9.7	26-127	<20
1,2,4-Trichlorobenzene	0.0	100.00	80.00	80	100.00	82.00	82	2.5	39-98	<20

QC Batch No: 042406 Sample Spiked: 042406 QC Prepared: 04/24/2006 QC Analyzed: 04/26/2006 Units: ug/L

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Acenaphthene	100.00	87.00	87	46-118						
4-Chloro-3-methylphenol	200.00	180.00	90	39-98						
2-Chlorophenol	200.00	168.00	84	27-123						
1,4-Dichlorobenzene	100.00	75.00	75	36-97						
2,4-Dinitrotoluene	100.00	86.00	86	24-96						
N-Nitroso-Di-n-propylamine	100.00	85.00	85	41-116						
4-Nitrophenol	200.00	96.00	48	10-80						
Pentachlorophenol	200.00	174.00	87	40-125						
Phenol	200.00	80.00	40	12-98						
Pyrene	100.00	127.00	127	26-127						
1,2,4-Trichlorobenzene	100.00	78.00	78	39-98						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 29
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37092	04/20/2006	H&A

Method: (6010BSCAN), As, Sb,and Pb Metals by ICP

QUALITY CONTROL REPORT

QC Batch No: 042406-1 Sample Spiked: 37092.05 QC Prepared: 04/24/2006 QC Analyzed: 04/24/2006 Units: mg/Kg

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Antimony	ND	1.00	0.83	83	1.00	0.82	82	1.2	80-120	<15
Arsenic	0.017	1.00	0.90	88	1.00	0.89	87	1.1	80-120	<15
Lead	0.117	1.00	1.02	90	1.00	1.01	89	1.1	80-120	<15

QC Batch No: 042406-1 Sample Spiked: 37092.05 QC Prepared: 04/24/2006 QC Analyzed: 04/24/2006 Units: mg/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Antimony	1.00	0.87	87	80-120						
Arsenic	1.00	0.90	90	80-120						
Lead	1.00	0.90	90	80-120						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 30
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37092	04/20/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QUALITY CONTROL REPORT

QC Batch No: 042106 Sample Spiked: 042106 QC Prepared: 04/21/2006 QC Analyzed: 04/21/2006 Units: ug/Kg

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Aroclor-1260 (PCB-1260)	0.0	500.00	440.00	88	500.00	430.00	86	2.3	75-125	<20

QC Batch No: 042106 Sample Spiked: 042106 QC Prepared: 04/21/2006 QC Analyzed: 04/21/2006 Units: ug/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Aroclor-1260 (PCB-1260)	500.00	420.00	84	75-125						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: **31**
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37092	04/20/2006	H&A

Method: (8260B), Volatile Organic Compounds by GC/MS (SW846)

QUALITY CONTROL REPORT

QC Batch No: 042106 Sample Spiked: 042106 QC Prepared: 04/21/2006 QC Analyzed: 04/21/2006 Units: ug/Kg

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Benzene	0.0	50.00	53.50	107	50.00	53.50	107	<1	75-125	<20
Chlorobenzene	0.0	50.00	60.50	121	50.00	60.00	120	<1	75-125	<20
1,1-Dichloroethene	0.0	50.00	48.50	97	50.00	46.00	92	5.3	75-125	<20
Methyl-tert-butyl ether (MTBE)	0.0	50.00	49.50	99	50.00	49.00	98	1.0	75-125	<20
Toluene (Methyl benzene)	0.0	50.00	59.00	118	50.00	58.00	116	1.7	75-125	<20
Trichloroethene	0.0	50.00	59.00	118	50.00	59.50	119	<1	75-125	<20

QC Batch No: 042106 Sample Spiked: 042106 QC Prepared: 04/21/2006 QC Analyzed: 04/21/2006 Units: ug/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Benzene	50.00	57.00	114	75-125						
Chlorobenzene	50.00	61.50	123	75-125						
1,1-Dichloroethene	50.00	46.50	93	75-125						
Methyl-tert-butyl ether (MTBE)	50.00	49.50	99	75-125						
Toluene (Methyl benzene)	50.00	60.00	120	75-125						
Trichloroethene	50.00	61.50	123	75-125						
LCS										
Chloroform (Trichloromethane)	50.00	50.00	100	75-125						
Ethylbenzene	50.00	55.50	111	75-125						
1,1,1-Trichloroethane	50.00	56.00	112	75-125						
o-Xylene	50.00	60.00	120	75-125						
m,p-Xylenes	100.00	117.00	117	75-125						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 32
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37092	04/20/2006	H&A

Method: (8270C), Semivolatile Organic Compounds by GC/MS (SW-846)

QUALITY CONTROL REPORT

QC Batch No: 042106 Sample Spiked: 37092.05 QC Prepared: 04/21/2006 QC Analyzed: 04/21/2006 Units: mg/Kg

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Acenaphthene	0.0	100.00	81.00	81	100.00	79.00	79	2.5	46-118	<20
4-Chloro-3-methylphenol	0.0	200.00	160.00	80	200.00	156.00	78	2.5	39-98	<20
2-Chlorophenol	0.0	200.00	142.00	71	200.00	142.00	71	<1	27-123	<20
1,4-Dichlorobenzene	0.0	100.00	72.00	72	100.00	72.00	72	<1	36-97	<20
2,4-Dinitrotoluene	0.0	100.00	68.00	68	100.00	65.00	65	4.5	24-96	<20
N-Nitroso-Di-n-propylamine	0.0	100.00	79.00	79	100.00	76.00	76	3.9	41-116	<20
4-Nitrophenol	0.0	200.00	124.00	62	200.00	116.00	58	6.7	10-80	<20
Pentachlorophenol	0.0	200.00	128.00	64	200.00	118.00	59	8.1	40-125	<20
Phenol	0.0	200.00	138.00	69	200.00	136.00	68	1.5	12-89	<20
Pyrene	0.0	100.00	87.00	87	100.00	85.00	85	2.3	26-127	<20
1,2,4-Trichlorobenzene	0.0	100.00	77.00	77	100.00	76.00	76	1.3	39-98	<20

QC Batch No: 042106 Sample Spiked: 37092.05 QC Prepared: 04/21/2006 QC Analyzed: 04/21/2006 Units: mg/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Acenaphthene	100.00	85.00	85	31-137						
4-Chloro-3-methylphenol	200.00	170.00	85	40-99						
2-Chlorophenol	200.00	148.00	74	25-102						
1,4-Dichlorobenzene	100.00	75.00	75	28-104						
2,4-Dinitrotoluene	100.00	75.00	75	28-89						
N-Nitroso-Di-n-propylamine	100.00	81.00	81	41-126						
4-Nitrophenol	200.00	130.00	65	11-114						
Pentachlorophenol	200.00	118.00	59	17-125						
Phenol	200.00	144.00	72	26-90						
Pyrene	100.00	90.00	90	35-142						
1,2,4-Trichlorobenzene	100.00	81.00	81	38-107						

American Environmental Testing Laboratory Inc.
2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

Data Qualifiers and Descriptors

Data Qualifier:

*:	In the QC section, sample results have been taken directly from the ICP reading. No preparation factor has been applied.
B:	Analyte was present in the Method Blank.
D:	Result is from a diluted analysis.
E:	Result is beyond calibration limits and is estimated.
H:	Analysis was performed over the allowed holding time due to circumstances which were beyond laboratory control.
J:	Analyte was detected . However, the analyte concentration is an estimated value, which is between the Method Detection Limit (MDL) and the Practical Quantitation Limit (PQL).
M:	Matrix spike recovery is outside control limits due to matrix interference. Laboratory Control Sample recovery was acceptable.
S6:	Surrogate recovery is outside control limits due to matrix interference.
S8:	The analysis of the sample required a dilution such that the surrogate concentration was diluted below the method acceptance criteria.
X:	Results represent LCS and LCSD data.

Definition:

%Limi:	Percent acceptable limits.
%REC:	Percent recovery.
Con.L:	Acceptable Control Limits
Conce:	Added concentration to the sample.
LCS:	Laboratory Control Sample
MDL:	Method Detection Limit is a statistically derived number which is specific for each instrument, each method, and each compound. It indicates a distinctively detectable quantity with 99% probability.
MS:	Matrix Spike
MS DU:	Matrix Spike Duplicate

American Environmental Testing Laboratory Inc.
2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

Data Qualifiers and Descriptors

ND: Analyte was not detected in the sample at or above MDL.

PQL: Practical Quantitation Limit or ML (Minimum Level as per RWQCB) is the minimum concentration that can be quantified with more than 99% confidence. Taking into account all aspects of the entire analytical instrumentation and practice.

Recov: Recovered concentration in the sample.

RPD: Relative Percent Difference

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

Ordered By

Haley & Aldrich
500 South Kraemer Blvd. Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attention: Tom Tatnall

Number of Pages 5
Date Received 04/10/2006
Date Reported 04/26/2006

Job Number	Order Date	Client
37127	04/21/2006	H&A

Project ID: 32486-006
Project Name: Delphi System Corp.
Site: 1201 E. Magnolia Avenue
Anaheim, CA 92801

Enclosed please find results of analyses of 4 soil samples which were analyzed as specified on the attached chain of custody. If there are any questions, please do not hesitate to call.

RECEIVED

MAY 0 4 2006

Haley & Aldrich, Inc.

Checked By: ___ Approved By: _

Cyrus Razmara, Ph.D.
Laboratory Director

TABLE
Summary of Soil Analytical Results for Polychlorinated Biphenyls (PCBs) by GC
1201 E. Magnolia Avenue Anaheim, CA 92801

Polychlorinated Biphenyls (PCBs) by GC. Method: (8082)

Sample ID	Units	DP0158-SS-004-01	DP0159-SS-004-01	DP0254-SS-003-01	DP0255-SS-003-01
Sample Date		4/10/2006	4/10/2006	4/11/2006	4/11/2006
Laboratory Job Number		37127	37127	37127	37127
Aroclor-1016 (PCB-1016)	ug/Kg	ND<1000	ND<25.0	ND<25.0	ND<25.0
Aroclor-1221 (PCB-1221)	ug/Kg	ND<1000	ND<25.0	ND<25.0	ND<25.0
Aroclor-1232 (PCB-1232)	ug/Kg	ND<1000	ND<25.0	ND<25.0	ND<25.0
Aroclor-1242 (PCB-1242)	ug/Kg	ND<1000	ND<25.0	ND<25.0	ND<25.0
Aroclor-1248 (PCB-1248)	ug/Kg	**28,100**	**198**	ND<25.0	**214**
Aroclor-1254 (PCB-1254)	ug/Kg	ND<1000	ND<25.0	ND<25.0	ND<25.0
Aroclor-1260 (PCB-1260)	ug/Kg	ND<1000	ND<25.0	ND<25.0	ND<25.0
Aroclor-1262 (PCB-1262)	ug/Kg	ND<1000	ND<25.0	ND<25.0	ND<25.0
Aroclor-1268 (PCB-1268)	ug/Kg	ND<1000	ND<25.0	ND<25.0	ND<25.0

1) "ND<X" INDICATES CONSTITUENT(S) NOT DETECTED AT OR ABOVE METHOD DETECTION LIMIT.
2) "J" INDICATES ANALYTE WAS DETECTED. HOWEVER, ANALYTE CONCENTRATION IS AN ESTIMATED VALUE WHICH IS BETWEEN THE METHOD DETECTION LIMIT (MDL) AND THE PRACTICAL QUANTITATION LIMIT(PQL).
3) "D" INDICATES THE SAMPLE WAS DILUTED TO BRING THE ANALYTE CONCENTRATION WITHIN CALIBRATION RANGE.

File: SO_8082.xls

Cyrus Razmara

From: Tatnall, Thomas [TTatnall@haleyaldrich.com]
Sent: Friday, April 21, 2006 11:33 AM
To: Cyrus Razmara
Cc: Hoggan, Kelly; Kessel, Lowell
Subject: Delphi Additional Analyses

Cyrus,

Please run the following Delphi samples for PCBs 8082 expedited 72 hr. TOT

DP0158_SS_004_01 collected 4/10/06
DP0159_SS_004_01 collected 4/10/06
DP0254_SS_003_01 collected 4/11/06
DP0255_SS_003_01 collected 4/11/06

Thomas S. Tatnall, C.E.G, R.E.A
Project Manager
Haley and Aldrich, Inc.
500 S. Kraemer Blvd., Suite 370
Brea, CA 92821-6723

Direct 714. 984. 2105
Office 714. 985. 3434
Fax 714. 985. 3433
Cell 714. 709. 3722
TTatnall@HaleyAldrich.com
HaleyAldrich.com

NOTICE

The information contained in this communication is confidential and privileged proprietary information intended only for the individual or entity to whom it is addressed. Any unauthorized use, distribution, copying or disclosure of this communication is prohibited. If you have received this communication in error, please contact the sender immediately.

HALEY & ALDRICH
500 S. Kraemer Blvd., Suite 370
Brea, CA 92821
(714) 985-3434 Fax (714) 985-3433

CHAIN OF CUSTODY FORM

2432

~~Job#36935~~ 37127

Project Name/Address: Delphi-Anaheim 1201 N. Magnolia

Project /PO Number: 32486-006

Project Manager: T Tatnall

Phone Number:

Sampled by (signature): K. Hogg

Fax Number:

Lab Name: AETL

Lab Address: *-Added 4/21 3 DAY Rush

Sample Identification	Lab ID No.	Sample Matrix	Container Type	# of Cont.	Sampling Date	Sampling Time	Preservatives	6010B (As, Sb, Pb)	8082 PCBs	8260B VOCs	8270C SVOCs	TPH				Special Instructions
DP0159_SS_002_01		S	Screw VOA	4	4/10/06	1447						X				36935.01
003_01						1448						X				36935.02
004_01						1449			*			X	37127.01			~~36935.03~~
DP0158_SS_000_01						1500		X	X	X	X					36935.04
001_01						1501		X	X	X	X					36935.05
002_01						1502						X				36935.06
003_01						1503						X				36935.07
004_01						1504			*			X	37127.02			~~36935.08~~
DP0157_SS_000_01						1520		X	X	X	X					36935.09
DP0157_SS_001_01						1521		X	X	X	X					36935.10
002_01						1522						X				36935.11
003_01						1523						X				36935.12
004_01						1524						X				36935.13
DP0156_SS_000_01						1528		X	X	X	X					36935.14
001_01						1529		X	X	X	X					36935.15

Relinquished By:	Date/Time:	Received By:	Date/Time:
Glenn Andrews	4-10-06 1630	[illegible]	04/10/06 1630
Relinquished By:	Date/Time:	Received By:	Date/Time:
Relinquished By: [illegible]	Date/Time: 04/10/06 1750	Received in Lab By: [illegible]	Date/Time: 04/10/06 1750

Turnaround Time (Check): 24 Hours ___ 5 Days ✓ 48 Hours ___ 10 Days ___ 72 Hours ___ Other ___

Sample Integrity (Check): On Ice ___ Intact ___

HALLEY & ALDRICH

500 S. Kraemer Blvd., Suite 370
Brea, CA 92821
(714) 985-3434 Fax (714) 985-3433

CHAIN OF CUSTODY FORM

Job # ~~36967~~ 37127

2439

Project Name/Address: Delphi – Anaheim

Project /PO Number: 32486-006

Project Manager: T. Tathall

Phone Number:

Sampled by (signature): K. Hogg

Fax Number:

Lab Name: AETL

Lab Address:

*-Added 4/21 3 DAY RUSH

Analysis Required

Sample Identification	Lab ID No.	Sample Matrix	Container Type	# of Cont.	Sampling Date	Sampling Time	Preservatives	8082 PCBs	Hold							Special Instructions
DP0252_SS_000_01		S	Sleeve	1	4-11-06	1640		X								36967.01
001_01						1641		X								36967.02
002_01						1642			X							36967.03
003_01						1643			X							36967.04
DP0258_SS_000_01						1650		X								36967.05
001_01						1651		X								36967.06
002_01						1653			X							36967.07
003_01						1654			X							36967.08
001_02						1652		X								36967.09
DP0254_SS_000_01						1655		X								36967.10
001_01						1656		X	~~DEL~~							36967.11
002_01						1657			X							36967.12
003_01						1658		*	~~X~~			37127.03				~~36967.13~~
DP0255_SS_000_01						1705		X								36967.14
001_01						1706		X								36967.15

Relinquished By:	Date/Time:	Received By:	Date/Time:
K. Hogg	1615 4-12-06	[illegible]	4/12/06 1615
Relinquished By:	Date/Time:	Received By:	Date/Time:
Relinquished By: [illegible]	Date/Time: 4/12/06 1755	Received in Lab By: [illegible]	Date/Time: 04/12/06 17:55

Turnaround Time (Check)
24 Hours ___ 5 Days ✓ KH
48 Hours ✓ 10 Days ___
72 Hours ___ Other ___

Sample Integrity (Check):
On Ice ___ Intact ___

HALEY & ALDRICH
500 S. Kraemer Blvd., Suite 370
Brea, CA 92821
(714) 985-3434 Fax (714) 985-3433

CHAIN OF CUSTODY FORM

Job# ~~36967~~ 37127

2440

Project Name/Address: Delphi Anaheim

Project /PO Number: 32486-006

Project Manager: T. Tathall

Phone Number:

Sampled by (signature):

Fax Number:

Lab Name: AETL

Lab Address: *Added 4/21 3DAY Rush.

Analysis Required

Sample Identification	Lab ID No.	Sample Matrix	Container Type	# of Cont.	Sampling Date	Sampling Time	Preservatives	8082 PCBs	8260B VOCs	Hold						Special Instructions
DP0255-SS-002-01		S	Sleeve	1	4-11-06	1707				X						36967.16
003-01						1708		*		~~X~~		37127.04				~~36967.17~~
DP0256-SS-000-01						1710		X								36967.18
001-01						1711		X								36967.19
002-01						1712				X						36967.20
003-01						1713				X						36967.21
DP0167-SS-000-01			Sleeve VOA	1 4	4-12-06	755			X							36967.22
001-01			Sleeve VOA	4		757			X							36967.23
007-01			VOA	4		800			X							36967.24
015-01			VOA	4		815			X							36967.25
023-01			VOA	4		840			X							36967.26
DP0170-SS-~~002-01~~ 002-01 KH			Sleeve VOA	1 4		850			X							36967.27
007-01			VOA	4		900			X							36967.28
015-01			VOA	4		915			X							36967.29
022-01			VOA	4		930			X							36967.30

Relinquished By:	Date/Time:	Received By:	Date/Time:
	4-12-06 1615		4/12/06 1615
Relinquished By:	Date/Time:	Received By:	Date/Time:
Relinquished By:	Date/Time:	Received in Lab By:	Date/Time:
	4/12/06 1755		04/12/06 17:55

Turnaround Time (Check)
24 Hours ___ 5 Days ✓ KH
48 Hours ✓ 10 Days ___
72 Hours ___ Other ___

Sample Integrity (Check):
On Ice ___ Intact ___

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Site

1201 E. Magnolia Avenue
Anaheim, CA 92801

Telephone: (714)985-3434
Attn: Tom Tatnall

Page: 2

Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37127	04/10/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 042506

Our Lab I.D.			Method Blank	**37127.01**			
Client Sample I.D.				DP0159-SS-0 04-01			
Date Sampled				04/10/2006			
Date Prepared			04/25/2006	04/25/2006			
Preparation Method			3550B	3550B			
Date Analyzed			04/26/2006	04/26/2006			
Matrix			Soil	Soil			
Units			ug/Kg	ug/Kg			
Dilution Factor			1	1			
Analytes	**MDL**	**PQL**	**Results**	**Results**			
Aroclor-1016 (PCB-1016)	25.0	50.0	ND	ND			
Aroclor-1221 (PCB-1221)	25.0	50.0	ND	ND			
Aroclor-1232 (PCB-1232)	25.0	50.0	ND	ND			
Aroclor-1242 (PCB-1242)	25.0	50.0	ND	ND			
Aroclor-1248 (PCB-1248)	25.0	50.0	ND	198			
Aroclor-1254 (PCB-1254)	25.0	50.0	ND	ND			
Aroclor-1260 (PCB-1260)	25.0	50.0	ND	ND			
Aroclor-1262 (PCB-1262)	25.0	50.0	ND	ND			
Aroclor-1268 (PCB-1268)	25.0	50.0	ND	ND			
Our Lab I.D.			Method Blank	**37127.01**			
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**			
Tetrachloro-m-xylene	30-150		89	114			

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Site

1201 E. Magnolia Avenue
Anaheim, CA 92801

Telephone: (714)985-3434
Attn: Tom Tatnall

Page: 3

Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37127	04/10/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 042506

Our Lab I.D.			37127.02				
Client Sample I.D.			DP0158-SS-0 04-01				
Date Sampled			04/10/2006				
Date Prepared			04/25/2006				
Preparation Method			3550B				
Date Analyzed			04/26/2006				
Matrix			Soil				
Units			ug/Kg				
Dilution Factor			40				
Analytes	**MDL**	**PQL**	**Results**				
Aroclor-1016 (PCB-1016)	1000	2000	ND				
Aroclor-1221 (PCB-1221)	1000	2000	ND				
Aroclor-1232 (PCB-1232)	1000	2000	ND				
Aroclor-1242 (PCB-1242)	1000	2000	ND				
Aroclor-1248 (PCB-1248)	1000	2000	28,100				
Aroclor-1254 (PCB-1254)	1000	2000	ND				
Aroclor-1260 (PCB-1260)	1000	2000	ND				
Aroclor-1262 (PCB-1262)	1000	2000	ND				
Aroclor-1268 (PCB-1268)	1000	2000	ND				
Our Lab I.D.			**37127.02**				
Surrogates	**%Rec.Limit**		**% Rec.**				
Tetrachloro-m-xylene	30-150		87				

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Site

1201 E. Magnolia Avenue
Anaheim, CA 92801

Telephone: (714)985-3434
Attn: Tom Tatnall

Page: **4**

Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37127	04/10/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 042506

Our Lab I.D.			**37127.03**	**37127.04**			
Client Sample I.D.			DP0254-SS-0 03-01	DP0255-SS-0 03-01			
Date Sampled			04/11/2006	04/11/2006			
Date Prepared			04/25/2006	04/25/2006			
Preparation Method			3550B	3550B			
Date Analyzed			04/26/2006	04/26/2006			
Matrix			Soil	Soil			
Units			ug/Kg	ug/Kg			
Dilution Factor			1	1			
Analytes	**MDL**	**PQL**	**Results**	**Results**			
Aroclor-1016 (PCB-1016)	25.0	50.0	ND	ND			
Aroclor-1221 (PCB-1221)	25.0	50.0	ND	ND			
Aroclor-1232 (PCB-1232)	25.0	50.0	ND	ND			
Aroclor-1242 (PCB-1242)	25.0	50.0	ND	ND			
Aroclor-1248 (PCB-1248)	25.0	50.0	ND	214			
Aroclor-1254 (PCB-1254)	25.0	50.0	ND	ND			
Aroclor-1260 (PCB-1260)	25.0	50.0	ND	ND			
Aroclor-1262 (PCB-1262)	25.0	50.0	ND	ND			
Aroclor-1268 (PCB-1268)	25.0	50.0	ND	ND			
Our Lab I.D.			**37127.03**	**37127.04**			
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**			
Tetrachloro-m-xylene	30-150		138	144			

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 E. Magnolia Avenue
Anaheim, CA 92801

Page: 5
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37127	04/10/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QUALITY CONTROL REPORT

QC Batch No: 042506 Sample Spiked: 042506 QC Prepared: 04/25/2006 QC Analyzed: 04/26/2006 Units: ug/Kg

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Aroclor-1260 (PCB-1260)	0.0	500.00	435.00	87	500.00	430.00	86	1.2	50-150	<50

QC Batch No: 042506 Sample Spiked: 042506 QC Prepared: 04/25/2006 QC Analyzed: 04/26/2006 Units: ug/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Aroclor-1260 (PCB-1260)	500.00	445.00	89	50-150						

American Environmental Testing Laboratory Inc.
2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

Data Qualifiers and Descriptors

Data Qualifier:

*:	In the QC section, sample results have been taken directly from the ICP reading. No preparation factor has been applied.
B:	Analyte was present in the Method Blank.
D:	Result is from a diluted analysis.
E:	Result is beyond calibration limits and is estimated.
H:	Analysis was performed over the allowed holding time due to circumstances which were beyond laboratory control.
J:	Analyte was detected . However, the analyte concentration is an estimated value, which is between the Method Detection Limit (MDL) and the Practical Quantitation Limit (PQL).
M:	Matrix spike recovery is outside control limits due to matrix interference. Laboratory Control Sample recovery was acceptable.
S6:	Surrogate recovery is outside control limits due to matrix interference.
S8:	The analysis of the sample required a dilution such that the surrogate concentration was diluted below the method acceptance criteria.
X:	Results represent LCS and LCSD data.

Definition:

%Limi:	Percent acceptable limits.
%REC:	Percent recovery.
Con.L:	Acceptable Control Limits
Conce:	Added concentration to the sample.
LCS:	Laboratory Control Sample
MDL:	Method Detection Limit is a statistically derived number which is specific for each instrument, each method, and each compound. It indicates a distinctively detectable quantity with 99% probability.
MS:	Matrix Spike
MS DU:	Matrix Spike Duplicate

American Environmental Testing Laboratory Inc.
2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

Data Qualifiers and Descriptors

ND: Analyte was not detected in the sample at or above MDL.

PQL: Practical Quantitation Limit or ML (Minimum Level as per RWQCB) is the minimum concentration that can be quantified with more than 99% confidence. Taking into account all aspects of the entire analytical instrumentation and practice.

Recov: Recovered concentration in the sample.

RPD: Relative Percent Difference

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

RECEIVED
MAY 15 2006
Haley & Aldrich, Inc.

Ordered By

Haley & Aldrich
500 South Kraemer Blvd. Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attention: Tom Tatnall

Number of Pages 2
Date Received 04/10/2006
Date Reported 05/03/2006

Job Number	Order Date	Client
37132	04/25/2006	H&A

Project ID: 32486-006
Project Name: Delphi System Corp.
Site: 1201 N. Magnolia Avenue
Anaheim, CA 92801

Enclosed please find results of analyses of 3 soil samples which were analyzed as specified on the attached chain of custody. If there are any questions, please do not hesitate to call.

Checked By: _____ Approved By:

Cyrus Razmara, Ph.D.
Laboratory Director

HALEY & ALDRICH
500 S. Kraemer Blvd., Suite 370
Brea, CA 92821
(714) 985-3434 Fax (714) 985-3433

CHAIN OF CUSTODY FORM

2432

Job# ~~36935~~ 37132

Project Name/Address: Delphi - Anaheim 1201 N. Magnolia

Project /PO Number: 32486-006

Project Manager: T Tatnall

Phone Number:

Sampled by (signature): K. Hogg

Fax Number:

Analysis Required

Lab Name: AETL

Lab Address: * Added 4/25 Normal

Sample Identification	Lab ID No.	Sample Matrix	Container Type	# of Cont.	Sampling Date	Sampling Time	Preservatives	8010B (8260)	8082 PCBs	8260B VOCs	8270C SVOCs	Hold				Special Instructions
DP0159_SS_002_01		S	8oz VOA	1	4/10/06	1447						X				36935.01
003_01						1448						X				36935.02
004_01						1449						X				36935.03
DP0158_SS_000_01						1500		X	X	X	X					36935.04
001_01						1501		X	X	X	X					36935.05
002_01						1502						X				36935.06
003_01	37132.01					1503		*				~~X~~ *				~~36935.07~~ AA
004_01						1504						X				36935.08
DP0157_SS_000_01						1520		X	X	X	X					36935.09
DP0157_SS_001_01						1521		X	X	X	X					36935.10
002_01						1522						X				36935.11
003_01						1523						X				36935.12
004_01						1524						X				36935.13
DP0156_SS_000_01						1528		X	X	X	X					36935.14
001_01						1529		X	X	X	X					36935.15

Relinquished By: Glen Andrews	Date/Time: 4-10-06 1630	Received By:	Date/Time: 04/10/06 1630
Relinquished By:	Date/Time:	Received By:	Date/Time:
Relinquished By:	Date/Time: 04/10/06 1750	Received in Lab By:	Date/Time: 04/10/06 1750

Turnaround Time (Check): 24 Hours ___ 5 Days ✓ 48 Hours ___ 10 Days ___ 72 Hours ___ Other ___

Sample Integrity (Check): On Ice ___ Intact ___

HALEY & ALDRICH
500 S. Kraemer Blvd., Suite 370
Brea, CA 92821
(714) 985-3434 Fax (714) 985-3433

CHAIN OF CUSTODY FORM

2434

Job # ~~36935~~ 37132

Project Name/Address: Delphi - Anaheim

Project /PO Number: 32486-006

Project Manager: T. Tatnall

Phone Number:

Sampled by (signature):

Fax Number:

Analysis Required: 6010B (RCRA), 6010B (CAM), Hold, 8082, 8260B, 8270C

Lab Name: METL

Lab Address: *-Added 4/25 Normal

Sample Identification	Lab ID No.	Sample Matrix	Container Type	# of Cont.	Sampling Date	Sampling Time	Preservatives	6010B (RCRA)	6010B (CAM)	Hold	8082	8260B	8270C				Special Instructions
DP0156_SS_002_01		S	Sleeve VOA	4	4/10/06	1530				X							36935.16
003_01	37132.02					1531		*		~~X~~							~~36935.17~~
004_01						1532				X							36935.18
DP0180_SS_001_01			Sleeve	1		1541		X									36935.19
002_01						1542		X									36935.20
000_01						1540		X									36935.21
DP0177_SS_000_01						1545		X									36935.22
001_01						1546		X									36935.23
002_01						1547				X							36935.24
003_01	37132.03					1548		*		~~X~~							~~36935.25~~
EB_041006		W	Amber VOA Plastic	2 2 1		1600		X			X	X	X				36935.26
TB_041006		W	2 VOA			700						X					36935.27

Relinquished By:	Date/Time:	Received By:	Date/Time:	Turnaround Time (Check)
[signature]	4-10-06 1630	[signature]	04/10/06 1630	24 Hours ___ 5 Days ✓
Relinquished By:	Date/Time:	Received By:	Date/Time:	48 Hours ___ 10 Days ___
				72 Hours ___ Other ___
Relinquished By: [signature]	Date/Time: 04/10/06 1750	Received in Lab By: [signature]	Date/Time: 04/10/06 1750	Sample Integrity (Check): On Ice ___ Intact ___

Cyrus Razmara

From: Tatnall, Thomas [TTatnall@haleyaldrich.com]
Sent: Tuesday, April 25, 2006 8:56 AM
To: Cyrus Razmara
Cc: Hoggan, Kelly
Subject: RE: Delphi Additional Analyses

Cyrus, see dates below. Also note correction to analyses requested.

-----Original Message-----
From: Cyrus Razmara [mailto:cyrus@aetlab.com]
Sent: 24 April 2006 6:45 PM
To: Tatnall, Thomas
Subject: RE: Delphi Additional Analyses

Hi Tom,
Please provide date of sampling. We are having trouble finding some of the samples.
Cyrus Razmara

-----Original Message-----
From: Tatnall, Thomas [mailto:TTatnall@haleyaldrich.com]
Sent: Monday, April 24, 2006 3:32 PM
To: Cyrus Razmara
Cc: Hoggan, Kelly; Satanek, Melanie
Subject: Delphi Additional Analyses

Run the following for additional Delphi samples for Arsenic by 6010B
DP0156_SS_003_01 4/10
DP0158_SS_003_01 4/10
DP0167_SS_003_01 Delete not needed
DP0177_SS_003_01 4/10

Thomas S. Tatnall, C.E.G, R.E.A
Project Manager
Haley and Aldrich, Inc.
500 S. Kraemer Blvd., Suite 370
Brea, CA 92821-6723

Direct 714. 984. 2105
Office 714. 985. 3434
Fax 714. 985. 3433
Cell 714. 709. 3722
TTatnall@HaleyAldrich.com
HaleyAldrich.com

Cyrus Razmara

From: Tatnall, Thomas [TTatnall@haleyaldrich.com]
Sent: Monday, April 24, 2006 3:32 PM
To: Cyrus Razmara
Cc: Hoggan, Kelly; Satanek, Melanie
Subject: Delphi Additional Analyses

Run the following for additional Delphi samples for Arsenic by 6010B

DP0158_SS_003_01
DP0167_SS_003_01
DP0177_SS_003_01

Thomas S. Tatnall, C.E.G, R.E.A
Project Manager
Haley and Aldrich, Inc.
500 S. Kraemer Blvd., Suite 370
Brea, CA 92821-6723

Direct 714. 984. 2105
Office 714. 985. 3434
Fax 714. 985. 3433
Cell 714. 709. 3722
TTatnall@HaleyAldrich.com
HaleyAldrich.com

TABLE
Summary of Soil Analytical Results for Arsenic by ICP
1201 N. Magnolia Avenue Anaheim, CA 92801

Arsenic by ICP. Method: (6010BSCAN)

Sample ID	STLC Limit mg/L	TCLP Limit mg/L	TTLC Limit mg/Kg	Units	DP0156-SS-003-01	DP0158-SS-003-01	DP0177-SS-003-01
Sample Date					4/10/2006	4/10/2006	4/10/2006
Laboratory Job Number					37132	37132	37132
Arsenic	5.0	5.0	500	mg/Kg	**3.65J**	**2.10J**	**1.35J**

1) "ND<X" INDICATES CONSTITUENT(S) NOT DETECTED AT OR ABOVE METHOD DETECTION LIMIT.
2) "J" INDICATES ANALYTE WAS DETECTED. HOWEVER, ANALYTE CONCENTRATION IS AN ESTIMATED VALUE WHICH IS BETWEEN THE METHOD DETECTION LIMIT (MDL) AND THE PRACTICAL QUANTITATION LIMIT(PQL).
3) "D" INDICATES THE SAMPLE WAS DILUTED TO BRING THE ANALYTE CONCENTRATION WITHIN CALIBRATION RANGE.

File: SO_6010BSCAN.xls

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 2
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37132	04/10/2006	H&A

Method: (6010BSCAN), Arsenic by ICP

QC Batch No: 042706-1

Our Lab I.D.			Method Blank	37132.01	37132.02	37132.03	
Client Sample I.D.				DP0158-SS-0 03-01	DP0156-SS-0 03-01	DP0177-SS-0 03-01	
Date Sampled				04/10/2006	04/10/2006	04/10/2006	
Date Prepared			04/27/2006	04/27/2006	04/27/2006	04/27/2006	
Preparation Method			3050B	3050B	3050B	3050B	
Date Analyzed			04/27/2006	04/27/2006	04/27/2006	04/27/2006	
Matrix			Soil	Soil	Soil	Soil	
Units			mg/Kg	mg/Kg	mg/Kg	mg/Kg	
Dilution Factor			1	1	1	1	
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**	**Results**	
Arsenic	0.5	5.0	ND	2.10J	3.65J	1.35J	

QUALITY CONTROL REPORT

QC Batch No: 042706-1 Sample Spiked: 37081.01 QC Prepared: 04/27/2006 QC Analyzed: 04/27/2006 Units: mg/Kg

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Arsenic	0.025	1.00	1.02	99	1.00	1.01	98	1.0	80-120	<15

QC Batch No: 042706-1 Sample Spiked: 37081.01 QC Prepared: 04/27/2006 QC Analyzed: 04/27/2006 Units: mg/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Arsenic	1.00	1.04	104	80-120						

American Environmental Testing Laboratory Inc.
2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

Data Qualifiers and Descriptors

Data Qualifier:

*:	In the QC section, sample results have been taken directly from the ICP reading. No preparation factor has been applied.
B:	Analyte was present in the Method Blank.
D:	Result is from a diluted analysis.
E:	Result is beyond calibration limits and is estimated.
H:	Analysis was performed over the allowed holding time due to circumstances which were beyond laboratory control.
J:	Analyte was detected . However, the analyte concentration is an estimated value, which is between the Method Detection Limit (MDL) and the Practical Quantitation Limit (PQL).
M:	Matrix spike recovery is outside control limits due to matrix interference. Laboratory Control Sample recovery was acceptable.
S6:	Surrogate recovery is outside control limits due to matrix interference.
S8:	The analysis of the sample required a dilution such that the surrogate concentration was diluted below the method acceptance criteria.
X:	Results represent LCS and LCSD data.

Definition:

%Limi:	Percent acceptable limits.
%REC:	Percent recovery.
Con.L:	Acceptable Control Limits
Conce:	Added concentration to the sample.
LCS:	Laboratory Control Sample
MDL:	Method Detection Limit is a statistically derived number which is specific for each instrument, each method, and each compound. It indicates a distinctively detectable quantity with 99% probability.
MS:	Matrix Spike
MS DU:	Matrix Spike Duplicate

American Environmental Testing Laboratory Inc.
2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

Data Qualifiers and Descriptors

ND: Analyte was not detected in the sample at or above MDL.

PQL: Practical Quantitation Limit or ML (Minimum Level as per RWQCB) is the minimum concentration that can be quantified with more than 99% confidence. Taking into account all aspects of the entire analytical instrumentation and practice.

Recov: Recovered concentration in the sample.

RPD: Relative Percent Difference

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

RECEIVED
MAY 15 2006
Haley & Aldrich, Inc.

Ordered By

Haley & Aldrich
500 South Kraemer Blvd. Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attention: Tom Tatnall

Number of Pages	5
Date Received	04/20/2006
Date Reported	05/01/2006

Job Number	Order Date	Client
37164	04/26/2006	H&A

Project ID: 32486-006
Project Name: Delphi System Corp.
Site: 1201 N. Magnolia Avenue
Anaheim, CA 92801

Enclosed please find results of analyses of 2 soil samples which were analyzed as specified on the attached chain of custody. If there are any questions, please do not hesitate to call.

Checked By: _____ Approved By: _____

Cyrus Razmara, Ph.D.
Laboratory Director

HALEY & ALDRICH
500 S. Kraemer Blvd., Suite 370
Brea, CA 92821
(714) 985-3434 Fax (714) 985-3433

CHAIN OF CUSTODY FORM

2335

Job# ~~37092~~ 37164

Project Name/Address: Delphi, 1201 N. Magnolia, Anaheim

Project /PO Number:

Project Manager:

Phone Number:

Sampled by (signature): Glenn Androsko

Fax Number:

Lab Name: AETL

Lab Address: *-Added 4/26: 72 hrs TAT

Analysis Required

Sample Identification	Lab ID No.	Sample Matrix	Container Type	# of Cont.	Sampling Date	Sampling Time	Preservatives	8260B VOC's (5035)	8082 PCB's	6010 As, Pb, Sb	Hold	8270 SVOC's				Special Instructions
DP0157B_SS	001-01	Soil	4oz WM Jar	1	4-20-06	1246			X	X						37092.01
	001-01	–	(1) Set 5035	1		1246		X								↓
	002-01	Soil	4oz WM Jar	1		1247			X	X						37092.02
	003-01					1248			*		~~*~~		37164.01			~~37092.03~~ AA
	004-01					1249			*		~~*~~		37164.02			~~37092.04~~ AA
DP0158B_SS	000-01					1320			X	X		X				37092.05
	000-02					1321			X	X		X				37092.06
	001-01					1322			X	X		X				37092.07
	002-01					1323			X	X						37092.08
	003-01					1324					X					37092.09
	004-01					1325					X					37092.10
DP0159B_SS	000-01					1330			X	X						37092.11
	001-01					1331			X	X						37092.12
	001-02					1332			X	X						37092.13
	002-01					1333			X	X						37092.14

Relinquished By:	Date/Time:	Received By:	Date/Time:
Glenn Androsko	4-20-06/1515		
		Received By: [signature]	Date/Time: 4/20/06 1515
Relinquished By: [signature]	Date/Time: 4/20/06 1750	Received in Lab By: [signature]	Date/Time: 04/20/06 17:50

Turnaround Time (Check): 24 Hours ___ 5 Days ___ 48 Hours ___ 10 Days ___ 72 Hours X Other ___

Sample Integrity (Check): On Ice ___ Intact ___

Cyrus Razmara

From: Tatnall, Thomas [TTatnall@haleyaldrich.com]
Sent: Wednesday, April 26, 2006 11:30 AM
To: Cyrus Razmara
Cc: Satanek, Melanie; Hoggan, Kelly
Subject: Additional Analyses Delphi PCB Sample Core DP0157B

Cyrus,

Please run Delphi DP0157B_SS_003_01 and DP0157B_SS004_01 collected 4/20 (37092) for PCBs on a 72 hr TOT.

Thomas S. Tatnall, C.E.G, R.E.A
Project Manager
Haley and Aldrich, Inc.
500 S. Kraemer Blvd., Suite 370
Brea, CA 92821-6723

Direct 714. 984. 2105
Office 714. 985. 3434
Fax 714. 985. 3433
Cell 714. 709. 3722
TTatnall@HaleyAldrich.com
HaleyAldrich.com

NOTICE

The information contained in this communication is confidential and privileged proprietary information intended only for the individual or entity to whom it is addressed. Any unauthorized use, distribution, copying or disclosure of this communication is prohibited. If you have received this communication in error, please contact the sender immediately.

TABLE
Summary of Soil Analytical Results for Polychlorinated Biphenyls (PCBs) by GC
1201 N. Magnolia Avenue Anaheim, CA 92801

Polychlorinated Biphenyls (PCBs) by GC. Method: (8082)

Sample ID	Units	DP0157B-SS-003-01	DP0157B-SS-004-01
Sample Date		4/20/2006	4/20/2006
Laboratory Job Number		37164	37164
Aroclor-1016 (PCB-1016)	ug/Kg	ND<500	ND<125
Aroclor-1221 (PCB-1221)	ug/Kg	ND<500	ND<125
Aroclor-1232 (PCB-1232)	ug/Kg	ND<500	ND<125
Aroclor-1242 (PCB-1242)	ug/Kg	ND<500	ND<125
Aroclor-1248 (PCB-1248)	ug/Kg	**24,300**	**6,090**
Aroclor-1254 (PCB-1254)	ug/Kg	ND<500	ND<125
Aroclor-1260 (PCB-1260)	ug/Kg	ND<500	ND<125
Aroclor-1262 (PCB-1262)	ug/Kg	ND<500	ND<125
Aroclor-1268 (PCB-1268)	ug/Kg	ND<500	ND<125

1) "ND<X" INDICATES CONSTITUENT(S) NOT DETECTED AT OR ABOVE METHOD DETECTION LIMIT.
2) "J" INDICATES ANALYTE WAS DETECTED. HOWEVER, ANALYTE CONCENTRATION IS AN ESTIMATED VALUE WHICH IS BETWEEN THE METHOD DETECTION LIMIT (MDL) AND THE PRACTICAL QUANTITATION LIMIT(PQL).
3) "D" INDICATES THE SAMPLE WAS DILUTED TO BRING THE ANALYTE CONCENTRATION WITHIN CALIBRATION RANGE.

File: SO_8082.xls

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Telephone: (714)985-3434
Attn: Tom Tatnall

Page: 2

Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37164	04/20/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 050106

Our Lab I.D.			Method Blank				
Client Sample I.D.							
Date Sampled							
Date Prepared			05/01/2006				
Preparation Method			3550B				
Date Analyzed			05/01/2006				
Matrix			Soil				
Units			ug/Kg				
Dilution Factor			1				
Analytes	**MDL**	**PQL**	**Results**				
Aroclor-1016 (PCB-1016)	25.0	50.0	ND				
Aroclor-1221 (PCB-1221)	25.0	50.0	ND				
Aroclor-1232 (PCB-1232)	25.0	50.0	ND				
Aroclor-1242 (PCB-1242)	25.0	50.0	ND				
Aroclor-1248 (PCB-1248)	25.0	50.0	ND				
Aroclor-1254 (PCB-1254)	25.0	50.0	ND				
Aroclor-1260 (PCB-1260)	25.0	50.0	ND				
Aroclor-1262 (PCB-1262)	25.0	50.0	ND				
Aroclor-1268 (PCB-1268)	25.0	50.0	ND				
Our Lab I.D.			Method Blank				
Surrogates	**%Rec.Limit**		**% Rec.**				
Tetrachloro-m-xylene	30-150		96				

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Telephone: (714)985-3434
Attn: Tom Tatnall

Page: 3

Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37164	04/20/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 050106

Our Lab I.D.			**37164.01**
Client Sample I.D.			DP0157B-SS-003-01
Date Sampled			04/20/2006
Date Prepared			05/01/2006
Preparation Method			3550B
Date Analyzed			05/01/2006
Matrix			Soil
Units			ug/Kg
Dilution Factor			20
Analytes	**MDL**	**PQL**	**Results**
Aroclor-1016 (PCB-1016)	500	1000	ND
Aroclor-1221 (PCB-1221)	500	1000	ND
Aroclor-1232 (PCB-1232)	500	1000	ND
Aroclor-1242 (PCB-1242)	500	1000	ND
Aroclor-1248 (PCB-1248)	500	1000	24,300
Aroclor-1254 (PCB-1254)	500	1000	ND
Aroclor-1260 (PCB-1260)	500	1000	ND
Aroclor-1262 (PCB-1262)	500	1000	ND
Aroclor-1268 (PCB-1268)	500	1000	ND
Our Lab I.D.			**37164.01**
Surrogates	**%Rec.Limit**		**% Rec.**
Tetrachloro-m-xylene	30-150		140

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Telephone: (714)985-3434
Attn: Tom Tatnall

Page: **4**

Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37164	04/20/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 050106

Our Lab I.D.			**37164.02**
Client Sample I.D.			DP0157B-SS-004-01
Date Sampled			04/20/2006
Date Prepared			05/01/2006
Preparation Method			3550B
Date Analyzed			05/01/2006
Matrix			Soil
Units			ug/Kg
Dilution Factor			5
Analytes	**MDL**	**PQL**	**Results**
Aroclor-1016 (PCB-1016)	125	250	ND
Aroclor-1221 (PCB-1221)	125	250	ND
Aroclor-1232 (PCB-1232)	125	250	ND
Aroclor-1242 (PCB-1242)	125	250	ND
Aroclor-1248 (PCB-1248)	125	250	6,090
Aroclor-1254 (PCB-1254)	125	250	ND
Aroclor-1260 (PCB-1260)	125	250	ND
Aroclor-1262 (PCB-1262)	125	250	ND
Aroclor-1268 (PCB-1268)	125	250	ND
Our Lab I.D.			**37164.02**
Surrogates	**%Rec.Limit**		**% Rec.**
Tetrachloro-m-xylene	30-150		122

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 5
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37164	04/20/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QUALITY CONTROL REPORT

QC Batch No: 050106 Sample Spiked: 37190.10 QC Prepared: 05/01/2006 QC Analyzed: 05/02/2006 Units: ug/Kg

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Aroclor-1260 (PCB-1260)	0.0	500.00	440.00	88	500.00	440.00	88	<1	75-125	<20

QC Batch No: 050106 Sample Spiked: 37190.10 QC Prepared: 05/01/2006 QC Analyzed: 05/02/2006 Units: ug/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Aroclor-1260 (PCB-1260)	500.00	500.00	100	75-125						

American Environmental Testing Laboratory Inc.
2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

Data Qualifiers and Descriptors

Data Qualifier:

*:	In the QC section, sample results have been taken directly from the ICP reading. No preparation factor has been applied.
B:	Analyte was present in the Method Blank.
D:	Result is from a diluted analysis.
E:	Result is beyond calibration limits and is estimated.
H:	Analysis was performed over the allowed holding time due to circumstances which were beyond laboratory control.
J:	Analyte was detected . However, the analyte concentration is an estimated value, which is between the Method Detection Limit (MDL) and the Practical Quantitation Limit (PQL).
M:	Matrix spike recovery is outside control limits due to matrix interference. Laboratory Control Sample recovery was acceptable.
S6:	Surrogate recovery is outside control limits due to matrix interference.
S8:	The analysis of the sample required a dilution such that the surrogate concentration was diluted below the method acceptance criteria.
X:	Results represent LCS and LCSD data.

Definition:

%Limi:	Percent acceptable limits.
%REC:	Percent recovery.
Con.L:	Acceptable Control Limits
Conce:	Added concentration to the sample.
LCS:	Laboratory Control Sample
MDL:	Method Detection Limit is a statistically derived number which is specific for each instrument, each method, and each compound. It indicates a distinctively detectable quantity with 99% probability.
MS:	Matrix Spike
MS DU:	Matrix Spike Duplicate

American Environmental Testing Laboratory Inc.
2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

Data Qualifiers and Descriptors

ND: Analyte was not detected in the sample at or above MDL.

PQL: Practical Quantitation Limit or ML (Minimum Level as per RWQCB) is the minimum concentration that can be quantified with more than 99% confidence. Taking into account all aspects of the entire analytical instrumentation and practice.

Recov: Recovered concentration in the sample.

RPD: Relative Percent Difference

American Environmental Testing Laboratory Inc.
2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO:
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

RECEIVED
MAY 24 2006
Haley & Aldrich, Inc.

Ordered By

Haley & Aldrich
500 South Kraemer Blvd. Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attention: Tom Tatnall

Number of Pages	**16**
Date Received	**05/12/2006**
Date Reported	**05/17/2006**

Job Number	Order Date	Client
37390	05/12/2006	H&A

Project ID: 32486-006
Project Name: Delphi System Corp.
Site: 1201 N. Magnolia Avenue
Anaheim, CA 92801

Enclosed please find results of analyses of 17 soil samples which were analyzed as specified on the attached chain of custody. If there are any questions, please do not hesitate to call.

Checked By: _____ Approved By:

Cyrus Razmara, Ph.D.
Laboratory Director

American Environmental Testing Laboratory Inc.
2834 North Naomi Street Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840

CHAIN OF CUSTODY RECORD

№ 38021

AETL JOB No. 37390

Page 1 of 2

COMPANY: Haley & Aldrich
PHONE: 714-985-3436
PROJECT MANAGER: Tom Tatnall
FAX:
PROJECT NAME: Delphi
PROJECT #:
SITE NAME AND ADDRESS: 1201 W. Magnolia Ave Anaheim

ANALYSIS REQUESTED

	SAMPLE ID	LAB ID	DATE	TIME	MATRIX	CONTAINER NUMBER/SIZE	PRES.	PCB 8082	VOC's 8260	HOLD	6010 Pb	6010 Pb, Sb, As	6010 As	PCB 8082				TEST INSTRUCTIONS & COMMENTS
	650049-SS-002-01	37390.01	5/12/06	1418	SS	1		X		X								
2	650025F-SS-002-01	37390.02		1430	SS	5		X	X					*				
3	650025F-SS-001-01	37390.03		1433	SS	5		X	X	X				*				
4	650025F-SS-002-01	37390.04		1437	SS	1		X		X								
5	DP0002F-SS-002-01	37390.05		1446	SS	1		X			*							
6	DP0002F-SS-001-01	37390.06		1447	SS	1		X		X								
7	DP0002F-SS-002-01	37390.07		1448	SS	1		X		X								
8	DP0156B-SS-003-01	37390.08		1459		1		X				*						
9	DP0156B-SS-004-01	37390.09		1501		1		X		X								
10	DP0156C-SS-000-01	37390.10		1505		1		X				*						
11	DP0156C-SS-001-01	37390.11		1506		1		X				*						
12	DP0156C-SS-002-01	37390.12		1508		1		X		X								
13	DP0156C-SS-003-01	37390.13		1509		1		X		X								
14	DP0013D-SS-000-01	37390.14		1517		1		X					*					
15	DP0013D-SS-001-01	37390.15		1520		1		X		X								

SAMPLE RECEIPT - TO BE FILLED BY LABORATORY

TOTAL NUMBER OF CONTAINERS	23	PROPERLY COOLED (Y) N / NA	
CUSTODY SEALS Y / N (NA)		SAMPLES INTACT (Y) N / NA	
RECEIVED IN GOOD COND. (Y) N		SAMPLES ACCEPTED (Y) N	

TURN AROUND TIME

☐ NORMAL ☒ RUSH ☐ SAME DAY ☐ 24 HRS. ☐ 48 HRS. ☒ 72 HRS.

RELINQUISHED BY SAMPLER: 1.	RELINQUISHED BY: 2.	RELINQUISHED BY: 3.
Signature: [signature]	Signature:	Signature: [signature]
Printed Name: Glenn Androsko	Printed Name:	Printed Name: Carlos Gonzalez
Date: 5-12-06 Time: 1545	Date: Time:	Date: 5/12/06 Time: 1730
RECEIVED BY: 1.	**RECEIVED BY: 2.**	**RECEIVED BY LABORATORY: 3.**
Signature: [signature]	Signature:	Signature: [signature]
Printed Name: Carlos Gonzalez	Printed Name:	Printed Name: [signature]
Date: 5-12-06 Time: 1545	Date: Time:	Date: 5/12/06 Time: 1730

DISTRIBUTION: WHITE - Laboratory, CANARY - Laboratory, PINK - Project/Account Manager, YELLOW - Sampler/Originator

American Environmental Testing Laboratory Inc.
2834 North Naomi Street Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840

CHAIN OF CUSTODY RECORD

№ 38020

AETL JOB No. 37390

COMPANY: Haley & Aldrich
PHONE: 714-985-3436
PROJECT MANAGER: Tom Tatnall
FAX:
PROJECT NAME: Delphi
PROJECT #:
SITE NAME AND ADDRESS: 1201 N. Magnolia Ave Anaheim

	SAMPLE ID	LAB ID	DATE	TIME	MATRIX	CONTAINER NUMBER/SIZE	PRES.	PCB 8082	HOLD	TEST INSTRUCTIONS & COMMENTS
	GS0043-SS-003-01	37390.16	5/12/06	1253	SS	1		X		
2	GS0043-SS-004-01	37390.17		1255	SS	1		~~X~~	X	
3	GS0044-SS-003-01	37390.18		1302	SS	1		X		
4	GS0044-SS-004-01	37390.19		1303	SS	1		~~X~~	X	
5	GS0046-SS-000-01	37390.20		1316	SS	1		X		
6	GS0046-SS-001-01	37390.21		1318	SS	1		X		
7	GS0046-SS-002-01	37390.22		1319	SS	1		~~X~~	X	
8	GS0047-SS-000-01	37390.23		1350	SS	1		X		
9	GS0047-SS-001-01	37390.24		1352	SS	1		X		
10	GS0047-SS-002-01	37390.25		1354	SS	1		~~X~~	X	
11	GS0048-SS-000-01	37390.26		1404	SS	1		X		
12	GS0048-SS-001-01	37390.27		1406	SS	1		X		
13	GS0048-SS-002-01	37390.28		1407	SS	1		~~X~~	X	
14	GS0049-SS-000-01	37390.29		1416	SS	1		X		
15	GS0049-SS-001-01	37390.30	↓	1417	SS	1		X		

SAMPLE RECEIPT - TO BE FILLED BY LABORATORY

TOTAL NUMBER OF CONTAINERS	15	PROPERLY COOLED (Y) N / NA	
CUSTODY SEALS Y / N (NA)		SAMPLES INTACT (Y) N / NA	
RECEIVED IN GOOD COND (Y) N		SAMPLES ACCEPTED (Y) N	

TURN AROUND TIME

☐ NORMAL ☒ RUSH ☐ SAME DAY ☐ 24 HRS. ☐ 48 HRS. ☒ 72 HRS.

RELINQUISHED BY SAMPLER: 1.	RELINQUISHED BY: 2.	RELINQUISHED BY: 3.
Signature: [signature]	Signature:	Signature: [signature]
Printed Name: Glenn Androsiko	Printed Name:	Printed Name: Carlos Gonzalez
Date: 5-12-06 Time: 1545	Date: Time:	Date: 5/12/06 Time: 1730
RECEIVED BY: 1.	**RECEIVED BY: 2.**	**RECEIVED BY LABORATORY: 3.**
Signature: [signature]	Signature:	Signature: [signature]
Printed Name: Carlos Gonzalez	Printed Name:	Printed Name: [signature]
Date: 5-12-06 Time: 1545	Date: Time:	Date: 5/12/06 Time: 1730

DISTRIBUTION: WHITE - Laboratory, CANARY - Laboratory, PINK - Project/Account Manager, YELLOW - Sampler/Originator

TABLE
Summary of Soil Analytical Results for Arsenic by ICP
1201 N. Magnolia Avenue Anaheim, CA 92801

Arsenic by ICP. Method: (6010BSCAN)

Sample ID	STLC Limit mg/L	TCLP Limit mg/L	TTLC Limit mg/Kg	Units	DP0013D-SS-000-01
Sample Date					5/12/2006
Laboratory Job Number					37390
Arsenic	5.0	5.0	500	mg/Kg	ND<0.5

1) "ND<X" INDICATES CONSTITUENT(S) NOT DETECTED AT OR ABOVE METHOD DETECTION LIMIT.
2) "J" INDICATES ANALYTE WAS DETECTED. HOWEVER, ANALYTE CONCENTRATION IS AN ESTIMATED VALUE WHICH IS BETWEEN THE METHOD DETECTION LIMIT (MDL) AND THE PRACTICAL QUANTITATION LIMIT(PQL).
3) "D" INDICATES THE SAMPLE WAS DILUTED TO BRING THE ANALYTE CONCENTRATION WITHIN CALIBRATION RANGE.

File: SO_6010BSCAN.xls

TABLE
Summary of Soil Analytical Results for As, Sb,and Pb Metals by ICP
1201 N. Magnolia Avenue Anaheim, CA 92801

As, Sb,and Pb Metals by ICP. Method: (6010BSCAN)

Sample ID	STLC Limit mg/L	TCLP Limit mg/L	TTLC Limit mg/Kg	Units	DP0156B-SS-003-01	DP0156C-SS-000-01	DP0156C-SS-001-01
Sample Date					5/12/2006	5/12/2006	5/12/2006
Laboratory Job Number					37390	37390	37390
Antimony	15		500	mg/Kg	**162**	**1.60J**	ND<1.0
Arsenic	5.0	5.0	500	mg/Kg	**49.7**	**1.25J**	ND<0.5
Lead	5.0	5.0	1000	mg/Kg	**3,160**	**19.9**	**5.05**

1) "ND<X" INDICATES CONSTITUENT(S) NOT DETECTED AT OR ABOVE METHOD DETECTION LIMIT.
2) "J" INDICATES ANALYTE WAS DETECTED. HOWEVER, ANALYTE CONCENTRATION IS AN ESTIMATED VALUE WHICH IS BETWEEN THE METHOD DETECTION LIMIT (MDL) AND THE PRACTICAL QUANTITATION LIMIT(PQL).
3) "D" INDICATES THE SAMPLE WAS DILUTED TO BRING THE ANALYTE CONCENTRATION WITHIN CALIBRATION RANGE.

File: SO_6010BSCAN_1.xls

TABLE
Summary of Soil Analytical Results for Lead by ICP
1201 N. Magnolia Avenue Anaheim, CA 92801

Lead by ICP. Method: (6010BSCAN)

Sample ID	STLC Limit mg/L	TCLP Limit mg/L	TTLC Limit mg/Kg	Units	DP0002F-SS-000-01
Sample Date					5/12/2006
Laboratory Job Number					37390
Lead	5.0	5.0	1000	mg/Kg	**5.55**

1) "ND<X" INDICATES CONSTITUENT(S) NOT DETECTED AT OR ABOVE METHOD DETECTION LIMIT.
2) "J" INDICATES ANALYTE WAS DETECTED. HOWEVER, ANALYTE CONCENTRATION IS AN ESTIMATED VALUE WHICH IS BETWEEN THE METHOD DETECTION LIMIT (MDL) AND THE PRACTICAL QUANTITATION LIMIT(PQL).
3) "D" INDICATES THE SAMPLE WAS DILUTED TO BRING THE ANALYTE CONCENTRATION WITHIN CALIBRATION RANGE.

File: SO_6010BSCAN_2.xls

TABLE
Summary of Soil Analytical Results for Polychlorinated Biphenyls (PCBs) by GC
1201 N. Magnolia Avenue Anaheim, CA 92801

Polychlorinated Biphenyls (PCBs) by GC. Method: (8082)

Sample ID	Units	DP0156B-SS-003-01	DP0156C-SS-000-01	DP0156C-SS-001-01	GS0025F-SS-000-01	GS0025F-SS-001-01	GS0043-SS-003-01	GS0044-SS-003-01	GS0046-SS-000-01	GS0046-SS-001-01	GS0047-SS-000-01	GS0047-SS-001-01	GS0048-SS-000-01
Sample Date		5/12/2006	5/12/2006	5/12/2006	5/12/2006	5/12/2006	5/12/2006	5/12/2006	5/12/2006	5/12/2006	5/12/2006	5/12/2006	5/12/2006
Laboratory Job Number		37390	37390	37390	37390	37390	37390	37390	37390	37390	37390	37390	37390
Aroclor-1016 (PCB-1016)	ug/Kg	ND<500	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0
Aroclor-1221 (PCB-1221)	ug/Kg	ND<500	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0
Aroclor-1232 (PCB-1232)	ug/Kg	ND<500	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0
Aroclor-1242 (PCB-1242)	ug/Kg	ND<500	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0
Aroclor-1248 (PCB-1248)	ug/Kg	**55,400**	**1,120**	**75.1**	ND<25.0	ND<25.0	**1,850**	**222**	**461**	ND<25.0	**60.6**	ND<25.0	ND<25.0
Aroclor-1254 (PCB-1254)	ug/Kg	ND<500	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0
Aroclor-1260 (PCB-1260)	ug/Kg	ND<500	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0
Aroclor-1262 (PCB-1262)	ug/Kg	ND<500	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0
Aroclor-1268 (PCB-1268)	ug/Kg	ND<500	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0

1) "ND<X" INDICATES CONSTITUENT(S) NOT DETECTED AT OR ABOVE METHOD DETECTION LIMIT.
2) "J" INDICATES ANALYTE WAS DETECTED. HOWEVER, ANALYTE CONCENTRATION IS AN ESTIMATED VALUE WHICH IS BETWEEN THE METHOD DETECTION LIMIT (MDL) AND THE PRACTICAL QUANTITATION LIMIT(PQL).
3) "D" INDICATES THE SAMPLE WAS DILUTED TO BRING THE ANALYTE CONCENTRATION WITHIN CALIBRATION RANGE.

File: SO_8082.xls

TABLE
Summary of Soil Analytical Results for Polychlorinated Biphenyls (PCBs) by GC
1201 N. Magnolia Avenue Anaheim, CA 92801

Polychlorinated Biphenyls (PCBs) by GC. Method: (8082)

Sample ID	Units	GS0048-SS-001-01	GS0049-SS-000-01	GS0049-SS-001-01
Sample Date		5/12/2006	5/12/2006	5/12/2006
Laboratory Job Number		37390	37390	37390
Aroclor-1016 (PCB-1016)	ug/Kg	ND<25.0	ND<25.0	ND<25.0
Aroclor-1221 (PCB-1221)	ug/Kg	ND<25.0	ND<25.0	ND<25.0
Aroclor-1232 (PCB-1232)	ug/Kg	ND<25.0	ND<25.0	ND<25.0
Aroclor-1242 (PCB-1242)	ug/Kg	ND<25.0	ND<25.0	ND<25.0
Aroclor-1248 (PCB-1248)	ug/Kg	ND<25.0	ND<25.0	ND<25.0
Aroclor-1254 (PCB-1254)	ug/Kg	ND<25.0	ND<25.0	ND<25.0
Aroclor-1260 (PCB-1260)	ug/Kg	ND<25.0	ND<25.0	ND<25.0
Aroclor-1262 (PCB-1262)	ug/Kg	ND<25.0	ND<25.0	ND<25.0
Aroclor-1268 (PCB-1268)	ug/Kg	ND<25.0	ND<25.0	ND<25.0

File: SO_8082.xls

TABLE

Summary of Soil Analytical Results for Volatile Organic Compounds by GC/MS (SW846)

1201 N. Magnolia Avenue Anaheim, CA 92801

Volatile Organic Compounds by GC/MS (SW846). Method: (8260B)

Sample ID	Units	GS0025F-SS-000-01
Sample Date		5/12/2006
Laboratory Job Number		37390
Acetone	ug/Kg	ND<25
Benzene	ug/Kg	ND<2.0
Bromobenzene (Phenyl bromide)	ug/Kg	ND<5.0
Bromochloromethane	ug/Kg	ND<5.0
Bromodichloromethane	ug/Kg	ND<5.0
Bromoform (Tribromomethane)	ug/Kg	ND<25
Bromomethane (Methyl bromide)	ug/Kg	ND<15
2-Butanone (MEK)	ug/Kg	ND<25
n-Butylbenzene	ug/Kg	ND<5.0
sec-Butylbenzene	ug/Kg	ND<5.0
tert-Butylbenzene	ug/Kg	ND<5.0
Carbon Disulfide	ug/Kg	ND<25
Carbon tetrachloride	ug/Kg	ND<5.0
Chlorobenzene	ug/Kg	ND<5.0
Chloroethane	ug/Kg	ND<15
2-Chloroethyl vinyl ether	ug/Kg	ND<50
Chloroform (Trichloromethane)	ug/Kg	ND<5.0
Chloromethane (Methyl chloride)	ug/Kg	ND<15
2-Chlorotoluene	ug/Kg	ND<5.0
4-Chlorotoluene	ug/Kg	ND<5.0
1,2-Dibromo-3-chloropropane (DBCP)	ug/Kg	ND<25
Dibromochloromethane	ug/Kg	ND<5.0
1,2-Dibromoethane (EDB)	ug/Kg	ND<5.0
Dibromomethane	ug/Kg	ND<5.0
1,2-Dichlorobenzene	ug/Kg	ND<5.0
1,3-Dichlorobenzene	ug/Kg	ND<5.0
1,4-Dichlorobenzene	ug/Kg	ND<5.0
Dichlorodifluoromethane	ug/Kg	ND<15
1,1-Dichloroethane	ug/Kg	ND<5.0
1,2-Dichloroethane (EDC)	ug/Kg	ND<5.0
1,1-Dichloroethene	ug/Kg	ND<5.0

TABLE

Summary of Soil Analytical Results for Volatile Organic Compounds by GC/MS (SW846)

1201 N. Magnolia Avenue Anaheim, CA 92801

Volatile Organic Compounds by GC/MS (SW846). Method: (8260B)

Sample ID	Units	GS0025F-SS-000-01
Sample Date		5/12/2006
Laboratory Job Number		37390
cis-1,2-Dichloroethene	ug/Kg	ND<5.0
trans-1,2-Dichloroethene	ug/Kg	ND<5.0
1,2-Dichloropropane	ug/Kg	ND<5.0
1,3-Dichloropropane	ug/Kg	ND<5.0
2,2-Dichloropropane	ug/Kg	ND<5.0
1,1-Dichloropropene	ug/Kg	ND<5.0
cis-1,3-Dichloropropene	ug/Kg	ND<5.0
trans-1,3-Dichloropropene	ug/Kg	ND<5.0
Ethylbenzene	ug/Kg	ND<2.0
Hexachlorobutadiene	ug/Kg	ND<15
2-Hexanone	ug/Kg	ND<25
Isopropylbenzene	ug/Kg	ND<5.0
p-Isopropyltoluene	ug/Kg	ND<5.0
4-Methyl-2-pentanone (MIBK)	ug/Kg	ND<25
Methyl-tert-butyl ether (MTBE)	ug/Kg	ND<5.0
Methylene chloride (DCM)	ug/Kg	ND<25
Naphthalene	ug/Kg	ND<5.0
n-Propylbenzene	ug/Kg	ND<5.0
Styrene	ug/Kg	ND<5.0
1,1,1,2-Tetrachloroethane	ug/Kg	ND<5.0
1,1,2,2-Tetrachloroethane	ug/Kg	ND<5.0
Tetrachloroethene	ug/Kg	ND<5.0
Toluene (Methyl benzene)	ug/Kg	ND<2.0
1,2,3-Trichlorobenzene	ug/Kg	ND<5.0
1,2,4-Trichlorobenzene	ug/Kg	ND<5.0
1,1,1-Trichloroethane	ug/Kg	ND<5.0
1,1,2-Trichloroethane	ug/Kg	ND<5.0
Trichloroethene	ug/Kg	ND<5.0
Trichlorofluoromethane	ug/Kg	ND<5.0
1,2,3-Trichloropropane	ug/Kg	ND<5.0
1,2,4-Trimethylbenzene	ug/Kg	ND<5.0

TABLE
Summary of Soil Analytical Results for Volatile Organic Compounds by GC/MS (SW846)
1201 N. Magnolia Avenue Anaheim, CA 92801

Volatile Organic Compounds by GC/MS (SW846). Method: (8260B)

Sample ID	Units	GS0025F-SS-000-01
Sample Date		5/12/2006
Laboratory Job Number		37390
1,3,5-Trimethylbenzene	ug/Kg	ND<5.0
Vinyl Acetate	ug/Kg	ND<25
Vinyl chloride (Chloroethene)	ug/Kg	ND<15
o-Xylene	ug/Kg	ND<2.0
m,p-Xylenes	ug/Kg	ND<2.0

1) "ND<X" INDICATES CONSTITUENT(S) NOT DETECTED AT OR ABOVE METHOD DETECTION LIMIT.
2) "J" INDICATES ANALYTE WAS DETECTED. HOWEVER, ANALYTE CONCENTRATION IS AN ESTIMATED VALUE WHICH IS BETWEEN THE METHOD DETECTION LIMIT (MDL) AND THE PRACTICAL QUANTITATION LIMIT(PQL).
3) "D" INDICATES THE SAMPLE WAS DILUTED TO BRING THE ANALYTE CONCENTRATION WITHIN CALIBRATION RANGE.

File: SO_8260B.xls

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 2
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37390	05/12/2006	H&A

Method: (8260B), Volatile Organic Compounds by GC/MS (SW846)

QC Batch No: 051506

Our Lab I.D.			Method Blank	**37390.02**			
Client Sample I.D.				GS0025F-SS-000-01			
Date Sampled				05/12/2006			
Date Prepared			05/15/2006	05/15/2006			
Preparation Method			5030B	5030B			
Date Analyzed			05/15/2006	05/15/2006			
Matrix			Soil	Soil			
Units			ug/Kg	ug/Kg			
Dilution Factor			1	1			
Analytes	**MDL**	**PQL**	**Results**	**Results**			
Acetone	25	50	ND	ND			
Benzene	2.0	10.0	ND	ND			
Bromobenzene (Phenyl bromide)	5.0	10.0	ND	ND			
Bromochloromethane	5.0	10.0	ND	ND			
Bromodichloromethane	5.0	10.0	ND	ND			
Bromoform (Tribromomethane)	25	50	ND	ND			
Bromomethane (Methyl bromide)	15	30	ND	ND			
2-Butanone (MEK)	25	50	ND	ND			
n-Butylbenzene	5.0	10.0	ND	ND			
sec-Butylbenzene	5.0	10.0	ND	ND			
tert-Butylbenzene	5.0	10.0	ND	ND			
Carbon Disulfide	25	50	ND	ND			
Carbon tetrachloride	5.0	10.0	ND	ND			
Chlorobenzene	5.0	10.0	ND	ND			
Chloroethane	15	30	ND	ND			
2-Chloroethyl vinyl ether	50	50	ND	ND			
Chloroform (Trichloromethane)	5.0	10.0	ND	ND			
Chloromethane (Methyl chloride)	15	30	ND	ND			
2-Chlorotoluene	5.0	10.0	ND	ND			
4-Chlorotoluene	5.0	10.0	ND	ND			
1,2-Dibromo-3-chloropropane (DBCP)	25	50	ND	ND			
Dibromochloromethane	5.0	10.0	ND	ND			
1,2-Dibromoethane (EDB)	5.0	10.0	ND	ND			
Dibromomethane	5.0	10.0	ND	ND			
1,2-Dichlorobenzene	5.0	10.0	ND	ND			
1,3-Dichlorobenzene	5.0	10.0	ND	ND			
1,4-Dichlorobenzene	5.0	10.0	ND	ND			

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Page: 3
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submittd	Client
37390	05/12/2006	H&A

Method: (8260B), Volatile Organic Compounds by GC/MS (SW846)

QC Batch No: 051506

Our Lab I.D.			Method Blank	**37390.02**			
Client Sample I.D.				GS0025F-SS-000-01			
Date Sampled				05/12/2006			
Date Prepared			05/15/2006	05/15/2006			
Preparation Method			5030B	5030B			
Date Analyzed			05/15/2006	05/15/2006			
Matrix			Soil	Soil			
Units			ug/Kg	ug/Kg			
Dilution Factor			1	1			
Analytes	**MDL**	**PQL**	**Results**	**Results**			
Dichlorodifluoromethane	15	30	ND	ND			
1,1-Dichloroethane	5.0	10.0	ND	ND			
1,2-Dichloroethane (EDC)	5.0	10.0	ND	ND			
1,1-Dichloroethene	5.0	10.0	ND	ND			
cis-1,2-Dichloroethene	5.0	10.0	ND	ND			
trans-1,2-Dichloroethene	5.0	10.0	ND	ND			
1,2-Dichloropropane	5.0	10.0	ND	ND			
1,3-Dichloropropane	5.0	10.0	ND	ND			
2,2-Dichloropropane	5.0	10.0	ND	ND			
1,1-Dichloropropene	5.0	10.0	ND	ND			
cis-1,3-Dichloropropene	5.0	10.0	ND	ND			
trans-1,3-Dichloropropene	5.0	10.0	ND	ND			
Ethylbenzene	2.0	10.0	ND	ND			
Hexachlorobutadiene	15	30	ND	ND			
2-Hexanone	25	50	ND	ND			
Isopropylbenzene	5.0	10.0	ND	ND			
p-Isopropyltoluene	5.0	10.0	ND	ND			
4-Methyl-2-pentanone (MIBK)	25	50	ND	ND			
Methyl-tert-butyl ether (MTBE)	5.0	10.0	ND	ND			
Methylene chloride (DCM)	25	50	ND	ND			
Naphthalene	5.0	10.0	ND	ND			
n-Propylbenzene	5.0	10.0	ND	ND			
Styrene	5.0	10.0	ND	ND			
1,1,1,2-Tetrachloroethane	5.0	10.0	ND	ND			
1,1,2,2-Tetrachloroethane	5.0	10.0	ND	ND			
Tetrachloroethene	5.0	10.0	ND	ND			
Toluene (Methyl benzene)	2.0	10.0	ND	ND			
1,2,3-Trichlorobenzene	5.0	10.0	ND	ND			
1,2,4-Trichlorobenzene	5.0	10.0	ND	ND			
1,1,1-Trichloroethane	5.0	10.0	ND	ND			
1,1,2-Trichloroethane	5.0	10.0	ND	ND			
Trichloroethene	5.0	10.0	ND	ND			
Trichlorofluoromethane	5.0	10.0	ND	ND			
1,2,3-Trichloropropane	5.0	10.0	ND	ND			
1,2,4-Trimethylbenzene	5.0	10.0	ND	ND			

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Page: 4
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submittd	Client
37390	05/12/2006	H&A

Method: (8260B), Volatile Organic Compounds by GC/MS (SW846)

QC Batch No: 051506

Our Lab I.D.			Method Blank	**37390.02**			
Client Sample I.D.				GS0025F-SS-000-01			
Date Sampled				05/12/2006			
Date Prepared			05/15/2006	05/15/2006			
Preparation Method			5030B	5030B			
Date Analyzed			05/15/2006	05/15/2006			
Matrix			Soil	Soil			
Units			ug/Kg	ug/Kg			
Dilution Factor			1	1			
Analytes	**MDL**	**PQL**	**Results**	**Results**			
1,3,5-Trimethylbenzene	5.0	10.0	ND	ND			
Vinyl Acetate	25	50	ND	ND			
Vinyl chloride (Chloroethene)	15	30	ND	ND			
o-Xylene	2.0	10.0	ND	ND			
m,p-Xylenes	2.0	20.0	ND	ND			

Our Lab I.D.				**37390.02**			
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**			
Bromofluorobenzene	75-125		102	101			
Dibromofluoromethane	75-125		99	100			
Toluene-d8	75-125		103	101			

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 5
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37390	05/12/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 051506

Our Lab I.D.			Method Blank	37390.02	37390.03		
Client Sample I.D.				GS0025F-SS-000-01	GS0025F-SS-001-01		
Date Sampled				05/12/2006	05/12/2006		
Date Prepared			05/15/2006	05/15/2006	05/15/2006		
Preparation Method			3550B	3550B	3550B		
Date Analyzed			05/16/2006	05/16/2006	05/16/2006		
Matrix			Soil	Soil	Soil		
Units			ug/Kg	ug/Kg	ug/Kg		
Dilution Factor			1	1	1		
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**		
Aroclor-1016 (PCB-1016)	25.0	50.0	ND	ND	ND		
Aroclor-1221 (PCB-1221)	25.0	50.0	ND	ND	ND		
Aroclor-1232 (PCB-1232)	25.0	50.0	ND	ND	ND		
Aroclor-1242 (PCB-1242)	25.0	50.0	ND	ND	ND		
Aroclor-1248 (PCB-1248)	25.0	50.0	ND	ND	ND		
Aroclor-1254 (PCB-1254)	25.0	50.0	ND	ND	ND		
Aroclor-1260 (PCB-1260)	25.0	50.0	ND	ND	ND		
Aroclor-1262 (PCB-1262)	25.0	50.0	ND	ND	ND		
Aroclor-1268 (PCB-1268)	25.0	50.0	ND	ND	ND		

Our Lab I.D.				37390.02	37390.03		
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**	**% Rec.**		
Tetrachloro-m-xylene	30-150		97	102	94		

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 6
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37390	05/12/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 051506

Our Lab I.D.			**37390.08**
Client Sample I.D.			DP0156B-SS-003-01
Date Sampled			05/12/2006
Date Prepared			05/15/2006
Preparation Method			3550B
Date Analyzed			05/16/2006
Matrix			Soil
Units			ug/Kg
Dilution Factor			20
Analytes	**MDL**	**PQL**	**Results**
Aroclor-1016 (PCB-1016)	500	1000	ND
Aroclor-1221 (PCB-1221)	500	1000	ND
Aroclor-1232 (PCB-1232)	500	1000	ND
Aroclor-1242 (PCB-1242)	500	1000	ND
Aroclor-1248 (PCB-1248)	500	1000	55,400
Aroclor-1254 (PCB-1254)	500	1000	ND
Aroclor-1260 (PCB-1260)	500	1000	ND
Aroclor-1262 (PCB-1262)	500	1000	ND
Aroclor-1268 (PCB-1268)	500	1000	ND

Our Lab I.D.			**37390.08**
Surrogates	**%Rec.Limit**		**% Rec.**
Tetrachloro-m-xylene	30-150		0 S8

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 7
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37390	05/12/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 051506

Our Lab I.D.			37390.10	37390.11	37390.16	37390.18	37390.20
Client Sample I.D.			DP0156C-SS-000-01	DP0156C-SS-001-01	GS0043-SS-003-01	GS0044-SS-003-01	GS0046-SS-000-01
Date Sampled			05/12/2006	05/12/2006	05/12/2006	05/12/2006	05/12/2006
Date Prepared			05/15/2006	05/15/2006	05/15/2006	05/15/2006	05/15/2006
Preparation Method			3550B	3550B	3550B	3550B	3550B
Date Analyzed			05/16/2006	05/16/2006	05/16/2006	05/16/2006	05/16/2006
Matrix			Soil	Soil	Soil	Soil	Soil
Units			ug/Kg	ug/Kg	ug/Kg	ug/Kg	ug/Kg
Dilution Factor			1	1	1	1	1
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**	**Results**	**Results**
Aroclor-1016 (PCB-1016)	25.0	50.0	ND	ND	ND	ND	ND
Aroclor-1221 (PCB-1221)	25.0	50.0	ND	ND	ND	ND	ND
Aroclor-1232 (PCB-1232)	25.0	50.0	ND	ND	ND	ND	ND
Aroclor-1242 (PCB-1242)	25.0	50.0	ND	ND	ND	ND	ND
Aroclor-1248 (PCB-1248)	25.0	50.0	1,120	75.1	1,850	222	461
Aroclor-1254 (PCB-1254)	25.0	50.0	ND	ND	ND	ND	ND
Aroclor-1260 (PCB-1260)	25.0	50.0	ND	ND	ND	ND	ND
Aroclor-1262 (PCB-1262)	25.0	50.0	ND	ND	ND	ND	ND
Aroclor-1268 (PCB-1268)	25.0	50.0	ND	ND	ND	ND	ND

Our Lab I.D.			37390.10	37390.11	37390.16	37390.18	37390.20
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**	**% Rec.**	**% Rec.**	**% Rec.**
Tetrachloro-m-xylene	30-150		105	102	115	118	105

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 8
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37390	05/12/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 051506

Our Lab I.D.			37390.21	37390.23	37390.24	37390.26	37390.27
Client Sample I.D.			GS0046-SS-001-01	GS0047-SS-000-01	GS0047-SS-001-01	GS0048-SS-000-01	GS0048-SS-001-01
Date Sampled			05/12/2006	05/12/2006	05/12/2006	05/12/2006	05/12/2006
Date Prepared			05/15/2006	05/15/2006	05/15/2006	05/15/2006	05/15/2006
Preparation Method			3550B	3550B	3550B	3550B	3550B
Date Analyzed			05/16/2006	05/16/2006	05/16/2006	05/16/2006	05/16/2006
Matrix			Soil	Soil	Soil	Soil	Soil
Units			ug/Kg	ug/Kg	ug/Kg	ug/Kg	ug/Kg
Dilution Factor			1	1	1	1	1
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**	**Results**	**Results**
Aroclor-1016 (PCB-1016)	25.0	50.0	ND	ND	ND	ND	ND
Aroclor-1221 (PCB-1221)	25.0	50.0	ND	ND	ND	ND	ND
Aroclor-1232 (PCB-1232)	25.0	50.0	ND	ND	ND	ND	ND
Aroclor-1242 (PCB-1242)	25.0	50.0	ND	ND	ND	ND	ND
Aroclor-1248 (PCB-1248)	25.0	50.0	ND	60.6	ND	ND	ND
Aroclor-1254 (PCB-1254)	25.0	50.0	ND	ND	ND	ND	ND
Aroclor-1260 (PCB-1260)	25.0	50.0	ND	ND	ND	ND	ND
Aroclor-1262 (PCB-1262)	25.0	50.0	ND	ND	ND	ND	ND
Aroclor-1268 (PCB-1268)	25.0	50.0	ND	ND	ND	ND	ND

Our Lab I.D.			37390.21	37390.23	37390.24	37390.26	37390.27
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**	**% Rec.**	**% Rec.**	**% Rec.**
Tetrachloro-m-xylene	30-150		92	91	108	123	120

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 9
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37390	05/12/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 051506

Our Lab I.D.			37390.29	37390.30			
Client Sample I.D.			GS0049-SS-0 00-01	GS0049-SS-0 01-01			
Date Sampled			05/12/2006	05/12/2006			
Date Prepared			05/15/2006	05/15/2006			
Preparation Method			3550B	3550B			
Date Analyzed			05/16/2006	05/16/2006			
Matrix			Soil	Soil			
Units			ug/Kg	ug/Kg			
Dilution Factor			1	1			
Analytes	**MDL**	**PQL**	**Results**	**Results**			
Aroclor-1016 (PCB-1016)	25.0	50.0	ND	ND			
Aroclor-1221 (PCB-1221)	25.0	50.0	ND	ND			
Aroclor-1232 (PCB-1232)	25.0	50.0	ND	ND			
Aroclor-1242 (PCB-1242)	25.0	50.0	ND	ND			
Aroclor-1248 (PCB-1248)	25.0	50.0	ND	ND			
Aroclor-1254 (PCB-1254)	25.0	50.0	ND	ND			
Aroclor-1260 (PCB-1260)	25.0	50.0	ND	ND			
Aroclor-1262 (PCB-1262)	25.0	50.0	ND	ND			
Aroclor-1268 (PCB-1268)	25.0	50.0	ND	ND			

Our Lab I.D.			37390.29	37390.30			
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**			
Tetrachloro-m-xylene	30-150		130	123			

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page 10
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37390	05/12/2006	H&A

Analytes			Antimony	Arsenic	Lead	
Methods of Analyses			(6010BSCAN)	(6010BSCAN)	(6010BSCAN)	
Date Prepared			05/17/2006	05/17/2006	05/17/2006	
Date Analyzed			05/17/2006	05/17/2006	05/17/2006	
Matrix			Soil	Soil	Soil	
QC Batch Number			051706	051706	051706	
Units			mg/Kg	mg/Kg	mg/Kg	
Method Detection Limit			1.0	0.5	0.5	
Practical Quantitation Limit			5.0	5.0	5.0	
Dilution Factor			1	1	1	
Lab ID	**Sample ID**	**Sampled**	**Results**	**Results**	**Results**	
37390.08	DP0156B-SS-003-01	05/12/2006	162	49.7	3,160	
37390.10	DP0156C-SS-000-01	05/12/2006	1.60J	1.25J	19.9	
37390.11	DP0156C-SS-001-01	05/12/2006	ND	ND	5.05	
N/A	Method Blank	05/12/2006	ND	ND	ND	

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714) 985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page 11
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37390	05/12/2006	H&A

Analytes			Arsenic			
Methods of Analyses			(6010BSCAN)			
Date Prepared			05/17/2006			
Date Analyzed			05/17/2006			
Matrix			Soil			
QC Batch Number			051706			
Units			mg/Kg			
Method Detection Limit			0.5			
Practical Quantitation Limit			5.0			
Dilution Factor			1			
Lab ID	**Sample ID**	**Sampled**	**Results**			
37390.14	DP0013D-SS-000-01	05/12/2006	ND			
N/A	Method Blank	05/12/2006	ND			

Analytes			Lead			
Methods of Analyses			(6010BSCAN)			
Date Prepared			05/17/2006			
Date Analyzed			05/17/2006			
Matrix			Soil			
QC Batch Number			051706			
Units			mg/Kg			
Method Detection Limit			0.5			
Practical Quantitation Limit			5.0			
Dilution Factor			1			
Lab ID	**Sample ID**	**Sampled**	**Results**			
37390.05	DP0002F-SS-000-01	05/12/2006	5.55			
N/A	Method Blank	05/12/2006	ND			

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 12
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37390	05/12/2006	H&A

Method: (6010BSCAN), Arsenic by ICP

QUALITY CONTROL REPORT

QC Batch No: 051706 Sample Spiked: 37370.01 QC Prepared: 05/17/2006 QC Analyzed: 05/17/2006 Units: mg/Kg

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Arsenic	0.033	1.00	0.96	93	1.00	0.95	92	1.1	80-120	<15

QC Batch No: 051706 Sample Spiked: 37370.01 QC Prepared: 05/17/2006 QC Analyzed: 05/17/2006 Units: mg/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Arsenic	1.00	0.94	94	80-120						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: **13**
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37390	05/12/2006	H&A

Method: (6010BSCAN), As, Sb,and Pb Metals by ICP

QUALITY CONTROL REPORT

QC Batch No: 051706 Sample Spiked: 37370.01 QC Prepared: 05/17/2006 QC Analyzed: 05/17/2006 Units: mg/Kg

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Antimony	0.039	1.00	0.89	85	1.00	0.88	84	1.2	80-120	<15
Arsenic	0.033	1.00	0.96	93	1.00	0.95	92	1.1	80-120	<15
Lead	1.410	1.00	2.29	88	1.00	2.27	86	2.3	80-120	<15

QC Batch No: 051706 Sample Spiked: 37370.01 QC Prepared: 05/17/2006 QC Analyzed: 05/17/2006 Units: mg/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Antimony	1.00	0.83	83	80-120						
Arsenic	1.00	0.94	94	80-120						
Lead	1.00	0.94	94	80-120						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: **14**
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37390	05/12/2006	H&A

Method: (6010BSCAN), Lead by ICP

QUALITY CONTROL REPORT

QC Batch No: 051706 Sample Spiked: 37370.01 QC Prepared: 05/17/2006 QC Analyzed: 05/17/2006 Units: mg/Kg

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Lead	1.410	1.00	2.29	88	1.00	2.27	86	2.3	80-120	<15

QC Batch No: 051706 Sample Spiked: 37370.01 QC Prepared: 05/17/2006 QC Analyzed: 05/17/2006 Units: mg/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Lead	1.00	0.94	94	80-120						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: **15**
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37390	05/12/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QUALITY CONTROL REPORT

QC Batch No: 051506 Sample Spiked: 051506 QC Prepared: 05/15/2006 QC Analyzed: 05/16/2006 Units: ug/Kg

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Aroclor-1260 (PCB-1260)	0.0	500.00	565.00	113	500.00	565.00	113	<1	50-150	<50

QC Batch No: 051506 Sample Spiked: 051506 QC Prepared: 05/15/2006 QC Analyzed: 05/16/2006 Units: ug/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Aroclor-1260 (PCB-1260)	500.00	515.00	103	50-150						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 16
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37390	05/12/2006	H&A

Method: (8260B), Volatile Organic Compounds by GC/MS (SW846)

QUALITY CONTROL REPORT

QC Batch No: 051506 Sample Spiked: 051506 QC Prepared: 05/15/2006 QC Analyzed: 05/15/2006 Units: ug/Kg

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Benzene	0.0	50.00	44.00	88	50.00	47.00	94	6.6	75-125	<20
Chlorobenzene	0.0	50.00	47.50	95	50.00	49.50	99	4.1	75-125	<20
1,1-Dichloroethene	0.0	50.00	42.00	84	50.00	45.50	91	8.0	75-125	<20
Methyl-tert-butyl ether (MTBE)	0.0	50.00	47.00	94	50.00	46.50	93	1.1	75-125	<20
Toluene (Methyl benzene)	0.0	50.00	49.50	99	50.00	50.00	100	1.0	75-125	<20
Trichloroethene	0.0	50.00	43.50	87	50.00	49.00	98	11.9	75-125	<20

QC Batch No: 051506 Sample Spiked: 051506 QC Prepared: 05/15/2006 QC Analyzed: 05/15/2006 Units: ug/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Benzene	50.00	47.50	95	75-125						
Chlorobenzene	50.00	52.50	105	75-125						
1,1-Dichloroethene	50.00	47.50	95	75-125						
Methyl-tert-butyl ether (MTBE)	50.00	51.50	103	75-125						
Toluene (Methyl benzene)	50.00	56.50	113	75-125						
Trichloroethene	50.00	45.00	90	75-125						
LCS										
Chloroform (Trichloromethane)	50.00	44.00	88	75-125						
Ethylbenzene	50.00	45.00	90	75-125						
1,1,1-Trichloroethane	50.00	41.00	82	75-125						
o-Xylene	50.00	49.50	99	75-125						
m,p-Xylenes	100.00	95.00	95	75-125						

American Environmental Testing Laboratory Inc.
2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

Data Qualifiers and Descriptors

Data Qualifier:

*:	In the QC section, sample results have been taken directly from the ICP reading. No preparation factor has been applied.
B:	Analyte was present in the Method Blank.
D:	Result is from a diluted analysis.
E:	Result is beyond calibration limits and is estimated.
H:	Analysis was performed over the allowed holding time due to circumstances which were beyond laboratory control.
J:	Analyte was detected . However, the analyte concentration is an estimated value, which is between the Method Detection Limit (MDL) and the Practical Quantitation Limit (PQL).
M:	Matrix spike recovery is outside control limits due to matrix interference. Laboratory Control Sample recovery was acceptable.
S6:	Surrogate recovery is outside control limits due to matrix interference.
S8:	The analysis of the sample required a dilution such that the surrogate concentration was diluted below the method acceptance criteria.
X:	Results represent LCS and LCSD data.

Definition:

%Limi:	Percent acceptable limits.
%REC:	Percent recovery.
Con.L:	Acceptable Control Limits
Conce:	Added concentration to the sample.
LCS:	Laboratory Control Sample
MDL:	Method Detection Limit is a statistically derived number which is specific for each instrument, each method, and each compound. It indicates a distinctively detectable quantity with 99% probability.
MS:	Matrix Spike
MS DU:	Matrix Spike Duplicate

American Environmental Testing Laboratory Inc.
2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

Data Qualifiers and Descriptors

ND: Analyte was not detected in the sample at or above MDL.

PQL: Practical Quantitation Limit or ML (Minimum Level as per RWQCB) is the minimum concentration that can be quantified with more than 99% confidence. Taking into account all aspects of the entire analytical instrumentation and practice.

Recov: Recovered concentration in the sample.

RPD: Relative Percent Difference