American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

RECEIVED

OCT 1 0 2005

Haley & Aldrich, Inc.

Ordered By

Haley & Aldrich
500 South Kraemer Blvd. Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attention: Tom Tatnall

Number of Pages	2
Date Received	10/04/2005
Date Reported	10/05/2005

Job Number	Order Date	Client
34813	10/04/2005	H&A

Project ID: 32486-000
Project Name: Delphi System Corp.
Site: 1201 N. Magnolia Avenue
Anaheim, CA 92801

Enclosed please find results of analyses of 2 solid waste samples which were analyzed as specified on the attached chain of custody. If there are any questions, please do not hesitate to call.

Checked By: _____ Approved By: _____

Cyrus Razmara, Ph.D.
Laboratory Director

Chain of Custody Record

#34813

HALEY & ALDRICH

Client	Project Manager	Laboratory Name	Date	Custody Number
Haley & Aldrich	Tom Tatnall	AETL	10/4/2005	HA-000009
Address	**Telephone Number (Area Code)**	**Laboratory Address & Telephone Number**	**Lab Number**	
500 S. Kraemer Blvd., Suite 370	(714) 985-3434	2834 Naomi St., Burbank CA 91504 Tel: (818) 845-8200		Page 1 of 1

City	State	ZipCode	Site Contact	LabContact
Brea	CA	92821	T. Tatnall	Jim Lin

Project Name and Location (State): Delphi, Anaheim CA

Carrier/Waybill:

Contract/Purchase Order/Quote No.:

Analysis (Attach list if more space is needed)

Special Instructions/Conditions of Receipt

Sample I. D. No. and Description (Containers for each sample may be combin on one line)	Date	Time	Matrix: Air	Water	Sed.	Soil	Cement	Preservatives Containers: Unpres.	H_2SO_4	HNO_3	HCL	NaOH	ZnAc/NaOH	Metals (EPA 6010B) Pb only	Special Instructions/Conditions of Receipt
GS0028_SS_000_01	10/4/2005	08:35					X							X	34813.01
GS0027_SS_000_01	10/4/2005	08:20					X							X	34813.02

Possible Hazard Identification: ☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☒ Unknown

Sample Disposal: ☐ Return To Client ☒ Disposal By Lab ☐ Archive For _____ Months (A fee may be assessed if samples are retained Months longer than 1 month)

Turn Around Time Required: ☒ 24 Hours ☐ 48 Hours ☐ 7 Days ☐ 14 Days ☐ 21 Days ☐ Others _____

QC Requirements (Specify):

	Date	Time		Date	Time
1. Relinquished By: [signature]	10-4-05	0910	1. Received By: [signature]	10/4/05	0910
2. Relinquished By:			2. Received By:		
3. Relinquished By:			3. Received By: [signature]	10/4/05	1025

Comments:

Chain of Custody Record

HALEY & ALDRICH

Client	Project Manager	Laboratory Name	Date	Custody Number
Haley & Aldrich	Tom Tatnall	AETL	10/4/2005	HA-000009
Address	**Telephone Number (Area Code)**	**Laboratory Address & Telephone Number**	**Lab Number**	
500 S. Kraemer Blvd., Suite 370	(714) 985-3434	2834 Naomi St., Burbank CA 91504 Tel: (818) 845-8200		Page 1 of 1

City	State	ZipCode	Site Contact	LabContact
Brea	CA	92821	T. Tatnall	Jim Lin

Project Name and Location (State): Delphi, Anaheim CA

Carrier/Waybill:

Contract/Purchase Order/Quote No.:

Analysis (Attach list if more space is needed)

Special Instructions/ Conditions of Receipt

Sample I. D. No. and Description (Containers for each sample may be combin on one line)	Date	Time	Matrix: Air	Water	Sed.	Soil	Cement	Preservatives Containers: Unpres.	H2SO4	HNO3	HCL	NaOH	ZnAc/NaOH	Metals (EPA 6010B) Pb only
CS0002_CC_000_01	10/4/2005	08:35					X							X
CS0001_CC_000_01	10/4/2005	08:20					X							X

Possible Hazard Identification: ☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☒ Unknown

Sample Disposal: ☐ Return To Client ☒ Disposal By Lab ☐ Archive For ____ Months (A fee may be assessed if samples are retained Months longer than 1 month)

Turn Around Time Required: ☒ 24 Hours ☐ 48 Hours ☐ 7 Days ☐ 14 Days ☐ 21 Days ☐ Others ____

QC Requirements (Specify):

	Date	Time		Date	Time
1. Relinquished By			1. Received By		
2. Relinquished By			2. Received By		
3. Relinquished By			3. Received By		

Comments:

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 2
Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34813	10/04/2005	H&A

Method: (6010B.LEAD), Lead, ICP

QC Batch No: 100405

Our Lab I.D.			Method Blank	**34813.01**	**34813.02**		
Client Sample I.D.				CS0002-CC-000-01	CS0001-CC-000-01		
Date Sampled				10/04/2005	10/04/2005		
Date Prepared			10/04/2005	10/04/2005	10/04/2005		
Preparation Method			3050B	3050B	3050B		
Date Analyzed			10/04/2005	10/04/2005	10/04/2005		
Matrix			Solid Waste	Solid Waste	Solid Waste		
Units			mg/Kg	mg/Kg	mg/Kg		
Dilution Factor			1	1	1		
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**		
Lead	2.5	5.0	ND	108	403		

QUALITY CONTROL REPORT

QC Batch No: 100405 Sample Spiked: MA5994 QC Prepared: 10/04/2005 QC Analyzed: 10/04/2005 Units: mg/Kg

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Lead	1.32	1.00	2.27	95	1.00	2.21	89	6.5	80-120	<15

QC Batch No: 100405 Sample Spiked: MA5994 QC Prepared: 10/04/2005 QC Analyzed: 10/04/2005 Units: mg/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Lead	1.00	0.99	99	80-120						

American Environmental Testing Laboratory Inc.
2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

Data Qualifiers and Descriptors

Data Qualifier:

*:	In the QC section, sample results have been taken directly from the ICP reading. No preparation factor has been applied.
B:	Analyte was present in the Method Blank.
D:	Result is from a diluted analysis.
E:	Result is beyond calibration limits and is estimated.
H:	Analysis was performed over the allowed holding time due to circumstances which were beyond laboratory control.
J:	Analyte was detected . However, the analyte concentration is an estimated value, which is between the Method Detection Limit (MDL) and the Practical Quantitation Limit (PQL).
M:	Matrix spike recovery is outside control limits due to matrix interference. Laboratory Control Sample recovery was acceptable.
S6:	Surrogate recovery is outside control limits due to matrix interference.
S8:	The analysis of the sample required a dilution such that the surrogate concentration was diluted below the method acceptance criteria.
X:	Results represent LCS and LCSD data.

Definition:

%Limi:	Percent acceptable limits.
%REC:	Percent recovery.
Con.L:	Acceptable Control Limits
Conce:	Added concentration to the sample.
LCS:	Laboratory Control Sample
MDL:	Method Detection Limit is a statistically derived number which is specific for each instrument, each method, and each compound. It indicates a distinctively detectable quantity with 99% probability.
MS:	Matrix Spike
MS DU:	Matrix Spike Duplicate

American Environmental Testing Laboratory Inc.
2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

Data Qualifiers and Descriptors

ND: Analyte was not detected in the sample at or above MDL.

PQL: Practical Quantitation Limit or ML (Minimum Level as per RWQCB) is the minimum concentration that can be quantified with more than 99% confidence. Taking into account all aspects of the entire analytical instrumentation and practice.

Recov: Recovered concentration in the sample.

RPD: Relative Percent Difference

American Environmental Testing Laboratory Inc.
2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 1018
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

RECEIVED
OCT 1 0 2005
Haley & Aldrich, Inc.

Ordered By

Haley & Aldrich
500 South Kraemer Blvd. Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attention: Tom Tatnall

Number of Pages 2
Date Received 10/04/2005
Date Reported 10/05/2005

Job Number	Order Date	Client
34814	10/04/2005	H&A

Project ID: 32486-000
Project Name: Delphi System Corp.
Site: 1201 N. Magnolia Avenue
Anaheim, CA 92801

Enclosed please find results of analyses of 1 solid waste sample which was analyzed as specified on the attached chain of custody. If there are any questions, please do not hesitate to call.

Checked By: _____ Approved By: _____

Cyrus Razmara, Ph.D.
Laboratory Director

Chain of Custody Record

34814

HALEY & ALDRICH

Client	Project Manager	Laboratory Name	Date	Custody Number
Haley & Aldrich	Tom Tatnall	AETL	10/4/2005	HA-000010

Address	Telephone Number (Area Code)	Laboratory Address & Telephone Number	Lab Number	
500 S. Kraemer Blvd., Suite 370	(714) 985-3434	2834 Naomi St., Burbank CA 91504 Tel: (818) 845-8200		Page 1 of 1

City	State	ZipCode	Site Contact	LabContact
Brea	CA	92821	T. Tatnall	Jim Lin

Project Name and Location (State): Delphi, Anaheim CA

Carrier/Waybill:

Contract/Purchase Order/Quote No.:

Analysis (Attach list if more space is needed)

Special Instructions/ Conditions of Receipt

Sample / D. No. and Description (Containers for each sample may be combin on one line)	Date	Time	Matrix: Air	Water	Sed.	Soil	Cement	Preservatives Containers: Unpres.	H2SO4	HNO3	HCL	NaOH	ZnAc/NaOH	Metals (EPA 6010B) Pb only	Special Instructions/ Conditions of Receipt
GS0029_SS_000_01	10/4/2005	09:20					X	1						X	34814.01

Possible Hazard Identification: ☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☒ Unknown

Sample Disposal (A fee may be assessed if samples are retained Months longer than 1 month): ☐ Return To Client ☒ Disposal By Lab ☐ Archive For _____ Months

Turn Around Time Required: ☒ 24 Hours ☐ 48 Hours ☐ 7 Days ☐ 14 Days ☐ 21 Days ☐ Others _____

QC Requirements (Specify):

	Date	Time		Date	Time
1. Relinquished By: Glen Andrat	10-4-05	0930	1. Received By: [signature]	10/4/05	0930
2. Relinquished By:			2. Received By:		
3. Relinquished By:			3. Received By: [signature]	10/4/05	1025

Comments:

Chain of Custody Record

HALEY & ALDRICH

Client	Project Manager	Laboratory Name	Date	Custody Number
Haley & Aldrich	Tom Tatnall	AETL	10/4/2005	HA-000010
Address	**Telephone Number (Area Code)**	**Laboratory Address & Telephone Number**	**Lab Number**	
500 S. Kraemer Blvd., Suite 370	(714) 985-3434	2834 Naomi St., Burbank CA 91504 Tel: (818) 845-8200		Page 1 of 1

City	State	ZipCode	Site Contact	LabContact
Brea	CA	92821	T. Tatnall	Jim Lin

Project Name and Location (State): Delphi, Anaheim CA

Carrier/Waybill:

Contract/Purchase Order/Quote No.:

Analysis (Attach list if more space is needed)

Special Instructions/ Conditions of Receipt

Sample /. D. No. and Description (Containers for each sample may be combin on one line)	Date	Time	Matrix: Air	Water	Sed.	Soil	Cement	Preservatives Containers: Unpres.	H2SO4	HNO3	HCL	NaOH	ZnAc/NaOH	Metals (EPA 6010B) Pb only
CS0003_CC_000_01	10/4/2005	09:20					X	1						X

Possible Hazard Identification: ☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☒ Unknown

Sample Disposal: ☐ Return To Client ☒ Disposal By Lab ☐ Archive For_____Months (A fee may be assessed if samples are retained Months longer than 1 month)

Turn Around Time Required: ☒ 24 Hours ☐ 48 Hours ☐ 7 Days ☐ 14 Days ☐ 21 Days ☐ Others_____

QC Requirements (Specify):

Relinquished By	Date	Time	Received By	Date	Time
1.			1.		
2.			2.		
3.			3.		

Comments

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 2
Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34814	10/04/2005	H&A

Method: (6010B.LEAD), Lead, ICP

QC Batch No: 100405

Our Lab I.D.			Method Blank	**34814.01**			
Client Sample I.D.				CS0003-CC-000-01			
Date Sampled				10/04/2005			
Date Prepared			10/04/2005	10/04/2005			
Preparation Method			3050B	3050B			
Date Analyzed			10/04/2005	10/04/2005			
Matrix			Solid Waste	Solid Waste			
Units			mg/Kg	mg/Kg			
Dilution Factor			1	1			
Analytes	**MDL**	**PQL**	**Results**	**Results**			
Lead	2.5	5.0	ND	75.5			

QUALITY CONTROL REPORT

QC Batch No: 100405 Sample Spiked: MA5994 QC Prepared: 10/04/2005 QC Analyzed: 10/04/2005 Units: mg/Kg

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Lead	1.32	1.00	2.27	95	1.00	2.21	89	6.5	80-120	<15

QC Batch No: 100405 Sample Spiked: MA5994 QC Prepared: 10/04/2005 QC Analyzed: 10/04/2005 Units: mg/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Lead	1.00	0.99	99	80-120						

American Environmental Testing Laboratory Inc.
2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

Data Qualifiers and Descriptors

Data Qualifier:

*:	In the QC section, sample results have been taken directly from the ICP reading. No preparation factor has been applied.
B:	Analyte was present in the Method Blank.
D:	Result is from a diluted analysis.
E:	Result is beyond calibration limits and is estimated.
H:	Analysis was performed over the allowed holding time due to circumstances which were beyond laboratory control.
J:	Analyte was detected . However, the analyte concentration is an estimated value, which is between the Method Detection Limit (MDL) and the Practical Quantitation Limit (PQL).
M:	Matrix spike recovery is outside control limits due to matrix interference. Laboratory Control Sample recovery was acceptable.
S6:	Surrogate recovery is outside control limits due to matrix interference.
S8:	The analysis of the sample required a dilution such that the surrogate concentration was diluted below the method acceptance criteria.
X:	Results represent LCS and LCSD data.

Definition:

%Limi:	Percent acceptable limits.
%REC:	Percent recovery.
Con.L:	Acceptable Control Limits
Conce:	Added concentration to the sample.
LCS:	Laboratory Control Sample
MDL:	Method Detection Limit is a statistically derived number which is specific for each instrument, each method, and each compound. It indicates a distinctively detectable quantity with 99% probability.
MS:	Matrix Spike
MS DU:	Matrix Spike Duplicate

American Environmental Testing Laboratory Inc.
2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

Data Qualifiers and Descriptors

ND: Analyte was not detected in the sample at or above MDL.

PQL: Practical Quantitation Limit or ML (Minimum Level as per RWQCB) is the minimum concentration that can be quantified with more than 99% confidence. Taking into account all aspects of the entire analytical instrumentation and practice.

Recov: Recovered concentration in the sample.

RPD: Relative Percent Difference

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

RECEIVED

OCT 1 8 2005

Haley & Aldrich, Inc.

Ordered By

Haley & Aldrich
500 South Kraemer Blvd. Suite 370
Brea, CA 92821-6723

Telephone: (714) 985-3434
Attention: Tom Tatnall

Number of Pages	17
Date Received	10/07/2005
Date Reported	10/11/2005

Job Number	Order Date	Client
34859	10/07/2005	H&A

Project ID: 32486-000
Project Name: Delphi System Corp.
Site: 1201 N. Magnolia Avenue
Anaheim, CA 92801

Enclosed please find results of analyses of 13 solid waste samples which were analyzed as specified on the attached chain of custody. If there are any questions, please do not hesitate to call.

Checked By: _____ Approved By: _____

Cyrus Razmara, Ph.D.
Laboratory Director

Chain of Custody Record

Job # 34859

HALEY & ALDRICH

Client	Project Manager	Laboratory Name	Date	Custody Number
Haley & Aldrich	Tom Tatnall	AETL	10/7/2005	HA-000013
Address	**Telephone Number (Area Code)**	**Laboratory Address & Telephone Number**	**Lab Number**	
500 S. Kraemer Blvd., Suite 370	(714) 985-3434	2834 Naomi St., Burbank CA 91504 Tel: (818) 845-8200		Page 1 of 2

City	State	ZipCode	Site Contact	LabContact
Brea	CA	92821	T. Tatnall	Jim Lin

Project Name and Location (State): Delphi, Anaheim CA

Carrier/Waybill:

Contract/Purchase Order/Quote No.:

Analysis (Attach list if more space is needed)

Special Instructions/ Conditions of Receipt

Sample / D. No. and Description (Containers for each sample may be combin on one line)	Date	Time	Matrix: Air	Water	Sed.	Soil	Cement	Preservatives Containers: Unpres.	H2SO4	HNO3	HCL	NaOH	ZnAc/NaOH	Metals (EPA 6010B)	PCB (EPA 8082)										Special Instructions/ Conditions of Receipt
CS0012_CC_000_01	10/7/2005	13:35					X	X						X	X										34859.01
CS0009_CC_000_01	10/7/2005	13:05					X	X						X	X										34859.02
CS0004_CC_000_01	10/7/2005	12:25					X	X						X	X										34859.03
CS0011_CC_000_01	10/7/2005	13:15					X	X						X	X										34859.04
CS0013_CC_000_01	10/7/2005	13:40					X	X						X	X										34859.05
CS0005_CC_000_01	10/7/2005	12:30					X	X						X	X										34859.06
CS0008_CC_000_01	10/7/2005	13:00					X	X						X	X										34859.07
CS0007_CC_000_01	10/7/2005	12:40					X	X						X	X										34859.08
CS0006_CC_000_01	10/7/2005	12:35					X	X						X	X										34859.09
CS0012_CC_000_02	10/7/2005	13:36					X	X						X	X										34859.10
CS0014_CC_000_01	10/7/2005	13:45					X	X						X	X										34859.11
CS0010_CC_000_01	10/7/2005	13:10					X	X						X	X										34859.12

Possible Hazard Identification: ☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☒ Unknown

Sample Disposal: ☐ Return To Client ☒ Disposal By Lab ☐ Archive For ____ Months (A fee may be assessed if samples are retained Months longer than 1 month)

Turn Around Time Required: ☒ 24 Hours ☐ 48 Hours ☐ 7 Days ☐ 14 Days ☐ 21 Days ☐ Others ____

QC Requirements (Specify):

	Date	Time		Date	Time
1. Relinquished By	10-7-05	1525	1. Received By	10/7/05	1525
2. Relinquished By	10-7-05	1700	2. Received By	10/07/05	17:00
3. Relinquished By			3. Received By		

Comments

Chain of Custody Record

HALEY & ALDRICH

Job # 34859

Client	Project Manager	Laboratory Name	Date	Custody Number
Haley & Aldrich	Tom Tatnall	AETL	10/7/2005	HA-000014
Address	**Telephone Number (Area Code)**	**Laboratory Address & Telephone Number**	**Lab Number**	
500 S. Kraemer Blvd., Suite 370	(714) 985-3434	2834 Naomi St., Burbank CA 91504 Tel: (818) 845-8200		Page 2 of 2

City	State	ZipCode	Site Contact	LabContact
Brea	CA	92821	T. Tatnall	Jim Lin

Project Name and Location (State): Delphi, Anaheim CA

Carrier/Waybill:

Contract/Purchase Order/Quote No.:

Analysis (Attach list if more space is needed)

Special Instructions/ Conditions of Receipt

Sample /. D. No. and Description (Containers for each sample may be combin on one line)	Date	Time	Matrix: Air	Water	Sed.	Soil	Cement	Preservatives Containers: Unpres.	H2SO4	HNO3	HCL	NaOH	ZnAc/NaOH	Metals (EPA 6010B)	PCB (EPA 8082)	Special Instructions/ Conditions of Receipt
CS0015_CC_000_01	10/7/2005	13:50					X	X						X	X	34859.13

Possible Hazard Identification: ☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☒ Unknown

Sample Disposal: ☐ Return To Client ☒ Disposal By Lab ☐ Archive For _____ Months (A fee may be assessed if samples are retained Months longer than 1 month)

Turn Around Time Required: ☒ 24 Hours ☐ 48 Hours ☐ 7 Days ☐ 14 Days ☐ 21 Days ☐ Others _____

QC Requirements (Specify):

	Date	Time		Date	Time
1. Relinquished By	10-7-05	1525	1. Received By	10/7/05	1525
2. Relinquished By	10-7-05	1700	2. Received By	10/07/05	17:00
3. Relinquished By			3. Received By		

Comments

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Telephone: (714)985-3434
Attn: Tom Tatnall

Page: 2

Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34859	10/07/2005	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 101005

Our Lab I.D.			*Method Blank*				
Client Sample I.D.							
Date Sampled							
Date Prepared			10/10/2005				
Preparation Method			3550B				
Date Analyzed			10/10/2005				
Matrix			Solid Waste				
Units			mg/Kg				
Dilution Factor			1				
Analytes	**MDL**	**PQL**	**Results**				
Aroclor-1016 (PCB-1016)	0.04	0.10	ND				
Aroclor-1221 (PCB-1221)	0.07	0.10	ND				
Aroclor-1232 (PCB-1232)	0.04	0.10	ND				
Aroclor-1242 (PCB-1242)	0.04	0.10	ND				
Aroclor-1248 (PCB-1248)	0.04	0.10	ND				
Aroclor-1254 (PCB-1254)	0.04	0.10	ND				
Aroclor-1260 (PCB-1260)	0.04	0.10	ND				
Aroclor-1262 (PCB-1262)	0.04	0.10	ND				
Aroclor-1268 (PCB-1268)	0.04	0.10	ND				
Our Lab I.D.							
Surrogates	**%Rec.Limit**		**% Rec.**				
Tetrachloro-m-xylene	75-125		110				

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Telephone: (714)985-3434
Attn: Tom Tatnall

Page: 3

Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34859	10/07/2005	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 101005

Our Lab I.D.			**34859.01**	**34859.02**			
Client Sample I.D.			CS0012-CC-000-01	CS0009-CC-000-01			
Date Sampled			10/07/2005	10/07/2005			
Date Prepared			10/10/2005	10/10/2005			
Preparation Method			3550B	3550B			
Date Analyzed			10/10/2005	10/10/2005			
Matrix			Solid Waste	Solid Waste			
Units			mg/Kg	mg/Kg			
Dilution Factor			100	100			
Analytes	**MDL**	**PQL**	**Results**	**Results**			
Aroclor-1016 (PCB-1016)	4.00	10	ND	ND			
Aroclor-1221 (PCB-1221)	7	10	ND	ND			
Aroclor-1232 (PCB-1232)	4.00	10	ND	ND			
Aroclor-1242 (PCB-1242)	4.00	10	ND	ND			
Aroclor-1248 (PCB-1248)	4.00	10	79.9	63.7			
Aroclor-1254 (PCB-1254)	4.00	10	ND	ND			
Aroclor-1260 (PCB-1260)	4.00	10	ND	ND			
Aroclor-1262 (PCB-1262)	4.00	10	ND	ND			
Aroclor-1268 (PCB-1268)	4.00	10	ND	ND			
Our Lab I.D.			**34859.01**	**34859.02**			
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**			
Tetrachloro-m-xylene	75-125		0 S8	0 S8			

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 4

Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34859	10/07/2005	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 101005

Our Lab I.D.			**34859.03**
Client Sample I.D.			CS0004-CC-0 00-01
Date Sampled			10/07/2005
Date Prepared			10/10/2005
Preparation Method			3550B
Date Analyzed			10/10/2005
Matrix			Solid Waste
Units			mg/Kg
Dilution Factor			20
Analytes	**MDL**	**PQL**	**Results**
Aroclor-1016 (PCB-1016)	0.80	2.00	ND
Aroclor-1221 (PCB-1221)	1.40	2.00	ND
Aroclor-1232 (PCB-1232)	0.80	2.00	ND
Aroclor-1242 (PCB-1242)	0.80	2.00	ND
Aroclor-1248 (PCB-1248)	0.80	2.00	9.39
Aroclor-1254 (PCB-1254)	0.80	2.00	ND
Aroclor-1260 (PCB-1260)	0.80	2.00	ND
Aroclor-1262 (PCB-1262)	0.80	2.00	ND
Aroclor-1268 (PCB-1268)	0.80	2.00	ND
Our Lab I.D.			**34859.03**
Surrogates	**%Rec.Limit**		**% Rec.**
Tetrachloro-m-xylene	75-125		108

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Telephone: (714)985-3434
Attn: Tom Tatnall

Page: 5

Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34859	10/07/2005	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 101005

Our Lab I.D.			**34859.04**
Client Sample I.D.			CS0011-CC-000-01
Date Sampled			10/07/2005
Date Prepared			10/10/2005
Preparation Method			3550B
Date Analyzed			10/10/2005
Matrix			Solid Waste
Units			mg/Kg
Dilution Factor			10
Analytes	**MDL**	**PQL**	**Results**
Aroclor-1016 (PCB-1016)	0.40	1.00	ND
Aroclor-1221 (PCB-1221)	0.70	1.00	ND
Aroclor-1232 (PCB-1232)	0.40	1.00	ND
Aroclor-1242 (PCB-1242)	0.40	1.00	ND
Aroclor-1248 (PCB-1248)	0.40	1.00	6.52
Aroclor-1254 (PCB-1254)	0.40	1.00	ND
Aroclor-1260 (PCB-1260)	0.40	1.00	ND
Aroclor-1262 (PCB-1262)	0.40	1.00	ND
Aroclor-1268 (PCB-1268)	0.40	1.00	ND
Our Lab I.D.			**34859.04**
Surrogates	**%Rec.Limit**		**% Rec.**
Tetrachloro-m-xylene	75-125		113

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Telephone: (714)985-3434
Attn: Tom Tatnall

Page: 6

Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34859	10/07/2005	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 101005

Our Lab I.D.			**34859.05**
Client Sample I.D.			CS0013CC-000-01
Date Sampled			10/07/2005
Date Prepared			10/10/2005
Preparation Method			3550B
Date Analyzed			10/10/2005
Matrix			Solid Waste
Units			mg/Kg
Dilution Factor			100
Analytes	**MDL**	**PQL**	**Results**
Aroclor-1016 (PCB-1016)	4.00	10	ND
Aroclor-1221 (PCB-1221)	7	10	ND
Aroclor-1232 (PCB-1232)	4.00	10	ND
Aroclor-1242 (PCB-1242)	4.00	10	ND
Aroclor-1248 (PCB-1248)	4.00	10	124
Aroclor-1254 (PCB-1254)	4.00	10	ND
Aroclor-1260 (PCB-1260)	4.00	10	ND
Aroclor-1262 (PCB-1262)	4.00	10	ND
Aroclor-1268 (PCB-1268)	4.00	10	ND
Our Lab I.D.			**34859.05**
Surrogates	**%Rec.Limit**		**% Rec.**
Tetrachloro-m-xylene	75-125		0 S8

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Telephone: (714)985-3434
Attn: Tom Tatnall

Page: 7

Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34859	10/07/2005	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 101005

Our Lab I.D.			**34859.06**				
Client Sample I.D.			CS0005-CC-0 00-01				
Date Sampled			10/07/2005				
Date Prepared			10/10/2005				
Preparation Method			3550B				
Date Analyzed			10/10/2005				
Matrix			Solid Waste				
Units			mg/Kg				
Dilution Factor			20				
Analytes	**MDL**	**PQL**	**Results**				
Aroclor-1016 (PCB-1016)	0.80	2.00	ND				
Aroclor-1221 (PCB-1221)	1.40	2.00	ND				
Aroclor-1232 (PCB-1232)	0.80	2.00	ND				
Aroclor-1242 (PCB-1242)	0.80	2.00	ND				
Aroclor-1248 (PCB-1248)	0.80	2.00	8.38				
Aroclor-1254 (PCB-1254)	0.80	2.00	ND				
Aroclor-1260 (PCB-1260)	0.80	2.00	ND				
Aroclor-1262 (PCB-1262)	0.80	2.00	ND				
Aroclor-1268 (PCB-1268)	0.80	2.00	ND				
Our Lab I.D.			**34859.06**				
Surrogates	**%Rec.Limit**		**% Rec.**				
Tetrachloro-m-xylene	75-125		110				

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Telephone: (714)985-3434
Attn: Tom Tatnall

Page: 8

Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34859	10/07/2005	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 101005

Our Lab I.D.			**34859.07**
Client Sample I.D.			CS0008-CC-000-01
Date Sampled			10/07/2005
Date Prepared			10/10/2005
Preparation Method			3550B
Date Analyzed			10/10/2005
Matrix			Solid Waste
Units			mg/Kg
Dilution Factor			100
Analytes	**MDL**	**PQL**	**Results**
Aroclor-1016 (PCB-1016)	4.00	10	ND
Aroclor-1221 (PCB-1221)	7	10	ND
Aroclor-1232 (PCB-1232)	4.00	10	ND
Aroclor-1242 (PCB-1242)	4.00	10	ND
Aroclor-1248 (PCB-1248)	4.00	10	32.1
Aroclor-1254 (PCB-1254)	4.00	10	ND
Aroclor-1260 (PCB-1260)	4.00	10	ND
Aroclor-1262 (PCB-1262)	4.00	10	ND
Aroclor-1268 (PCB-1268)	4.00	10	ND
Our Lab I.D.			**34859.07**
Surrogates	**%Rec.Limit**		**% Rec.**
Tetrachloro-m-xylene	75-125		0 S8

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 9

Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34859	10/07/2005	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 101005

Our Lab I.D.			**34859.08**	**34859.09**			
Client Sample I.D.			CS0007-CC-0 00-01	CS0006-CC-0 00-01			
Date Sampled			10/07/2005	10/07/2005			
Date Prepared			10/10/2005	10/10/2005			
Preparation Method			3550B	3550B			
Date Analyzed			10/10/2005	10/10/2005			
Matrix			Solid Waste	Solid Waste			
Units			mg/Kg	mg/Kg			
Dilution Factor			10	10			
Analytes	**MDL**	**PQL**	**Results**	**Results**			
Aroclor-1016 (PCB-1016)	0.40	1.00	ND	ND			
Aroclor-1221 (PCB-1221)	0.70	1.00	ND	ND			
Aroclor-1232 (PCB-1232)	0.40	1.00	ND	ND			
Aroclor-1242 (PCB-1242)	0.40	1.00	ND	ND			
Aroclor-1248 (PCB-1248)	0.40	1.00	4.57	2.29			
Aroclor-1254 (PCB-1254)	0.40	1.00	ND	ND			
Aroclor-1260 (PCB-1260)	0.40	1.00	ND	ND			
Aroclor-1262 (PCB-1262)	0.40	1.00	ND	ND			
Aroclor-1268 (PCB-1268)	0.40	1.00	ND	ND			
Our Lab I.D.			**34859.08**	**34859.09**			
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**			
Tetrachloro-m-xylene	75-125		108	106			

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Telephone: (714)985-3434
Attn: Tom Tatnall

Page: 10

Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34859	10/07/2005	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 101005

Our Lab I.D.			**34859.10**	**34859.11**	**34859.12**		
Client Sample I.D.			CS0012-CC-0 00-02	CS0014-CC-0 00-01	CS0010-CC-0 00-01		
Date Sampled			10/07/2005	10/07/2005	10/07/2005		
Date Prepared			10/10/2005	10/10/2005	10/10/2005		
Preparation Method			3550B	3550B	3550B		
Date Analyzed			10/10/2005	10/10/2005	10/10/2005		
Matrix			Solid Waste	Solid Waste	Solid Waste		
Units			mg/Kg	mg/Kg	mg/Kg		
Dilution Factor			100	100	100		
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**		
Aroclor-1016 (PCB-1016)	4.00	10	ND	ND	ND		
Aroclor-1221 (PCB-1221)	7	10	ND	ND	ND		
Aroclor-1232 (PCB-1232)	4.00	10	ND	ND	ND		
Aroclor-1242 (PCB-1242)	4.00	10	ND	ND	ND		
Aroclor-1248 (PCB-1248)	4.00	10	53.8	60.8	47.3		
Aroclor-1254 (PCB-1254)	4.00	10	ND	ND	ND		
Aroclor-1260 (PCB-1260)	4.00	10	ND	ND	ND		
Aroclor-1262 (PCB-1262)	4.00	10	ND	ND	ND		
Aroclor-1268 (PCB-1268)	4.00	10	ND	ND	ND		
Our Lab I.D.			**34859.10**	**34859.11**	**34859.12**		
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**	**% Rec.**		
Tetrachloro-m-xylene	75-125		0 S8	0 S8	0 S8		

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 11

Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34859	10/07/2005	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 101005

Our Lab I.D.			**34859.13**				
Client Sample I.D.			CS0015-CC-000-01				
Date Sampled			10/07/2005				
Date Prepared			10/10/2005				
Preparation Method			3550B				
Date Analyzed			10/10/2005				
Matrix			Solid Waste				
Units			mg/Kg				
Dilution Factor			10				
Analytes	**MDL**	**PQL**	**Results**				
Aroclor-1016 (PCB-1016)	0.40	1.00	ND				
Aroclor-1221 (PCB-1221)	0.70	1.00	ND				
Aroclor-1232 (PCB-1232)	0.40	1.00	ND				
Aroclor-1242 (PCB-1242)	0.40	1.00	ND				
Aroclor-1248 (PCB-1248)	0.40	1.00	6.87				
Aroclor-1254 (PCB-1254)	0.40	1.00	ND				
Aroclor-1260 (PCB-1260)	0.40	1.00	ND				
Aroclor-1262 (PCB-1262)	0.40	1.00	ND				
Aroclor-1268 (PCB-1268)	0.40	1.00	ND				
Our Lab I.D.			**34859.13**				
Surrogates	**%Rec.Limit**		**% Rec.**				
Tetrachloro-m-xylene	75-125		105				

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 12

Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34859	10/07/2005	H&A

Method: (6010B/7000CAM), CAM Title 22 Metals (SW-846)

QC Batch No: 101005

Our Lab I.D.			Method Blank	34859.01	34859.02	34859.03	34859.04
Client Sample I.D.				CS0012-CC-000-01	CS0009-CC-000-01	CS0004-CC-000-01	CS0011-CC-000-01
Date Sampled				10/07/2005	10/07/2005	10/07/2005	10/07/2005
Date Prepared			10/10/2005	10/10/2005	10/10/2005	10/10/2005	10/10/2005
Preparation Method			3050B	3050B	3050B	3050B	3050B
Date Analyzed			10/10/2005	10/10/2005	10/10/2005	10/10/2005	10/10/2005
Matrix			Solid Waste	Solid Waste	Solid Waste	Solid Waste	Solid Waste
Units			mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg
Dilution Factor			1	1	1	1	1
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**	**Results**	**Results**
Antimony	1.0	5.0	ND	ND	ND	ND	ND
Arsenic	1.0	5.0	ND	4.80J	4.30J	4.70J	ND
Barium	2.5	5.0	ND	57.5	51.0	53.5	68.5
Beryllium	1.3	2.5	ND	ND	ND	ND	ND
Cadmium	1.3	2.5	ND	ND	ND	ND	ND
Chromium	2.5	5.0	ND	13.4	9.60	12.4	19.7
Cobalt	2.5	5.0	ND	2.95J	2.50J	3.00J	3.80J
Copper	2.5	5.0	ND	9.65	9.25	14.8	19.6
Lead	2.5	5.0	ND	174	36.6	602	120
Mercury (By EPA 7471)	0.1	0.2	ND	ND	ND	ND	ND
Molybdenum	2.5	5.0	ND	ND	ND	3.25J	ND
Nickel	2.5	5.0	ND	6.75	4.85J	6.75	12.7
Selenium	1.0	5.0	ND	ND	ND	ND	ND
Silver	2.5	5.0	ND	ND	ND	ND	ND
Thallium	1.0	5.0	ND	ND	ND	ND	ND
Vanadium	2.5	5.0	ND	20.0	17.0	18.7	25.1
Zinc	2.5	5.0	ND	16.2	18.7	22.6	28.8

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Telephone: (714)985-3434
Attn: *Tom Tatnall*

Page: **13**

Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34859	10/07/2005	H&A

Method: (6010B/7000CAM), CAM Title 22 Metals (SW-846)

QC Batch No: 101005

Our Lab I.D.			***34859.05***	***34859.06***	***34859.07***	***34859.08***	***34859.09***
Client Sample I.D.			CS0013CC-0 00-01	CS0005-CC-0 00-01	CS0008-CC-0 00-01	CS0007-CC-0 00-01	CS0006-CC-0 00-01
Date Sampled			10/07/2005	10/07/2005	10/07/2005	10/07/2005	10/07/2005
Date Prepared			10/10/2005	10/10/2005	10/10/2005	10/10/2005	10/10/2005
Preparation Method			3050B	3050B	3050B	3050B	3050B
Date Analyzed			10/10/2005	10/10/2005	10/10/2005	10/10/2005	10/10/2005
Matrix			Solid Waste	Solid Waste	Solid Waste	Solid Waste	Solid Waste
Units			mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg
Dilution Factor			1	1	1	1	1
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**	**Results**	**Results**
Antimony	1.0	5.0	ND	ND	ND	ND	ND
Arsenic	1.0	5.0	2.15J	4.70J	4.75J	11.0	ND
Barium	2.5	5.0	63.0	29.1	80.5	44.8	46.6
Beryllium	1.3	2.5	ND	ND	ND	ND	ND
Cadmium	1.3	2.5	ND	ND	ND	ND	ND
Chromium	2.5	5.0	14.3	4.10J	15.5	9.55	9.45
Cobalt	2.5	5.0	2.85J	ND	3.55J	2.50J	2.50J
Copper	2.5	5.0	13.9	14.5	12.5	13.0	8.65
Lead	2.5	5.0	248	39.4	61.5	78.5	122
Mercury (By EPA 7471)	0.1	0.2	ND	ND	ND	ND	ND
Molybdenum	2.5	5.0	ND	ND	ND	ND	ND
Nickel	2.5	5.0	6.10	4.25J	8.25	4.85J	4.70J
Selenium	1.0	5.0	ND	ND	ND	ND	ND
Silver	2.5	5.0	ND	ND	ND	ND	ND
Thallium	1.0	5.0	ND	ND	ND	ND	ND
Vanadium	2.5	5.0	22.3	8.35	27.0	13.9	15.2
Zinc	2.5	5.0	19.8	34.9	26.4	38.4	16.2

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 14

Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34859	10/07/2005	H&A

Method: (6010B/7000CAM), CAM Title 22 Metals (SW-846)

QC Batch No: 101005

Our Lab I.D.			34859.10	34859.11	34859.12	34859.13
Client Sample I.D.			CS0012-CC-000-02	CS0014-CC-000-01	CS0010-CC-000-01	CS0015-CC-000-01
Date Sampled			10/07/2005	10/07/2005	10/07/2005	10/07/2005
Date Prepared			10/10/2005	10/10/2005	10/10/2005	10/10/2005
Preparation Method			3050B	3050B	3050B	3050B
Date Analyzed			10/10/2005	10/10/2005	10/10/2005	10/10/2005
Matrix			Solid Waste	Solid Waste	Solid Waste	Solid Waste
Units			mg/Kg	mg/Kg	mg/Kg	mg/Kg
Dilution Factor			1	1	1	1
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**	**Results**
Antimony	1.0	5.0	ND	6.15	ND	ND
Arsenic	1.0	5.0	ND	8.80	4.55J	5.20
Barium	2.5	5.0	36.7	74.5	74.9	53.0
Beryllium	1.3	2.5	ND	ND	ND	ND
Cadmium	1.3	2.5	ND	ND	ND	ND
Chromium	2.5	5.0	16.1	19.0	15.3	14.4
Cobalt	2.5	5.0	ND	3.50J	4.35J	2.85J
Copper	2.5	5.0	7.55	17.0	15.8	11.7
Lead	2.5	5.0	446	1,440	152	865
Mercury (By EPA 7471)	0.1	0.2	ND	ND	ND	0.395
Molybdenum	2.5	5.0	ND	ND	7.10	ND
Nickel	2.5	5.0	7.70	7.45	8.10	5.35
Selenium	1.0	5.0	ND	ND	ND	ND
Silver	2.5	5.0	ND	ND	ND	ND
Thallium	1.0	5.0	ND	ND	ND	ND
Vanadium	2.5	5.0	14.2	22.3	24.1	20.0
Zinc	2.5	5.0	16.8	63.0	53.0	25.7

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 15
Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34859	10/07/2005	H&A

Method: (6010B/7000CAM), CAM Title 22 Metals (SW-846)

QUALITY CONTROL REPORT

QC Batch No: 101005 Sample Spiked: 34849.01 QC Prepared: 10/10/2005 QC Analyzed: 10/10/2005 Units: mg/Kg

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Antimony	ND	1.00	0.87	87	1.00	0.88	88	1.1	80-120	<15
Arsenic	0.058	1.00	0.98	92	1.00	0.96	90	2.2	80-120	<15
Barium	1.15	1.00	2.22	107	1.00	2.22	107	<1	80-120	<15
Beryllium	ND	1.00	0.89	89	1.00	0.89	89	<1	80-120	<15
Cadmium	ND	1.00	0.91	91	1.00	0.92	92	1.1	80-120	<15
Chromium	0.221	1.00	1.10	88	1.00	1.10	88	<1	80-120	<15
Cobalt	0.061	1.00	1.01	95	1.00	1.01	95	<1	80-120	<15
Copper	0.153	1.00	1.18	103	1.00	1.18	103	<1	80-120	<15
Lead	ND	1.00	0.94	94	1.00	0.93	93	1.1	80-120	<15
Mercury (By EPA 7471)	ND	0.01	0.01	91	0.01	0.01	90	1.1	80-120	<15
Molybdenum	ND	1.00	0.95	95	1.00	0.97	97	2.1	80-120	<15
Nickel	1.45	1.00	2.49	104	1.00	2.49	104	<1	80-120	<15
Selenium	ND	1.00	0.88	88	1.00	0.88	88	<1	80-120	<15
Silver	ND	1.00	0.92	92	1.00	0.92	92	<1	80-120	<15
Thallium	ND	1.00	0.94	94	1.00	0.93	93	1.1	80-120	<15
Vanadium	0.240	1.00	1.22	98	1.00	1.22	98	<1	80-120	<15
Zinc	0.382	1.00	1.41	103	1.00	1.40	102	<1	80-120	<15

QC Batch No: 101005 Sample Spiked: 34849.01 QC Prepared: 10/10/2005 QC Analyzed: 10/10/2005 Units: mg/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Antimony	1.00	0.88	88	80-120						
Arsenic	1.00	1.02	102	80-120						
Barium	1.00	1.07	107	80-120						
Beryllium	1.00	1.02	102	80-120						
Cadmium	1.00	1.05	105	80-120						
Chromium	1.00	1.03	103	80-120						
Cobalt	1.00	1.04	104	80-120						
Copper	1.00	1.04	104	80-120						
Lead	1.00	1.02	102	80-120						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Page: 16
Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submittd	Client
34859	10/07/2005	H&A

Method: (6010B/7000CAM), CAM Title 22 Metals (SW-846)

QC Batch No: 101005 Sample Spiked: 34849.01 QC Prepared: 10/10/2005 QC Analyzed: 10/10/2005 Units: mg/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Mercury (By EPA 7471)	0.01	0.01	108	80-120						
Molybdenum	1.00	1.02	102	80-120						
Nickel	1.00	1.04	104	80-120						
Selenium	1.00	1.05	105	80-120						
Silver	1.00	1.04	104	80-120						
Thallium	1.00	1.07	107	80-120						
Vanadium	1.00	1.02	102	80-120						
Zinc	1.00	1.09	109	80-120						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 17
Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34859	10/07/2005	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QUALITY CONTROL REPORT

QC Batch No: 101005 Sample Spiked: 101005 QC Prepared: 10/10/2005 QC Analyzed: 10/10/2005 Units: mg/Kg

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Aroclor-1260 (PCB-1260)	0.0	500.00	500.00	100	500.00	500.00	100	<1	75-125	<20

QC Batch No: 101005 Sample Spiked: 101005 QC Prepared: 10/10/2005 QC Analyzed: 10/10/2005 Units: mg/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Aroclor-1260 (PCB-1260)	500.00	470.00	94	75-125						

American Environmental Testing Laboratory Inc.
2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

Data Qualifiers and Descriptors

Data Qualifier:

*:	In the QC section, sample results have been taken directly from the ICP reading. No preparation factor has been applied.
B:	Analyte was present in the Method Blank.
D:	Result is from a diluted analysis.
E:	Result is beyond calibration limits and is estimated.
H:	Analysis was performed over the allowed holding time due to circumstances which were beyond laboratory control.
J:	Analyte was detected . However, the analyte concentration is an estimated value, which is between the Method Detection Limit (MDL) and the Practical Quantitation Limit (PQL).
M:	Matrix spike recovery is outside control limits due to matrix interference. Laboratory Control Sample recovery was acceptable.
S6:	Surrogate recovery is outside control limits due to matrix interference.
S8:	The analysis of the sample required a dilution such that the surrogate concentration was diluted below the method acceptance criteria.
X:	Results represent LCS and LCSD data.

Definition:

%Limi:	Percent acceptable limits.
%REC:	Percent recovery.
Con.L:	Acceptable Control Limits
Conce:	Added concentration to the sample.
LCS:	Laboratory Control Sample
MDL:	Method Detection Limit is a statistically derived number which is specific for each instrument, each method, and each compound. It indicates a distinctively detectable quantity with 99% probability.
MS:	Matrix Spike
MS DU:	Matrix Spike Duplicate

American Environmental Testing Laboratory Inc.
2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

Data Qualifiers and Descriptors

ND:	Analyte was not detected in the sample at or above MDL.
PQL:	Practical Quantitation Limit or ML (Minimum Level as per RWQCB) is the minimum concentration that can be quantified with more than 99% confidence. Taking into account all aspects of the entire analytical instrumentation and practice.
Recov:	Recovered concentration in the sample.
RPD:	Relative Percent Difference

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

RECEIVED
OCT 1 8 2005
Haley & Aldrich, Inc.

Ordered By

Haley & Aldrich
500 South Kraemer Blvd. Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attention: Tom Tatnall

Number of Pages 3
Date Received 10/10/2005
Date Reported 10/12/2005

Job Number	Order Date	Client
34870	10/10/2005	H&A

Project ID: 32486-002
Project Name: Delphi System Corp.
Site: 1201 N. Magnolia Avenue
Anaheim, CA 92801

Enclosed please find results of analyses of 1 solid waste sample which was analyzed as specified on the attached chain of custody. If there are any questions, please do not hesitate to call.

Checked By: _____ Approved By: _____

Cyrus Razmara, Ph.D.
Laboratory Director

American Environmental Testing Laboratory Inc.
2834 North Naomi Street Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840

CHAIN OF CUSTODY RECORD

№ 38103

AETL JOB No. 34870

Page 1 of 1

COMPANY: Haley & Aldrich
PHONE: 714-985-3434
PROJECT MANAGER: Tom Tatnall
FAX:
PROJECT NAME: Delphi
PROJECT #: 32486-002
SITE NAME AND ADDRESS: 1201 N. Magnolia

ANALYSIS REQUESTED

SAMPLE ID	LAB ID	DATE	TIME	MATRIX	CONTAINER NUMBER/SIZE	PRES.	PCB'S 8082									TEST INSTRUCTIONS & COMMENTS
CS0016_CC_000-01		10-10-05	1245	concrete	(1) bag	—	X									34870.01
2																
3																
4																
5																
6																
7																
8																
9																
10																
11																
12																
13																
14																
15																

SAMPLE RECEIPT - TO BE FILLED BY LABORATORY

TOTAL NUMBER OF CONTAINERS	1	PROPERLY COOLED	(Y) N / NA
CUSTODY SEALS Y / N	(NA)	SAMPLES INTACT	(Y) N / NA
RECEIVED IN GOOD COND.	(Y) N	SAMPLES ACCEPTED	(Y) N

TURN AROUND TIME

☐ NORMAL ☒ RUSH ☐ SAME DAY ☒ 24 HRS. ☐ 48 HRS. ☐ 72 HRS.

RELINQUISHED BY SAMPLER: 1.	RELINQUISHED BY: 2.	RELINQUISHED BY: 3.
Signature: Glenn Androsko	Signature:	Signature:
Printed Name: Glenn Androsko	Printed Name:	Printed Name: C. Fabian
Date: 10-10-05 Time: 1720	Date: Time:	Date: 10/10/05 Time: 1830
RECEIVED BY: 1.	**RECEIVED BY: 2.**	**RECEIVED BY LABORATORY: 3.**
Signature:	Signature:	Signature:
Printed Name: Christian Fabian	Printed Name:	Printed Name:
Date: 10/10/05 Time: 1720	Date: Time:	Date: 10/10/05 Time: 1830

DISTRIBUTION: WHITE - Laboratory, CANARY - Laboratory, PINK - Project/Account Manager, YELLOW - Sampler/Originator

Chain of Custody Record

HALEY & ALDRICH

Client	Project Manager	Laboratory Name	Date	Custody Number
Haley & Aldrich	Tom Tatnall	AETL	10/10/2005	HA-000023
Address	**Telephone Number (Area Code)**	**Laboratory Address & Telephone Number**	**Lab Number**	
500 S. Kraemer Blvd., Suite 370	(714) 985-3434	2834 Naomi St., Burbank CA 91504 Tel: (818) 845-8200		Page 1 of 1

City	State	ZipCode	Site Contact	LabContact
Brea	CA	92821	T. Tatnall	Jim Lin

Project Name and Location (State): Delphi, Anaheim CA

Carrier/Waybill:

Contract/Purchase Order/Quote No:

Analysis (Attach list if more space is needed)

Special Instructions/ Conditions of Receipt

Sample /. D. No. and Description (Containers for each sample may be combin on one line)	Date	Time	Matrix: Air	Water	Sed.	Soil	Cement	Preservatives Containers: Unpres.	H2SO4	HNO3	HCL	NaOH	ZnAc/NaOH		PCB (EPA 8082)
CS0016_CC_000_01	10/10/2005	12:45					X								X

Possible Hazard Identification: ☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☒ Unknown

Sample Disposal: ☐ Return To Client ☒ Disposal By Lab ☐ Archive For ____ Months (A fee may be assessed if samples are retained Months longer than 1 month)

Turn Around Time Required: ☒ 24 Hours ☐ 48 Hours ☐ 7 Days ☐ 14 Days ☐ 21 Days ☐ Others ____

QC Requirements (Specify)

Relinquished By	Date	Time	Received By	Date	Time
1.			1.		
2.			2.		
3.			3.		

Comments

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 2
Project ID: 32486-002
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34870	10/10/2005	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 101005

Our Lab I.D.			Method Blank	**34870.01**			
Client Sample I.D.				CS0016-CC-0 00-01			
Date Sampled				10/10/2005			
Date Prepared			10/10/2005	10/10/2005			
Preparation Method			3550B	3550B			
Date Analyzed			10/11/2005	10/11/2005			
Matrix			Solid Waste	Solid Waste			
Units			mg/Kg	mg/Kg			
Dilution Factor			1	1			
Analytes	**MDL**	**PQL**	**Results**	**Results**			
Aroclor-1016 (PCB-1016)	0.04	0.10	ND	ND			
Aroclor-1221 (PCB-1221)	0.07	0.10	ND	ND			
Aroclor-1232 (PCB-1232)	0.04	0.10	ND	ND			
Aroclor-1242 (PCB-1242)	0.04	0.10	ND	ND			
Aroclor-1248 (PCB-1248)	0.04	0.10	ND	ND			
Aroclor-1254 (PCB-1254)	0.04	0.10	ND	ND			
Aroclor-1260 (PCB-1260)	0.04	0.10	ND	ND			
Aroclor-1262 (PCB-1262)	0.04	0.10	ND	ND			
Aroclor-1268 (PCB-1268)	0.04	0.10	ND	ND			

Our Lab I.D.				**34870.01**			
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**			
Tetrachloro-m-xylene	75-125		104	97			

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 3
Project ID: 32486-002
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34870	10/10/2005	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QUALITY CONTROL REPORT

QC Batch No: 101005 Sample Spiked: 101005 QC Prepared: 10/10/2005 QC Analyzed: 10/11/2005 Units: mg/Kg

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Aroclor-1260 (PCB-1260)	0.0	500.00	500.00	100	500.00	500.00	100	<1	75-125	<20

QC Batch No: 101005 Sample Spiked: 101005 QC Prepared: 10/10/2005 QC Analyzed: 10/11/2005 Units: mg/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Aroclor-1260 (PCB-1260)	500.00	470.00	94	75-125						

American Environmental Testing Laboratory Inc.
2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

Data Qualifiers and Descriptors

Data Qualifier:

*:	In the QC section, sample results have been taken directly from the ICP reading. No preparation factor has been applied.
B:	Analyte was present in the Method Blank.
D:	Result is from a diluted analysis.
E:	Result is beyond calibration limits and is estimated.
H:	Analysis was performed over the allowed holding time due to circumstances which were beyond laboratory control.
J:	Analyte was detected . However, the analyte concentration is an estimated value, which is between the Method Detection Limit (MDL) and the Practical Quantitation Limit (PQL).
M:	Matrix spike recovery is outside control limits due to matrix interference. Laboratory Control Sample recovery was acceptable.
S6:	Surrogate recovery is outside control limits due to matrix interference.
S8:	The analysis of the sample required a dilution such that the surrogate concentration was diluted below the method acceptance criteria.
X:	Results represent LCS and LCSD data.

Definition:

%Limi:	Percent acceptable limits.
%REC:	Percent recovery.
Con.L:	Acceptable Control Limits
Conce:	Added concentration to the sample.
LCS:	Laboratory Control Sample
MDL:	Method Detection Limit is a statistically derived number which is specific for each instrument, each method, and each compound. It indicates a distinctively detectable quantity with 99% probability.
MS:	Matrix Spike
MS DU:	Matrix Spike Duplicate

American Environmental Testing Laboratory Inc.
2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

Data Qualifiers and Descriptors

ND: Analyte was not detected in the sample at or above MDL.

PQL: Practical Quantitation Limit or ML (Minimum Level as per RWQCB) is the minimum concentration that can be quantified with more than 99% confidence. Taking into account all aspects of the entire analytical instrumentation and practice.

Recov: Recovered concentration in the sample.

RPD: Relative Percent Difference

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

RECEIVED

OCT 28 2005

Haley & Aldrich, Inc.

Ordered By

Haley & Aldrich
500 South Kraemer Blvd. Suite 370
Brea, CA 92821-6723

Telephone: (714) 985-3434
Attention: Tom Tatnall

Number of Pages	11
Date Received	10/19/2005
Date Reported	10/21/2005

Job Number	Order Date	Client
34986	10/19/2005	H&A

Project ID: 32486-000
Project Name: Delphi System Corp.
Site: 1201 N. Magnolia Avenue
Anaheim, CA 92801

Enclosed please find results of analyses of 2 solid waste samples which were analyzed as specified on the attached chain of custody. If there are any questions, please do not hesitate to call.

Checked By: _____ Approved By: _____

Cyrus Razmara, Ph.D.
Laboratory Director

Chain of Custody Record

Job #34986

HALEY & ALDRICH

Client	Project Manager	Laboratory Name	Date	Custody Number
Haley & Aldrich	Tom Tatnall	AETL	10/19/2005	HA-000032
Address	**Telephone Number (Area Code)**	**Laboratory Address & Telephone Number**	**Lab Number**	
500 S. Kraemer Blvd., Suite 370	(714) 985-3434	2834 Naomi St., Burbank CA 91504 Tel: (818) 845-8200		Page 1 of 1

City	State	ZipCode	Site Contact	LabContact
Brea	CA	92821	T. Tatnall	Jim Lin

Project Name and Location (State): Delphi, Anaheim CA

Carrier/Waybill:

Contract/Purchase Order/Quote No.:

Analysis (Attach list if more space is needed)

Special Instructions/ Conditions of Receipt

Sample I. D. No. and Description (Containers for each sample may be combin on one line)	Date	Time	Matrix: Air	Water	Sed.	Soil	Cement	Preservatives Containers: Unpres.	H2SO4	HNO3	HCL	NaOH	ZnAc/NaOH	PCB (EPA 8082)	SVOC (EPA 8270C)	TPH (EPA 8015CC)	Special Instructions/ Conditions of Receipt
CS0017_CC_000_01	10/19/2005	12:40					X	1						X	X	X	34986-01
CS0018_CC_000_01	10/19/2005	12:45					X	1						X	X	X	34986-02

Possible Hazard Identification: ☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☒ Unknown

Sample Disposal: ☐ Return To Client ☒ Disposal By Lab ☐ Archive For _____ Months (A fee may be assessed if samples are retained Months longer than 1 month)

Turn Around Time Required: ☒ 24 Hours ☐ 48 Hours ☐ 7 Days ☐ 14 Days ☐ 21 Days ☐ Others _____

QC Requirements (Specify): [illegible]

	Date	Time		Date	Time
1. Relinquished By: Helen Andrade	10-19-05	1610	1. Received By: [illegible]	10-19-05	1610
2. Relinquished By:			2. Received By:		
3. Relinquished By: [illegible]	10-19-05	1725	3. Received By: [illegible]	10-19-05	1725

Comments:

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Telephone: (714)985-3434
Attn: Tom Tatnall

Page: 2

Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34986	10/19/2005	H&A

Method: (M8015G), TPH as Gasoline and Light Hydrocarbons Using GC/FID

QC Batch No: 102005

Our Lab I.D.			Method Blank	**34986.01**	**34986.02**		
Client Sample I.D.				CS0017-CC-000-01	CS0018-CC-000-01		
Date Sampled				10/19/2005	10/19/2005		
Date Prepared			10/20/2005	10/20/2005	10/20/2005		
Preparation Method			5030B	5030B	5030B		
Date Analyzed			10/20/2005	10/20/2005	10/20/2005		
Matrix			Solid Waste	Solid Waste	Solid Waste		
Units			mg/Kg	mg/Kg	mg/Kg		
Dilution Factor			1	1	1		
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**		
TPH as Gasoline and Light HC. (C4-C12)	0.500	1.000	ND	ND	ND		
Our Lab I.D.				**34986.01**	**34986.02**		
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**	**% Rec.**		
Bromofluorobenzene	75-125		91	90	89		

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Telephone: (714)985-3434
Attn: Tom Tatnall

Page: 3

Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34986	10/19/2005	H&A

Method: (M8015D), TPH as Diesel and Heavy Hydrocarbons Using GC/FID

QC Batch No: 102005

Our Lab I.D.			Method Blank	**34986.01**	**34986.02**		
Client Sample I.D.				CS0017-CC-000-01	CS0018-CC-000-01		
Date Sampled				10/19/2005	10/19/2005		
Date Prepared			10/20/2005	10/20/2005	10/20/2005		
Preparation Method			3550B	3550B	3550B		
Date Analyzed			10/20/2005	10/20/2005	10/20/2005		
Matrix			Solid Waste	Solid Waste	Solid Waste		
Units			mg/Kg	mg/Kg	mg/Kg		
Dilution Factor			1	1	1		
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**		
TPH as Diesel (C13-C22)	5.0	10.0	ND	90.0	17.6		
TPH as Heavy Hydrocarbons (C23-C40)	5.0	10.0	ND	910	87.9		
TPH Total as Diesel and Heavy HC.C13-C40	5.0	10.0	ND	1,000	106		
Our Lab I.D.				**34986.01**	**34986.02**		
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**	**% Rec.**		
Chlorobenzene	75-125		90	84	88		

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: **4**

Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34986	10/19/2005	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 102005

Our Lab I.D.			Method Blank	**34986.01**	**34986.02**		
Client Sample I.D.				CS0017-CC-000-01	CS0018-CC-000-01		
Date Sampled				10/19/2005	10/19/2005		
Date Prepared			10/20/2005	10/20/2005	10/20/2005		
Preparation Method			3550B	3550B	3550B		
Date Analyzed			10/20/2005	10/20/2005	10/20/2005		
Matrix			Solid Waste	Solid Waste	Solid Waste		
Units			mg/Kg	mg/Kg	mg/Kg		
Dilution Factor			1	1	1		
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**		
Aroclor-1016 (PCB-1016)	0.04	0.10	ND	ND	ND		
Aroclor-1221 (PCB-1221)	0.07	0.10	ND	ND	ND		
Aroclor-1232 (PCB-1232)	0.04	0.10	ND	ND	ND		
Aroclor-1242 (PCB-1242)	0.04	0.10	ND	ND	ND		
Aroclor-1248 (PCB-1248)	0.04	0.10	ND	ND	0.100		
Aroclor-1254 (PCB-1254)	0.04	0.10	ND	ND	ND		
Aroclor-1260 (PCB-1260)	0.04	0.10	ND	ND	ND		
Aroclor-1262 (PCB-1262)	0.04	0.10	ND	ND	ND		
Aroclor-1268 (PCB-1268)	0.04	0.10	ND	ND	ND		
Our Lab I.D.				**34986.01**	**34986.02**		
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**	**% Rec.**		
Tetrachloro-m-xylene	75-125		98	102	88		

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 5

Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34986	10/19/2005	H&A

Method: (8270C), Semivolatile Organic Compounds by GC/MS (SW-846)

QC Batch No: 102005

Our Lab I.D.			Method Blank	34986.01	34986.02		
Client Sample I.D.				CS0017-CC-000-01	CS0018-CC-000-01		
Date Sampled				10/19/2005	10/19/2005		
Date Prepared			10/20/2005	10/20/2005	10/20/2005		
Preparation Method			3550B	3550B	3550B		
Date Analyzed			10/21/2005	10/21/2005	10/21/2005		
Matrix			Solid Waste	Solid Waste	Solid Waste		
Units			mg/Kg	mg/Kg	mg/Kg		
Dilution Factor			1	1	1		
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**		
Acenaphthene	0.25	0.50	ND	ND	ND		
Acenaphthylene	0.25	0.50	ND	ND	ND		
Anthracene	0.25	0.50	ND	ND	ND		
Azobenzene	0.25	0.50	ND	ND	ND		
Benzidine	0.25	0.50	ND	ND	ND		
Benzo(a)anthracene	0.25	0.50	ND	ND	ND		
Benzo(a)pyrene	0.25	0.50	ND	ND	ND		
Benzo(b)fluoranthene	0.25	0.50	ND	ND	ND		
Benzo(g,h,i)perylene	0.25	0.50	ND	ND	ND		
Benzo(k)fluoranthene	0.25	0.50	ND	ND	ND		
Benzoic Acid	0.25	0.50	ND	ND	ND		
Benzyl Alcohol	0.25	0.50	ND	ND	ND		
Bis(2-Chloroethoxy)methane	0.25	0.50	ND	ND	ND		
Bis(2-Chloroethyl)ether	0.25	0.50	ND	ND	ND		
Bis(2-chloroisopropyl) ether	0.25	0.50	ND	ND	ND		
Bis(2-ethylhexyl) phthalate	0.25	0.50	ND	ND	ND		
4-Bromophenyl phenyl ether	0.25	0.50	ND	ND	ND		
Butyl benzyl phthalate	0.25	0.50	ND	1.91	ND		
4-Chloro-3-methylphenol	0.25	0.50	ND	ND	ND		
4-Chloroaniline	0.25	0.50	ND	ND	ND		
2-Chloronaphthalene	0.25	0.50	ND	ND	ND		
2-Chlorophenol	0.25	0.50	ND	ND	ND		
4-Chlorophenyl phenyl ether	0.25	0.50	ND	ND	ND		
Chrysene	0.25	0.50	ND	ND	ND		
Di-n-butyl phthalate	0.25	0.50	ND	ND	ND		
Di-n-octyl phthalate (Dioctyl ester)	0.25	0.50	ND	ND	ND		

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34986	10/19/2005	H&A

Method: (8270C), Semivolatile Organic Compounds by GC/MS (SW-846)

QC Batch No: 102005

Our Lab I.D.			Method Blank	**34986.01**	**34986.02**		
Client Sample I.D.				CS0017-CC-000-01	CS0018-CC-000-01		
Date Sampled				10/19/2005	10/19/2005		
Date Prepared			10/20/2005	10/20/2005	10/20/2005		
Preparation Method			3550B	3550B	3550B		
Date Analyzed			10/21/2005	10/21/2005	10/21/2005		
Matrix			Solid Waste	Solid Waste	Solid Waste		
Units			mg/Kg	mg/Kg	mg/Kg		
Dilution Factor			1	1	1		
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**		
Dibenzo(a,h)anthracene	0.25	0.50	ND	ND	ND		
Dibenzofuran	0.25	0.50	ND	ND	ND		
1,2-Dichlorobenzene	0.25	0.50	ND	ND	ND		
1,3-Dichlorobenzene	0.25	0.50	ND	ND	ND		
1,4-Dichlorobenzene	0.25	0.50	ND	ND	ND		
3,3'-Dichlorobenzidine	0.25	0.50	ND	ND	ND		
2,4-Dichlorophenol	0.25	0.50	ND	ND	ND		
Diethyl phthalate (Diethyl ester)	0.25	0.50	ND	ND	ND		
Dimethyl phthalate (Dimethyl ester)	0.25	0.50	ND	ND	ND		
2,4-Dimethylphenol	0.25	0.50	ND	ND	ND		
4,6-Dinitro-2-methylphenol	0.25	0.50	ND	ND	ND		
2,4-Dinitrophenol	0.25	0.50	ND	ND	ND		
2,4-Dinitrotoluene	0.25	0.50	ND	ND	ND		
2,6-Dinitrotoluene (2,6-DNT)	0.25	0.50	ND	ND	ND		
Fluoranthene	0.25	0.50	ND	ND	ND		
Fluorene	0.25	0.50	ND	ND	ND		
Hexachlorobenzene	0.25	0.50	ND	ND	ND		
Hexachlorobutadiene	0.25	0.50	ND	ND	ND		
Hexachlorocyclopentadiene	0.25	0.50	ND	ND	ND		
Hexachloroethane	0.25	0.50	ND	ND	ND		
Indeno(1,2,3-cd)pyrene	0.25	0.50	ND	ND	ND		
Isophorone	0.25	0.50	ND	ND	ND		
2-Methylnaphthalene	0.25	0.50	ND	ND	ND		
4-Methylphenol	0.25	0.50	ND	ND	ND		
2-Methylphenol (2-Cresol)	0.25	0.50	ND	ND	ND		
3-Methylphenol (3-Cresol)	0.25	0.50	ND	ND	ND		
N-Nitroso-Di-n-propylamine	0.25	0.50	ND	ND	ND		
Naphthalene	0.25	0.50	ND	ND	ND		
2-Nitroaniline	0.25	0.50	ND	ND	ND		
3-Nitroaniline	0.25	0.50	ND	ND	ND		
4-Nitroaniline	0.25	0.50	ND	ND	ND		
Nitrobenzene (NB)	0.25	0.50	ND	ND	ND		
4-Nitrophenol	0.25	0.50	ND	ND	ND		

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34986	10/19/2005	H&A

Method: (8270C), Semivolatile Organic Compounds by GC/MS (SW-846)

QC Batch No: 102005

Our Lab I.D.			Method Blank	**34986.01**	**34986.02**		
Client Sample I.D.				CS0017-CC-000-01	CS0018-CC-000-01		
Date Sampled				10/19/2005	10/19/2005		
Date Prepared			10/20/2005	10/20/2005	10/20/2005		
Preparation Method			3550B	3550B	3550B		
Date Analyzed			10/21/2005	10/21/2005	10/21/2005		
Matrix			Solid Waste	Solid Waste	Solid Waste		
Units			mg/Kg	mg/Kg	mg/Kg		
Dilution Factor			1	1	1		
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**		
2-Nitrophenol (o-Nitrophenol)	0.25	0.50	ND	ND	ND		
N-nitrosodiphenylamine	0.25	0.50	ND	ND	ND		
Pentachlorophenol	0.25	0.50	ND	ND	ND		
Phenanthrene	0.25	0.50	ND	0.520	0.469J		
Phenol	0.25	0.50	ND	ND	ND		
Pyrene	0.25	0.50	ND	ND	ND		
1,2,4-Trichlorobenzene	0.25	0.50	ND	ND	ND		
2,4,5-Trichlorophenol	0.25	0.50	ND	ND	ND		
2,4,6-Trichlorophenol	0.25	0.50	ND	ND	ND		
Our Lab I.D.				**34986.01**	**34986.02**		
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**	**% Rec.**		
2-Fluorophenol	25-121		37	0 S8	0 S8		
2-Fluorobiphenyl	30-115		93	96	93		
Nitrobenzene-d5	23-120		65	68	62		
Phenol-d5	21-113		44	< 21 S6	< 21 S6		
p-Terphenyl-D14	18-137		99	72	78		
2,4,6-Tribromophenol	19-122		88	0 S8	0 S8		

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 8
Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34986	10/19/2005	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QUALITY CONTROL REPORT

QC Batch No: 102005 Sample Spiked: 102005 QC Prepared: 10/20/2005 QC Analyzed: 10/20/2005 Units: mg/Kg

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Aroclor-1260 (PCB-1260)	0.0	500.00	585.00	117	500.00	600.00	120	2.5	75-125	<20

QC Batch No: 102005 Sample Spiked: 102005 QC Prepared: 10/20/2005 QC Analyzed: 10/20/2005 Units: mg/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Aroclor-1260 (PCB-1260)	500.00	565.00	113	75-125						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 9
Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34986	10/19/2005	H&A

Method: (8270C), Semivolatile Organic Compounds by GC/MS (SW-846)

QUALITY CONTROL REPORT

QC Batch No: 102005 Sample Spiked: 102005 QC Prepared: 10/20/2005 QC Analyzed: 10/21/2005 Units: mg/Kg

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Acenaphthene	0.0	100.00	72.00	72	100.00	76.00	76	5.4	46-118	<20
4-Chloro-3-methylphenol	0.0	200.00	112.00	56	200.00	118.00	59	5.2	39-98	<20
2-Chlorophenol	0.0	200.00	96.00	48	200.00	100.00	50	4.1	27-123	<20
1,4-Dichlorobenzene	0.0	100.00	66.00	66	100.00	69.00	69	4.4	36-97	<20
2,4-Dinitrotoluene	0.0	100.00	76.00	76	100.00	81.00	81	6.4	24-96	<20
N-Nitroso-Di-n-propylamine	0.0	100.00	61.00	61	100.00	67.00	67	9.4	41-116	<20
4-Nitrophenol	0.0	200.00	100.00	50	200.00	120.00	60	18.2	10-80	<20
Pentachlorophenol	0.0	200.00	142.00	71	200.00	166.00	83	15.6	40-125	<20
Phenol	0.0	200.00	70.00	35	200.00	74.00	37	5.6	12-89	<20
Pyrene	0.0	100.00	92.00	92	100.00	97.00	97	5.3	26-127	<20
1,2,4-Trichlorobenzene	0.0	100.00	103.00	103	100.00	107.00	107	3.8	39-98	<20

QC Batch No: 102005 Sample Spiked: 102005 QC Prepared: 10/20/2005 QC Analyzed: 10/21/2005 Units: mg/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Acenaphthene	100.00	76.00	76	31-137						
4-Chloro-3-methylphenol	200.00	118.00	59	40-99						
2-Chlorophenol	200.00	98.00	49	25-102						
1,4-Dichlorobenzene	100.00	66.00	66	28-104						
2,4-Dinitrotoluene	100.00	82.00	82	28-89						
N-Nitroso-Di-n-propylamine	100.00	60.00	60	41-126						
4-Nitrophenol	200.00	118.00	59	11-114						
Pentachlorophenol	200.00	164.00	82	17-125						
Phenol	200.00	70.00	35	26-90						
Pyrene	100.00	100.00	100	35-142						
1,2,4-Trichlorobenzene	100.00	110.00	110	38-107						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 10
Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34986	10/19/2005	H&A

Method: (M8015D), TPH as Diesel and Heavy Hydrocarbons Using GC/FID

QUALITY CONTROL REPORT

QC Batch No: 102005 Sample Spiked: 34988.02 QC Prepared: 10/20/2005 QC Analyzed: 10/20/2005 Units: mg/Kg

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
TPH as Diesel (C13-C22)	0.0	0.50	0.44	88	0.50	0.42	83	5.8	75-125	<20

QC Batch No: 102005 Sample Spiked: 34988.02 QC Prepared: 10/20/2005 QC Analyzed: 10/20/2005 Units: mg/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
TPH as Diesel (C13-C22)	0.50	0.47	93	75-125						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 11
Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34986	10/19/2005	H&A

Method: (M8015G), TPH as Gasoline and Light Hydrocarbons Using GC/FID

QUALITY CONTROL REPORT

QC Batch No: 102005 Sample Spiked: 102005 QC Prepared: 10/20/2005 QC Analyzed: 10/20/2005 Units: mg/Kg

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
TPH as Gasoline and Light HC. (C4-C12)	0.0	2.50	2.23	89	2.50	2.35	94	5.5	75-125	<20

QC Batch No: 102005 Sample Spiked: 102005 QC Prepared: 10/20/2005 QC Analyzed: 10/20/2005 Units: mg/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
TPH as Gasoline and Light HC. (C4-C12)	2.50	2.20	88	75-125						

American Environmental Testing Laboratory Inc.
2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

Data Qualifiers and Descriptors

Data Qualifier:

*:	In the QC section, sample results have been taken directly from the ICP reading. No preparation factor has been applied.
B:	Analyte was present in the Method Blank.
D:	Result is from a diluted analysis.
E:	Result is beyond calibration limits and is estimated.
H:	Analysis was performed over the allowed holding time due to circumstances which were beyond laboratory control.
J:	Analyte was detected . However, the analyte concentration is an estimated value, which is between the Method Detection Limit (MDL) and the Practical Quantitation Limit (PQL).
M:	Matrix spike recovery is outside control limits due to matrix interference. Laboratory Control Sample recovery was acceptable.
S6:	Surrogate recovery is outside control limits due to matrix interference.
S8:	The analysis of the sample required a dilution such that the surrogate concentration was diluted below the method acceptance criteria.
X:	Results represent LCS and LCSD data.

Definition:

%Limi:	Percent acceptable limits.
%REC:	Percent recovery.
Con.L:	Acceptable Control Limits
Conce:	Added concentration to the sample.
LCS:	Laboratory Control Sample
MDL:	Method Detection Limit is a statistically derived number which is specific for each instrument, each method, and each compound. It indicates a distinctively detectable quantity with 99% probability.
MS:	Matrix Spike
MS DU:	Matrix Spike Duplicate

American Environmental Testing Laboratory Inc.
2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

Data Qualifiers and Descriptors

ND: Analyte was not detected in the sample at or above MDL.

PQL: Practical Quantitation Limit or ML (Minimum Level as per RWQCB) is the minimum concentration that can be quantified with more than 99% confidence. Taking into account all aspects of the entire analytical instrumentation and practice.

Recov: Recovered concentration in the sample.

RPD: Relative Percent Difference

American Environmental Testing Laboratory Inc.
2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

RECEIVED
NOV 21 2005
Haley & Aldrich, Inc.

To: Tom Tatnall

From: Dr. Cyrus Razmara, AETL

Date: November 16, 2005

Subject: Correction of Qualifier for Surrogates

This package contains revised final report pages. These pages should replace previously released data for the AETL job number listed below. For your reference, a copy of the Chain-of-Custody form that lists the job number and your project information is attached. If you have any questions, please contact me. Thank you.

Revisions:

AETL Job Number: 34986

For pages 5 to 7

Cyrus Razmara, Ph.D.
Laboratory Director

Chain of Custody Record

Job #34986

HALEY & ALDRICH

Client	Project Manager	Laboratory Name	Date	Custody Number
Haley & Aldrich	Tom Tatnall	AETL	10/19/2005	HA-000032

Address	Telephone Number (Area Code)	Laboratory Address & Telephone Number	Lab Number
500 S. Kraemer Blvd., Suite 370	(714) 985-3434	2834 Naomi St., Burbank CA 91504 Tel: (818) 845-8200	

Page 1 of 1

City	State	ZipCode	Site Contact	LabContact
Brea	CA	92821	T. Tatnall	Jim Lin

Project Name and Location (State): Delphi, Anaheim CA

Carrier/Waybill:

Contract/Purchase Order/Quote No.:

Analysis (Attach list if more space is needed)

Special Instructions/ Conditions of Receipt

Sample /. D. No. and Description (Containers for each sample may be combin on one line)	Date	Time	Matrix: Air	Water	Sed.	Soil	Cement	Preservatives Containers: Unpres.	H2SO4	HNO3	HCL	NaOH	ZnAc/NaOH	PCB (EPA 8082)	SVOC (EPA 8270C)	TPH (EPA 8015CC)	Special Instructions/ Conditions of Receipt
CS0017_CC_000_01	10/19/2005	12:40					X	1						X	X	X	34986.01
CS0018_CC_000_01	10/19/2005	12:45					X	1						X	X	X	34986.02

Possible Hazard Identification: ☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☒ Unknown

Sample Disposal: ☐ Return To Client ☒ Disposal By Lab ☐ Archive For _____ Months (A fee may be assessed if samples are retained Months longer than 1 month)

Turn Around Time Required: ☒ 24 Hours ☐ 48 Hours ☐ 7 Days ☐ 14 Days ☐ 21 Days ☐ Others _____

QC Requirements (Specify): [illegible]

	Date	Time		Date	Time
1. Relinquished By: [signature]	10-19-05	1610	1. Received By: [signature]	10-19-05	1610
2. Relinquished By:			2. Received By:		
3. Relinquished By: [signature]	10-19-05	1725	3. Received By: [signature]	10-19-05	1725

Comments

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Telephone: (714)985-3434
Attn: Tom Tatnall

Page: 5

Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34986	10/19/2005	H&A

Method: (8270C), Semivolatile Organic Compounds by GC/MS (SW-846)

QC Batch No: 102005

Our Lab I.D.			Method Blank	34986.01	34986.02		
Client Sample I.D.				CS0017-CC-000-01	CS0018-CC-000-01		
Date Sampled				10/19/2005	10/19/2005		
Date Prepared			10/20/2005	10/20/2005	10/20/2005		
Preparation Method			3550B	3550B	3550B		
Date Analyzed			10/21/2005	10/21/2005	10/21/2005		
Matrix			Solid Waste	Solid Waste	Solid Waste		
Units			mg/Kg	mg/Kg	mg/Kg		
Dilution Factor			1	1	1		
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**		
Acenaphthene	0.25	0.50	ND	ND	ND		
Acenaphthylene	0.25	0.50	ND	ND	ND		
Anthracene	0.25	0.50	ND	ND	ND		
Azobenzene	0.25	0.50	ND	ND	ND		
Benzidine	0.25	0.50	ND	ND	ND		
Benzo(a)anthracene	0.25	0.50	ND	ND	ND		
Benzo(a)pyrene	0.25	0.50	ND	ND	ND		
Benzo(b)fluoranthene	0.25	0.50	ND	ND	ND		
Benzo(g,h,i)perylene	0.25	0.50	ND	ND	ND		
Benzo(k)fluoranthene	0.25	0.50	ND	ND	ND		
Benzoic Acid	0.25	0.50	ND	ND	ND		
Benzyl Alcohol	0.25	0.50	ND	ND	ND		
Bis(2-Chloroethoxy)methane	0.25	0.50	ND	ND	ND		
Bis(2-Chloroethyl)ether	0.25	0.50	ND	ND	ND		
Bis(2-chloroisopropyl) ether	0.25	0.50	ND	ND	ND		
Bis(2-ethylhexyl) phthalate	0.25	0.50	ND	ND	ND		
4-Bromophenyl phenyl ether	0.25	0.50	ND	ND	ND		
Butyl benzyl phthalate	0.25	0.50	ND	1.91	ND		
4-Chloro-3-methylphenol	0.25	0.50	ND	ND	ND		
4-Chloroaniline	0.25	0.50	ND	ND	ND		
2-Chloronaphthalene	0.25	0.50	ND	ND	ND		
2-Chlorophenol	0.25	0.50	ND	ND	ND		
4-Chlorophenyl phenyl ether	0.25	0.50	ND	ND	ND		
Chrysene	0.25	0.50	ND	ND	ND		
Di-n-butyl phthalate	0.25	0.50	ND	ND	ND		
Di-n-octyl phthalate (Dioctyl ester)	0.25	0.50	ND	ND	ND		

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34986	10/19/2005	H&A

Method: (8270C), Semivolatile Organic Compounds by GC/MS (SW-846)

QC Batch No: 102005

Our Lab I.D.			Method Blank	34986.01	34986.02		
Client Sample I.D.				CS0017-CC-000-01	CS0018-CC-000-01		
Date Sampled				10/19/2005	10/19/2005		
Date Prepared			10/20/2005	10/20/2005	10/20/2005		
Preparation Method			3550B	3550B	3550B		
Date Analyzed			10/21/2005	10/21/2005	10/21/2005		
Matrix			Solid Waste	Solid Waste	Solid Waste		
Units			mg/Kg	mg/Kg	mg/Kg		
Dilution Factor			1	1	1		
Analytes	MDL	PQL	Results	Results	Results		
Dibenzo(a,h)anthracene	0.25	0.50	ND	ND	ND		
Dibenzofuran	0.25	0.50	ND	ND	ND		
1,2-Dichlorobenzene	0.25	0.50	ND	ND	ND		
1,3-Dichlorobenzene	0.25	0.50	ND	ND	ND		
1,4-Dichlorobenzene	0.25	0.50	ND	ND	ND		
3,3'-Dichlorobenzidine	0.25	0.50	ND	ND	ND		
2,4-Dichlorophenol	0.25	0.50	ND	ND	ND		
Diethyl phthalate (Diethyl ester)	0.25	0.50	ND	ND	ND		
Dimethyl phthalate (Dimethyl ester)	0.25	0.50	ND	ND	ND		
2,4-Dimethylphenol	0.25	0.50	ND	ND	ND		
4,6-Dinitro-2-methylphenol	0.25	0.50	ND	ND	ND		
2,4-Dinitrophenol	0.25	0.50	ND	ND	ND		
2,4-Dinitrotoluene	0.25	0.50	ND	ND	ND		
2,6-Dinitrotoluene (2,6-DNT)	0.25	0.50	ND	ND	ND		
Fluoranthene	0.25	0.50	ND	ND	ND		
Fluorene	0.25	0.50	ND	ND	ND		
Hexachlorobenzene	0.25	0.50	ND	ND	ND		
Hexachlorobutadiene	0.25	0.50	ND	ND	ND		
Hexachlorocyclopentadiene	0.25	0.50	ND	ND	ND		
Hexachloroethane	0.25	0.50	ND	ND	ND		
Indeno(1,2,3-cd)pyrene	0.25	0.50	ND	ND	ND		
Isophorone	0.25	0.50	ND	ND	ND		
2-Methylnaphthalene	0.25	0.50	ND	ND	ND		
4-Methylphenol	0.25	0.50	ND	ND	ND		
2-Methylphenol (2-Cresol)	0.25	0.50	ND	ND	ND		
3-Methylphenol (3-Cresol)	0.25	0.50	ND	ND	ND		
N-Nitroso-Di-n-propylamine	0.25	0.50	ND	ND	ND		
Naphthalene	0.25	0.50	ND	ND	ND		
2-Nitroaniline	0.25	0.50	ND	ND	ND		
3-Nitroaniline	0.25	0.50	ND	ND	ND		
4-Nitroaniline	0.25	0.50	ND	ND	ND		
Nitrobenzene (NB)	0.25	0.50	ND	ND	ND		
4-Nitrophenol	0.25	0.50	ND	ND	ND		

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Project ID: 32486-000
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
34986	10/19/2005	H&A

Method: (8270C), Semivolatile Organic Compounds by GC/MS (SW-846)

QC Batch No: 102005

Our Lab I.D.			Method Blank	34986.01	34986.02		
Client Sample I.D.				CS0017-CC-000-01	CS0018-CC-000-01		
Date Sampled				10/19/2005	10/19/2005		
Date Prepared			10/20/2005	10/20/2005	10/20/2005		
Preparation Method			3550B	3550B	3550B		
Date Analyzed			10/21/2005	10/21/2005	10/21/2005		
Matrix			Solid Waste	Solid Waste	Solid Waste		
Units			mg/Kg	mg/Kg	mg/Kg		
Dilution Factor			1	1	1		
Analytes	MDL	PQL	Results	Results	Results		
2-Nitrophenol (o-Nitrophenol)	0.25	0.50	ND	ND	ND		
N-nitrosodiphenylamine	0.25	0.50	ND	ND	ND		
Pentachlorophenol	0.25	0.50	ND	ND	ND		
Phenanthrene	0.25	0.50	ND	0.520	0.469J		
Phenol	0.25	0.50	ND	ND	ND		
Pyrene	0.25	0.50	ND	ND	ND		
1,2,4-Trichlorobenzene	0.25	0.50	ND	ND	ND		
2,4,5-Trichlorophenol	0.25	0.50	ND	ND	ND		
2,4,6-Trichlorophenol	0.25	0.50	ND	ND	ND		
Our Lab I.D.				34986.01	34986.02		
Surrogates	%Rec.Limit		% Rec.	% Rec.	% Rec.		
2-Fluorophenol	25-121		37	0 S6	0 S6		
2-Fluorobiphenyl	30-115		93	96	93		
Nitrobenzene-d5	23-120		65	68	62		
Phenol-d5	21-113		44	< 21 S6	< 21 S6		
p-Terphenyl-D14	18-137		99	72	78		
2,4,6-Tribromophenol	19-122		88	0 S6	0 S6		