American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

RECEIVED

MAR 0 2 2006

Haley & Aldrich, Inc.

Ordered By

Haley & Aldrich 500 South Kraemer Blvd. Suite 370 Brea, CA 92821-6723	Number of Pages 6 Date Received 02/20/2006 Date Reported 02/23/2006

Telephone: (714) 985-3434
Attention: Tom Tatnall

Job Number	Order Date	Client
36275	02/20/2006	H&A

Project ID: 32486-005
Project Name: Delphi System Corp.
Site: 1201 N. Magnolia Avenue
Anaheim, CA 92801

Enclosed please find results of analyses of 15 concrete core samples which were analyzed as specified on the attached chain of custody. If there are any questions, please do not hesitate to call.

Checked By: _____ Approved By:

Cyrus Razmara, Ph.D.
Laboratory Director

HALEY & ALDRICH
500 S. Kraemer Blvd., Suite 370
Brea, CA 92821
(714) 985-3434 Fax (714) 985-3433

CHAIN OF CUSTODY FORM

Job # 36275

2427

Project Name/Address: Delphi - Anaheim 1201. N. Magnolia

Project /PO Number: 32486-005

Project Manager: Tom Tatnall

Phone Number:

Sampled by (signature): Kelly Hogg

Fax Number:

Lab Name: AETL

Lab Address:

Analysis Required

Sample Identification	Lab ID No.	Sample Matrix	Container Type	# of Cont.	Sampling Date	Sampling Time	Preservatives	PCBs								Special Instructions
CS0169-CC-000-01		concrete core		1	2/20/06	730		X								36275.01
CS0170-CC-000-01						735		X								36275.02
CS0171-CC-000-01						741		X								36275.03
CS0172-CC-000-01						753		X								36275.04
CS0173-CC-000-01						759		X								36275.05
CS0174-CC-000-01						805		X								36275.06
CS0175-CC-000-01						820		X								36275.07
CS0176-CC-000-01						830		X								36275-08
CS0177-CC-000-01						837		X								36275.09
CS0178-CC-000-01						849		X								36275.10
CS0179-CC-000-01						915		X								36275.11
CS0180-CC-000-01						920		X								36275.12
CS0181-CC-000-01						937		X								36275.13
CS0182-CC-000-01						956		X								36275.14
CS0183-CC-000-01						1003		X								36275.15

Relinquished By: Kelly Hogg	Date/Time: 2/20/06 1500	Received By:	Date/Time: 2/20/06 1500
Relinquished By:	Date/Time:	Received By:	Date/Time:
Relinquished By:	Date/Time: 2/20/06 1630	Received in Lab By:	Date/Time: 02/20/00 16:30

Turnaround Time (Check)
24 Hours ___ 5 Days ___
48 Hours ✓ 10 Days ___
72 Hours ___ Other ___

Sample Integrity (Check):
On Ice ___ Intact ___

TABLE
Summary of Solid Waste Analytical Results for Polychlorinated Biphenyls (PCBs) by GC
1201 N. Magnolia Avenue Anaheim, CA 92801

Polychlorinated Biphenyls (PCBs) by GC. Method: (8082)

Sample ID	Units	CS0169-CC-000-01	CS0170-CC-000-01	CS0171-CC-000-01	CS0172-CC-000-01	CS0173-CC-000-01	CS0174-CC-000-01	CS0175-CC-000-01	CS0176-CC-000-01	CS0177-CC-000-01	CS0178-CC-000-01	CS0179-CC-000-01	CS0180-CC-000-01
Sample Date		2/20/2006	2/20/2006	2/20/2006	2/20/2006	2/20/2006	2/20/2006	2/20/2006	2/20/2006	2/20/2006	2/20/2006	2/20/2006	2/20/2006
Laboratory Job Number		36275	36275	36275	36275	36275	36275	36275	36275	36275	36275	36275	36275
Aroclor-1016 (PCB-1016)	ug/Kg	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<350	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<35.0
Aroclor-1221 (PCB-1221)	ug/Kg	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<350	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<35.0
Aroclor-1232 (PCB-1232)	ug/Kg	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<350	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<35.0
Aroclor-1242 (PCB-1242)	ug/Kg	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<350	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<35.0
Aroclor-1248 (PCB-1248)	ug/Kg	**643**	**882**	**70.1**	**325**	**15,200**	ND<35.0	**43.1J**	**987**	**2,110**	ND<35.0	ND<35.0	**48.8J**
Aroclor-1254 (PCB-1254)	ug/Kg	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<350	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<35.0
Aroclor-1260 (PCB-1260)	ug/Kg	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<350	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<35.0
Aroclor-1262 (PCB-1262)	ug/Kg	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<350	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<35.0
Aroclor-1268 (PCB-1268)	ug/Kg	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<350	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<35.0

**** Sample ID CS0179-CC-000-01: 1,290 ug/Kg of unidentified PCB.**

1) "ND<X" INDICATES CONSTITUENT(S) NOT DETECTED AT OR ABOVE METHOD DETECTION LIMIT.
2) "J" INDICATES ANALYTE WAS DETECTED. HOWEVER, ANALYTE CONCENTRATION IS AN ESTIMATED VALUE WHICH IS BETWEEN THE METHOD DETECTION LIMIT (MDL) AND THE PRACTICAL QUANTITATION LIMIT(PQL).
3) "D" INDICATES THE SAMPLE WAS DILUTED TO BRING THE ANALYTE CONCENTRATION WITHIN CALIBRATION RANGE.

File: SW_8082.xls

TABLE
Summary of Solid Waste Analytical Results for Polychlorinated Biphenyls (PCBs) by GC
1201 N. Magnolia Avenue Anaheim, CA 92801

Polychlorinated Biphenyls (PCBs) by GC. Method: (8082)

Sample ID	Units	CS0181-CC-000-01	CS0182-CC-000-01	CS0183-CC-000-01
Sample Date		2/20/2006	2/20/2006	2/20/2006
Laboratory Job Number		36275	36275	36275
Aroclor-1016 (PCB-1016)	ug/Kg	ND<35.0	ND<35.0	ND<35.0
Aroclor-1221 (PCB-1221)	ug/Kg	ND<35.0	ND<35.0	ND<35.0
Aroclor-1232 (PCB-1232)	ug/Kg	ND<35.0	ND<35.0	ND<35.0
Aroclor-1242 (PCB-1242)	ug/Kg	ND<35.0	ND<35.0	ND<35.0
Aroclor-1248 (PCB-1248)	ug/Kg	**399**	**1,340**	**110**
Aroclor-1254 (PCB-1254)	ug/Kg	ND<35.0	ND<35.0	ND<35.0
Aroclor-1260 (PCB-1260)	ug/Kg	ND<35.0	ND<35.0	ND<35.0
Aroclor-1262 (PCB-1262)	ug/Kg	ND<35.0	ND<35.0	ND<35.0
Aroclor-1268 (PCB-1268)	ug/Kg	ND<35.0	ND<35.0	ND<35.0

**** Sample ID CS0179-CC-000-01: 1,290 ug/Kg of unidentifiec**

File: SW_8082.xls

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 2
Project ID: 32486-005
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
36275	02/20/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 022106

Our Lab I.D.			Method Blank	36275.01	36275.02	36275.03	36275.04
Client Sample I.D.				CS0169-CC-000-01	CS0170-CC-000-01	CS0171-CC-000-01	CS0172-CC-000-01
Date Sampled				02/20/2006	02/20/2006	02/20/2006	02/20/2006
Date Prepared			02/21/2006	02/21/2006	02/21/2006	02/21/2006	02/21/2006
Preparation Method			3550B	3550B	3550B	3550B	3550B
Date Analyzed			02/23/2006	02/23/2006	02/23/2006	02/23/2006	02/23/2006
Matrix			Solid Waste	Solid Waste	Solid Waste	Solid Waste	Solid Waste
Units			ug/Kg	ug/Kg	ug/Kg	ug/Kg	ug/Kg
Dilution Factor			1	1	1	1	1
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**	**Results**	**Results**
Aroclor-1016 (PCB-1016)	35.0	70.0	ND	ND	ND	ND	ND
Aroclor-1221 (PCB-1221)	35.0	70.0	ND	ND	ND	ND	ND
Aroclor-1232 (PCB-1232)	35.0	70.0	ND	ND	ND	ND	ND
Aroclor-1242 (PCB-1242)	35.0	70.0	ND	ND	ND	ND	ND
Aroclor-1248 (PCB-1248)	35.0	70.0	ND	643	882	70.1	325
Aroclor-1254 (PCB-1254)	35.0	70.0	ND	ND	ND	ND	ND
Aroclor-1260 (PCB-1260)	35.0	70.0	ND	ND	ND	ND	ND
Aroclor-1262 (PCB-1262)	35.0	70.0	ND	ND	ND	ND	ND
Aroclor-1268 (PCB-1268)	35.0	70.0	ND	ND	ND	ND	ND

Our Lab I.D.				36275.01	36275.02	36275.03	36275.04
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**	**% Rec.**	**% Rec.**	**% Rec.**
Tetrachloro-m-xylene	30-150		113	120	112	121	118

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 3

Project ID: 32486-005
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
36275	02/20/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 022106

Our Lab I.D.			**36275.05**
Client Sample I.D.			CS0173-CC-000-01
Date Sampled			02/20/2006
Date Prepared			02/21/2006
Preparation Method			3550B
Date Analyzed			02/24/2006
Matrix			Solid Waste
Units			ug/Kg
Dilution Factor			10
Analytes	**MDL**	**PQL**	**Results**
Aroclor-1016 (PCB-1016)	350	700	ND
Aroclor-1221 (PCB-1221)	350	700	ND
Aroclor-1232 (PCB-1232)	350	700	ND
Aroclor-1242 (PCB-1242)	350	700	ND
Aroclor-1248 (PCB-1248)	350	700	15,200
Aroclor-1254 (PCB-1254)	350	700	ND
Aroclor-1260 (PCB-1260)	350	700	ND
Aroclor-1262 (PCB-1262)	350	700	ND
Aroclor-1268 (PCB-1268)	350	700	ND
Our Lab I.D.			**36275.05**
Surrogates	**%Rec.Limit**		**% Rec.**
Tetrachloro-m-xylene	30-150		110

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Telephone: (714)985-3434
Attn: Tom Tatnall

Page: **4**

Project ID: 32486-005
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
36275	02/20/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 022106

Our Lab I.D.			36275.06	36275.07	36275.08	36275.09	36275.10
Client Sample I.D.			CS0174-CC-000-01	CS0175-CC-000-01	CS0176-CC-000-01	CS0177-CC-000-01	CS0178-CC-000-01
Date Sampled			02/20/2006	02/20/2006	02/20/2006	02/20/2006	02/20/2006
Date Prepared			02/21/2006	02/21/2006	02/21/2006	02/21/2006	02/21/2006
Preparation Method			3550B	3550B	3550B	3550B	3550B
Date Analyzed			02/23/2006	02/23/2006	02/23/2006	02/23/2006	02/23/2006
Matrix			Solid Waste	Solid Waste	Solid Waste	Solid Waste	Solid Waste
Units			ug/Kg	ug/Kg	ug/Kg	ug/Kg	ug/Kg
Dilution Factor			1	1	1	1	1
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**	**Results**	**Results**
Aroclor-1016 (PCB-1016)	35.0	70.0	ND	ND	ND	ND	ND
Aroclor-1221 (PCB-1221)	35.0	70.0	ND	ND	ND	ND	ND
Aroclor-1232 (PCB-1232)	35.0	70.0	ND	ND	ND	ND	ND
Aroclor-1242 (PCB-1242)	35.0	70.0	ND	ND	ND	ND	ND
Aroclor-1248 (PCB-1248)	35.0	70.0	ND	43.1J	987	2,110	ND
Aroclor-1254 (PCB-1254)	35.0	70.0	ND	ND	ND	ND	ND
Aroclor-1260 (PCB-1260)	35.0	70.0	ND	ND	ND	ND	ND
Aroclor-1262 (PCB-1262)	35.0	70.0	ND	ND	ND	ND	ND
Aroclor-1268 (PCB-1268)	35.0	70.0	ND	ND	ND	ND	ND
Our Lab I.D.			**36275.06**	**36275.07**	**36275.08**	**36275.09**	**36275.10**
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**	**% Rec.**	**% Rec.**	**% Rec.**
Tetrachloro-m-xylene	30-150		120	125	117	112	120

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Telephone: (714)985-3434
Attn: Tom Tatnall

Page: 5

Project ID: 32486-005
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
36275	02/20/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 022106

Our Lab I.D.			36275.11	36275.12	36275.13	36275.14	36275.15
Client Sample I.D.			CS0179-CC-000-01	CS0180-CC-000-01	CS0181-CC-000-01	CS0182-CC-000-01	CS0183-CC-000-01
Date Sampled			02/20/2006	02/20/2006	02/20/2006	02/20/2006	02/20/2006
Date Prepared			02/21/2006	02/21/2006	02/21/2006	02/21/2006	02/21/2006
Preparation Method			3550B	3550B	3550B	3550B	3550B
Date Analyzed			02/23/2006	02/23/2006	02/23/2006	02/23/2006	02/23/2006
Matrix			Solid Waste	Solid Waste	Solid Waste	Solid Waste	Solid Waste
Units			ug/Kg	ug/Kg	ug/Kg	ug/Kg	ug/Kg
Dilution Factor			1	1	1	1	1
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**	**Results**	**Results**
Aroclor-1016 (PCB-1016)	35.0	70.0	ND	ND	ND	ND	ND
Aroclor-1221 (PCB-1221)	35.0	70.0	ND	ND	ND	ND	ND
Aroclor-1232 (PCB-1232)	35.0	70.0	ND	ND	ND	ND	ND
Aroclor-1242 (PCB-1242)	35.0	70.0	ND	ND	ND	ND	ND
Aroclor-1248 (PCB-1248)	35.0	70.0	ND	48.8J	399	1,340	110
Aroclor-1254 (PCB-1254)	35.0	70.0	ND	ND	ND	ND	ND
Aroclor-1260 (PCB-1260)	35.0	70.0	ND	ND	ND	ND	ND
Aroclor-1262 (PCB-1262)	35.0	70.0	ND	ND	ND	ND	ND
Aroclor-1268 (PCB-1268)	35.0	70.0	ND	ND	ND	ND	ND

Comment(s):

Sample 36275.11: 1,290 ug/Kg unidentified PBC.

Our Lab I.D.			36275.11	36275.12	36275.13	36275.14	36275.15
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**	**% Rec.**	**% Rec.**	**% Rec.**
Tetrachloro-m-xylene	30-150		107	111	123	115	112

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 6
Project ID: 32486-005
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
36275	02/20/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QUALITY CONTROL REPORT

QC Batch No: 022106 Sample Spiked: 022106 QC Prepared: 02/21/2006 QC Analyzed: 02/23/2006 Units: ug/Kg

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Aroclor-1260 (PCB-1260)	0.0	500.00	560.00	112	500.00	555.00	111	<1	75-125	<20

QC Batch No: 022106 Sample Spiked: 022106 QC Prepared: 02/21/2006 QC Analyzed: 02/23/2006 Units: ug/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Aroclor-1260 (PCB-1260)	500.00	540.00	108	75-125						

American Environmental Testing Laboratory Inc.
2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

Data Qualifiers and Descriptors

Data Qualifier:

*:	In the QC section, sample results have been taken directly from the ICP reading. No preparation factor has been applied.
B:	Analyte was present in the Method Blank.
D:	Result is from a diluted analysis.
E:	Result is beyond calibration limits and is estimated.
H:	Analysis was performed over the allowed holding time due to circumstances which were beyond laboratory control.
J:	Analyte was detected . However, the analyte concentration is an estimated value, which is between the Method Detection Limit (MDL) and the Practical Quantitation Limit (PQL).
M:	Matrix spike recovery is outside control limits due to matrix interference. Laboratory Control Sample recovery was acceptable.
S6:	Surrogate recovery is outside control limits due to matrix interference.
S8:	The analysis of the sample required a dilution such that the surrogate concentration was diluted below the method acceptance criteria.
X:	Results represent LCS and LCSD data.

Definition:

%Limi:	Percent acceptable limits.
%REC:	Percent recovery.
Con.L:	Acceptable Control Limits
Conce:	Added concentration to the sample.
LCS:	Laboratory Control Sample
MDL:	Method Detection Limit is a statistically derived number which is specific for each instrument, each method, and each compound. It indicates a distinctively detectable quantity with 99% probability.
MS:	Matrix Spike
MS DU:	Matrix Spike Duplicate

American Environmental Testing Laboratory Inc.
2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

Data Qualifiers and Descriptors

ND: Analyte was not detected in the sample at or above MDL.

PQL: Practical Quantitation Limit or ML (Minimum Level as per RWQCB) is the minimum concentration that can be quantified with more than 99% confidence. Taking into account all aspects of the entire analytical instrumentation and practice.

Recov: Recovered concentration in the sample.

RPD: Relative Percent Difference

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

RECEIVED

MAR 0 2 2006

Haley & Aldrich, Inc.

Ordered By

Haley & Aldrich	Number of Pages 16
500 South Kraemer Blvd. Suite 370	Date Received 02/20/2006
Brea, CA 92821-6723	Date Reported 02/24/2006

Telephone: (714)985-3434
Attention: Tom Tatnall

Job Number	Order Date	Client
36276	02/20/2006	H&A

Project ID: 32486-005
Project Name: Delphi System Corp.
Site: 1201 N. Magnolia Avenue
Anaheim, CA 92801

Enclosed please find results of analyses of 1 water and 27 concrete core samples which were analyzed as specified on the attached chain of custody. If there are any questions, please do not hesitate to call.

Checked By: _____ Approved By: _____

Cyrus Razmara, Ph.D.
Laboratory Director

HALEY & ALDRICH
500 S. Kraemer Blvd., Suite 370
Brea, CA 92821
(714) 985-3434 Fax (714) 985-3433

CHAIN OF CUSTODY FORM

Job # 36276

2428

Project Name/Address: Delphi - Anaheim 1201 N. Magnolia

Project /PO Number: 32486-005

Project Manager: Tom Tathall

Phone Number:

Sampled by (signature): K Hogg

Fax Number:

Analysis Required: PCBs

Lab Name: AETL

Lab Address:

Sample Identification	Lab ID No.	Sample Matrix	Container Type	# of Cont.	Sampling Date	Sampling Time	Preservatives	PCBs	Special Instructions
CS0184-CC-000-01		concrete core		1	2/20/06	1010		X	36276.01
CS0185-CC-000-01						1017		X	36276.02
CS0186-CC-000-01						1025		X	36276.03
CS0187-CC-000-01						1032		X	36276.04
CS0188-CC-000-01						1045		X	36276.05
CS0189-CC-000-01						1051		X	36276.06
CS0190-CC-000-01						1058		X	36276.07
CS0191-CC-000-01						1105		X	36276.08
CS0192-CC-000-01						1110		X	36276.09
CS0193-CC-000-01						1115		X	36276.10
CS0194-CC-000-01						1120		X	36276.11
CS0195-CC-000-01						1220		X	36276.12
CS0196-CC-000-01						1226		X	36276.13
CS0197-CC-000-01						1230		X	36276.14
CS0198-CC-000-01						1235		X	36276.15

Relinquished By:	Date/Time:	Received By:	Date/Time:
K Hogg	2/20/06 1500		2/20/06 1500
	2/20/06 1630		02/20/06 16:30

Received in Lab By:

Turnaround Time (Check): 24 Hours ___ 5 Days ___ 48 Hours ___ 10 Days ___ 72 Hours ✓ Other ___

Sample Integrity (Check): On Ice ___ Intact ___

HALEY & ALDRICH
500 S. Kraemer Blvd., Suite 370
Brea, CA 92821
(714) 985-3434 Fax (714) 985-3433

CHAIN OF CUSTODY FORM

Job # 36276

2429

Project Name/Address: Delphi - Anaheim 1201 N. Magnolia

Project /PO Number: 32486-005

Project Manager: Tom Tatnall

Phone Number:

Sampled by (signature): K. Hogg

Fax Number:

Analysis Required: PCBs

Lab Name: AETL

Lab Address:

Sample Identification	Lab ID No.	Sample Matrix	Container Type	# of Cont.	Sampling Date	Sampling Time	Preservatives	PCBs								Special Instructions
CS0199-CC-000-01		concrete	core	1	2/20/06	1240		X								36276.16
CS0200-CC-000-01						1245		X								36276.17
CS0201-CC-000-01						1252		X								36276.18
CS0202-CC-000-01						1300		X								36276.19
CS0203-CC-000-01						1309		X								36276.20
CS0204-CC-000-01						1320		X								36276.21
CS0205-CC-000-01						1330		X								36276.22
CS0206-CC-000-01						1337		X								36276.23
CS0207-CC-000-01						1346		X								36276.24
CS0208-CC-000-01						1402		X								36276.25
CS0209-CC-000-01						1407		X								36276.26
CS0210-CC-000-01						1415		X								36276.27
EB-022006		W	Amber	1	2/20/06	1425		X								36276.28

Relinquished By:	Date/Time:	Received By:	Date/Time:
K. Hogg	2/20/06 1500		2/20/06 1500
Relinquished By:	Date/Time:	Received By:	Date/Time:
Relinquished By:	Date/Time:	Received in Lab By:	Date/Time:
	2/20/06 1630		02/20/06 1630

Turnaround Time (Check)
24 Hours ____ 5 Days ____
48 Hours ____ 10 Days ____
72 Hours ✓ Other ____

Sample Integrity (Check):
On Ice ____ Intact ____

TABLE
Summary of Aqueous Analytical Results for Polychlorinated Biphenyls (PCBs) by GC
1201 N. Magnolia Avenue Anaheim, CA 92801

Polychlorinated Biphenyls (PCBs) by GC. Method: 8082

Sample ID	Units	EB-022006
Sample Date		2/20/2006
Laboratory Job Number		36276
Aroclor-1016 (PCB-1016)	ug/L	ND<1.0
Aroclor-1221 (PCB-1221)	ug/L	ND<2.0
Aroclor-1232 (PCB-1232)	ug/L	ND<1.0
Aroclor-1242 (PCB-1242)	ug/L	ND<1.0
Aroclor-1248 (PCB-1248)	ug/L	ND<1.0
Aroclor-1254 (PCB-1254)	ug/L	ND<1.0
Aroclor-1260 (PCB-1260)	ug/L	ND<1.0
Aroclor-1262 (PCB-1262)	ug/L	ND<1.0
Aroclor-1268 (PCB-1268)	ug/L	ND<1.0

1) "ND<X" INDICATES CONSTITUENT(S) NOT DETECTED AT OR ABOVE METHOD DETECTION LIMIT.
2) "J" INDICATES ANALYTE WAS DETECTED. HOWEVER, ANALYTE CONCENTRATION IS AN ESTIMATED VALUE WHICH IS BETWEEN THE METHOD DETECTION LIMIT (MDL) AND THE PRACTICAL QUANTITATION LIMIT(PQL).
3) "D" INDICATES THE SAMPLE WAS DILUTED TO BRING THE ANALYTE CONCENTRATION WITHIN CALIBRATION RANGE.

File: AQ_8082.xls

TABLE
Summary of Solid Waste Analytical Results for Polychlorinated Biphenyls (PCBs) by GC
1201 N. Magnolia Avenue Anaheim, CA 92801

Polychlorinated Biphenyls (PCBs) by GC. Method: (8082)

Sample ID	Units	CS0184-CC-000-01	CS0185-CC-000-01	CS0186-CC-000-01	CS0187-CC-000-01	CS0188-CC-000-01	CS0189-CC-000-01	CS0190-CC-000-01	CS0191-CC-000-01	CS0192-CC-000-01	CS0193-CC-000-01	CS0194-CC-000-01	CS0195-CC-000-01
Sample Date		2/20/2006	2/20/2006	2/20/2006	2/20/2006	2/20/2006	2/20/2006	2/20/2006	2/20/2006	2/20/2006	2/20/2006	2/20/2006	2/20/2006
Laboratory Job Number		36276	36276	36276	36276	36276	36276	36276	36276	36276	36276	36276	36276
Aroclor-1016 (PCB-1016)	ug/Kg	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<175	ND<700	ND<35.0	ND<35.0
Aroclor-1221 (PCB-1221)	ug/Kg	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<175	ND<700	ND<35.0	ND<35.0
Aroclor-1232 (PCB-1232)	ug/Kg	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<175	ND<700	ND<35.0	ND<35.0
Aroclor-1242 (PCB-1242)	ug/Kg	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<175	ND<700	ND<35.0	ND<35.0
Aroclor-1248 (PCB-1248)	ug/Kg	**118**	**154**	**161**	**573**	**490**	ND<35.0	**1,240**	**476**	**3,640**	**36,700**	ND<35.0	ND<35.0
Aroclor-1254 (PCB-1254)	ug/Kg	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<175	ND<700	ND<35.0	ND<35.0
Aroclor-1260 (PCB-1260)	ug/Kg	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<175	ND<700	ND<35.0	ND<35.0
Aroclor-1262 (PCB-1262)	ug/Kg	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<175	ND<700	ND<35.0	ND<35.0
Aroclor-1268 (PCB-1268)	ug/Kg	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<175	ND<700	ND<35.0	ND<35.0

**** Sample ID CS0189-CC-000-01: 1,390 ug/Kg of unidentified PCB.**

**** Sample ID CS0194-CC-000-01: 951 ug/Kg of unidentified PCB.**

**** Sample ID CS0196-CC-000-01: 386 ug/Kg of unidentified PCB.**

**** Sample ID CS0200-CC-000-01: 555 ug/Kg of unidentified PCB.**

1) "ND<X" INDICATES CONSTITUENT(S) NOT DETECTED AT OR ABOVE METHOD DETECTION LIMIT.
2) "J" INDICATES ANALYTE WAS DETECTED. HOWEVER, ANALYTE CONCENTRATION IS AN ESTIMATED VALUE WHICH IS BETWEEN THE METHOD DETECTION LIMIT (MDL) AND THE PRACTICAL QUANTITATION LIMIT(PQL).
3) "D" INDICATES THE SAMPLE WAS DILUTED TO BRING THE ANALYTE CONCENTRATION WITHIN CALIBRATION RANGE.

File: SW_8082.xls

TABLE
Summary of Solid Waste Analytical Results for Polychlorinated Biphenyls (PCBs) by GC
1201 N. Magnolia Avenue Anaheim, CA 92801

Polychlorinated Biphenyls (PCBs) by GC. Method: (8082)

Sample ID	Units	CS0196-CC-000-01	CS0197-CC-000-01	CS0198-CC-000-01	CS0199-CC-000-01	CS0200-CC-000-01	CS0201-CC-000-01	CS0202-CC-000-01	CS0203-CC-000-01	CS0204-CC-000-01	CS0205-CC-000-01	CS0206-CC-000-01	CS0207-CC-000-01
Sample Date		2/20/2006	2/20/2006	2/20/2006	2/20/2006	2/20/2006	2/20/2006	2/20/2006	2/20/2006	2/20/2006	2/20/2006	2/20/2006	2/20/2006
Laboratory Job Number		36276	36276	36276	36276	36276	36276	36276	36276	36276	36276	36276	36276
Aroclor-1016 (PCB-1016)	ug/Kg	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<175	ND<35.0	ND<35000	ND<35.0	ND<35.0	ND<35.0	ND<35.0
Aroclor-1221 (PCB-1221)	ug/Kg	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<175	ND<35.0	ND<35000	ND<35.0	ND<35.0	ND<35.0	ND<35.0
Aroclor-1232 (PCB-1232)	ug/Kg	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<175	ND<35.0	ND<35000	ND<35.0	ND<35.0	ND<35.0	ND<35.0
Aroclor-1242 (PCB-1242)	ug/Kg	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<175	ND<35.0	ND<35000	ND<35.0	ND<35.0	ND<35.0	ND<35.0
Aroclor-1248 (PCB-1248)	ug/Kg	ND<35.0	**44.5J**	**105**	**135**	ND<35.0	**3,500**	**186**	**1,260,000**	**41.9J**	**1,360**	**343**	ND<35.0
Aroclor-1254 (PCB-1254)	ug/Kg	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<175	ND<35.0	ND<35000	ND<35.0	ND<35.0	ND<35.0	ND<35.0
Aroclor-1260 (PCB-1260)	ug/Kg	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<175	ND<35.0	ND<35000	ND<35.0	ND<35.0	ND<35.0	ND<35.0
Aroclor-1262 (PCB-1262)	ug/Kg	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<175	ND<35.0	ND<35000	ND<35.0	ND<35.0	ND<35.0	ND<35.0
Aroclor-1268 (PCB-1268)	ug/Kg	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<35.0	ND<175	ND<35.0	ND<35000	ND<35.0	ND<35.0	ND<35.0	ND<35.0

**** Sample ID CS0189-CC-000-01: 1,390 ug/Kg of unidentifiec**

**** Sample ID CS0194-CC-000-01: 951 ug/Kg of unidentified I**

**** Sample ID CS0196-CC-000-01: 386 ug/Kg of unidentified I**

**** Sample ID CS0200-CC-000-01: 555 ug/Kg of unidentified I**

File: SW_8082.xls

TABLE
Summary of Solid Waste Analytical Results for Polychlorinated Biphenyls (PCBs) by GC
1201 N. Magnolia Avenue Anaheim, CA 92801

Polychlorinated Biphenyls (PCBs) by GC. Method: (8082)

Sample ID	Units	CS0208-CC-000-01	CS0209-CC-000-01	CS0210-CC-000-01
Sample Date		2/20/2006	2/20/2006	2/20/2006
Laboratory Job Number		36276	36276	36276
Aroclor-1016 (PCB-1016)	ug/Kg	ND<35.0	ND<35.0	ND<35.0
Aroclor-1221 (PCB-1221)	ug/Kg	ND<35.0	ND<35.0	ND<35.0
Aroclor-1232 (PCB-1232)	ug/Kg	ND<35.0	ND<35.0	ND<35.0
Aroclor-1242 (PCB-1242)	ug/Kg	ND<35.0	ND<35.0	ND<35.0
Aroclor-1248 (PCB-1248)	ug/Kg	**128**	**895**	**243**
Aroclor-1254 (PCB-1254)	ug/Kg	ND<35.0	ND<35.0	ND<35.0
Aroclor-1260 (PCB-1260)	ug/Kg	ND<35.0	ND<35.0	ND<35.0
Aroclor-1262 (PCB-1262)	ug/Kg	ND<35.0	ND<35.0	ND<35.0
Aroclor-1268 (PCB-1268)	ug/Kg	ND<35.0	ND<35.0	ND<35.0

**** Sample ID CS0189-CC-000-01: 1,390 ug/Kg of unidentifiec**

**** Sample ID CS0194-CC-000-01: 951 ug/Kg of unidentified I**

**** Sample ID CS0196-CC-000-01: 386 ug/Kg of unidentified I**

**** Sample ID CS0200-CC-000-01: 555 ug/Kg of unidentified I**

File: SW_8082.xls

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Telephone: (714)985-3434
Attn: Tom Tatnall

Page: 2

Project ID: 32486-005
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
36276	02/20/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 022206

Our Lab I.D.			Method Blank	36276.01	36276.02	36276.03	36276.04
Client Sample I.D.				CS0184-CC-000-01	CS0185-CC-000-01	CS0186-CC-000-01	CS0187-CC-000-01
Date Sampled				02/20/2006	02/20/2006	02/20/2006	02/20/2006
Date Prepared			02/22/2006	02/22/2006	02/22/2006	02/22/2006	02/22/2006
Preparation Method			3550B	3550B	3550B	3550B	3550B
Date Analyzed			02/23/2006	02/23/2006	02/23/2006	02/23/2006	02/23/2006
Matrix			Solid Waste	Solid Waste	Solid Waste	Solid Waste	Solid Waste
Units			ug/Kg	ug/Kg	ug/Kg	ug/Kg	ug/Kg
Dilution Factor			1	1	1	1	1
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**	**Results**	**Results**
Aroclor-1016 (PCB-1016)	35.0	70.0	ND	ND	ND	ND	ND
Aroclor-1221 (PCB-1221)	35.0	70.0	ND	ND	ND	ND	ND
Aroclor-1232 (PCB-1232)	35.0	70.0	ND	ND	ND	ND	ND
Aroclor-1242 (PCB-1242)	35.0	70.0	ND	ND	ND	ND	ND
Aroclor-1248 (PCB-1248)	35.0	70.0	ND	118	154	161	573
Aroclor-1254 (PCB-1254)	35.0	70.0	ND	ND	ND	ND	ND
Aroclor-1260 (PCB-1260)	35.0	70.0	ND	ND	ND	ND	ND
Aroclor-1262 (PCB-1262)	35.0	70.0	ND	ND	ND	ND	ND
Aroclor-1268 (PCB-1268)	35.0	70.0	ND	ND	ND	ND	ND
Our Lab I.D.				**36276.01**	**36276.02**	**36276.03**	**36276.04**
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**	**% Rec.**	**% Rec.**	**% Rec.**
Tetrachloro-m-xylene	30-150		112	103	107	101	103

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Telephone: (714)985-3434
Attn: Tom Tatnall

Page: 3

Project ID: 32486-005
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
36276	02/20/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 022206

Our Lab I.D.			36276.05	36276.06	36276.07	36276.08
Client Sample I.D.			CS0188-CC-000-01	CS0189-CC-000-01	CS0190-CC-000-01	CS0191-CC-000-01
Date Sampled			02/20/2006	02/20/2006	02/20/2006	02/20/2006
Date Prepared			02/22/2006	02/22/2006	02/22/2006	02/22/2006
Preparation Method			3550B	3550B	3550B	3550B
Date Analyzed			02/23/2006	02/23/2006	02/23/2006	02/23/2006
Matrix			Solid Waste	Solid Waste	Solid Waste	Solid Waste
Units			ug/Kg	ug/Kg	ug/Kg	ug/Kg
Dilution Factor			1	1	1	1
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**	**Results**
Aroclor-1016 (PCB-1016)	35.0	70.0	ND	ND	ND	ND
Aroclor-1221 (PCB-1221)	35.0	70.0	ND	ND	ND	ND
Aroclor-1232 (PCB-1232)	35.0	70.0	ND	ND	ND	ND
Aroclor-1242 (PCB-1242)	35.0	70.0	ND	ND	ND	ND
Aroclor-1248 (PCB-1248)	35.0	70.0	490	ND	1,240	476
Aroclor-1254 (PCB-1254)	35.0	70.0	ND	ND	ND	ND
Aroclor-1260 (PCB-1260)	35.0	70.0	ND	ND	ND	ND
Aroclor-1262 (PCB-1262)	35.0	70.0	ND	ND	ND	ND
Aroclor-1268 (PCB-1268)	35.0	70.0	ND	ND	ND	ND

Comment(s):

Sample 36276.06: 1,390 ug/Kg unidentified PBC.

Our Lab I.D.			36276.05	36276.06	36276.07	36276.08
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**	**% Rec.**	**% Rec.**
Tetrachloro-m-xylene	30-150		113	100	112	112

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Telephone: (714)985-3434
Attn: Tom Tatnall

Page: **4**

Project ID: 32486-005
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
36276	02/20/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 022206

Our Lab I.D.			**36276.09**				
Client Sample I.D.			CS0192-CC-0 00-01				
Date Sampled			02/20/2006				
Date Prepared			02/22/2006				
Preparation Method			3550B				
Date Analyzed			02/24/2006				
Matrix			Solid Waste				
Units			ug/Kg				
Dilution Factor			5				
Analytes	**MDL**	**PQL**	**Results**				
Aroclor-1016 (PCB-1016)	175	350	ND				
Aroclor-1221 (PCB-1221)	175	350	ND				
Aroclor-1232 (PCB-1232)	175	350	ND				
Aroclor-1242 (PCB-1242)	175	350	ND				
Aroclor-1248 (PCB-1248)	175	350	3,640				
Aroclor-1254 (PCB-1254)	175	350	ND				
Aroclor-1260 (PCB-1260)	175	350	ND				
Aroclor-1262 (PCB-1262)	175	350	ND				
Aroclor-1268 (PCB-1268)	175	350	ND				
Our Lab I.D.			**36276.09**				
Surrogates	**%Rec.Limit**		**% Rec.**				
Tetrachloro-m-xylene	30-150		114				

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Telephone: (714)985-3434
Attn: Tom Tatnall

Page: 5

Project ID: 32486-005
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
36276	02/20/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 022206

Our Lab I.D.			**36276.10**
Client Sample I.D.			CS0193-CC-0 00-01
Date Sampled			02/20/2006
Date Prepared			02/22/2006
Preparation Method			3550B
Date Analyzed			02/23/2006
Matrix			Solid Waste
Units			ug/Kg
Dilution Factor			20
Analytes	**MDL**	**PQL**	**Results**
Aroclor-1016 (PCB-1016)	700	1400	ND
Aroclor-1221 (PCB-1221)	700	1400	ND
Aroclor-1232 (PCB-1232)	700	1400	ND
Aroclor-1242 (PCB-1242)	700	1400	ND
Aroclor-1248 (PCB-1248)	700	1400	36,700
Aroclor-1254 (PCB-1254)	700	1400	ND
Aroclor-1260 (PCB-1260)	700	1400	ND
Aroclor-1262 (PCB-1262)	700	1400	ND
Aroclor-1268 (PCB-1268)	700	1400	ND
Our Lab I.D.			**36276.10**
Surrogates	**%Rec.Limit**		**% Rec.**
Tetrachloro-m-xylene	30-150		0 S8

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Telephone: (714)985-3434
Attn: Tom Tatnall

Page: 6

Project ID: 32486-005
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
36276	02/20/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 022206

Our Lab I.D.			36276.11	36276.12	36276.13		
Client Sample I.D.			CS0194-CC-0 00-01	CS0195-CC-0 00-01	CS0196-CC-0 00-01		
Date Sampled			02/20/2006	02/20/2006	02/20/2006		
Date Prepared			02/22/2006	02/22/2006	02/22/2006		
Preparation Method			3550B	3550B	3550B		
Date Analyzed			02/23/2006	02/24/2006	02/24/2006		
Matrix			Solid Waste	Solid Waste	Solid Waste		
Units			ug/Kg	ug/Kg	ug/Kg		
Dilution Factor			1	1	1		
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**		
Aroclor-1016 (PCB-1016)	35.0	70.0	ND	ND	ND		
Aroclor-1221 (PCB-1221)	35.0	70.0	ND	ND	ND		
Aroclor-1232 (PCB-1232)	35.0	70.0	ND	ND	ND		
Aroclor-1242 (PCB-1242)	35.0	70.0	ND	ND	ND		
Aroclor-1248 (PCB-1248)	35.0	70.0	ND	ND	ND		
Aroclor-1254 (PCB-1254)	35.0	70.0	ND	ND	ND		
Aroclor-1260 (PCB-1260)	35.0	70.0	ND	ND	ND		
Aroclor-1262 (PCB-1262)	35.0	70.0	ND	ND	ND		
Aroclor-1268 (PCB-1268)	35.0	70.0	ND	ND	ND		

Comment(s):

Sample 36276.11: 951 ug/Kg unidentified PBC. Sample 36276.13: 386 ug/Kg unidentified PBC.

Our Lab I.D.			36276.11	36276.12	36276.13		
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**	**% Rec.**		
Tetrachloro-m-xylene	30-150		122	102	121		

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Telephone: (714)985-3434
Attn: Tom Tatnall

Page: 7

Project ID: 32486-005
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
36276	02/20/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 022206-1

Our Lab I.D.			Method Blank	36276.14	36276.15	36276.16	36276.17
Client Sample I.D.				CS0197-CC-000-01	CS0198-CC-000-01	CS0199-CC-000-01	CS0200-CC-000-01
Date Sampled				02/20/2006	02/20/2006	02/20/2006	02/20/2006
Date Prepared			02/22/2006	02/22/2006	02/22/2006	02/22/2006	02/22/2006
Preparation Method			3550B	3550B	3550B	3550B	3550B
Date Analyzed			02/24/2006	02/24/2006	02/24/2006	02/24/2006	02/24/2006
Matrix			Solid Waste	Solid Waste	Solid Waste	Solid Waste	Solid Waste
Units			ug/Kg	ug/Kg	ug/Kg	ug/Kg	ug/Kg
Dilution Factor			1	1	1	1	1
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**	**Results**	**Results**
Aroclor-1016 (PCB-1016)	35.0	70.0	ND	ND	ND	ND	ND
Aroclor-1221 (PCB-1221)	35.0	70.0	ND	ND	ND	ND	ND
Aroclor-1232 (PCB-1232)	35.0	70.0	ND	ND	ND	ND	ND
Aroclor-1242 (PCB-1242)	35.0	70.0	ND	ND	ND	ND	ND
Aroclor-1248 (PCB-1248)	35.0	70.0	ND	44.5J	105	135	ND
Aroclor-1254 (PCB-1254)	35.0	70.0	ND	ND	ND	ND	ND
Aroclor-1260 (PCB-1260)	35.0	70.0	ND	ND	ND	ND	ND
Aroclor-1262 (PCB-1262)	35.0	70.0	ND	ND	ND	ND	ND
Aroclor-1268 (PCB-1268)	35.0	70.0	ND	ND	ND	ND	ND

Comment(s):

Sample 36276.17: 555 ug/Kg unidentified PBC.

Our Lab I.D.				36276.14	36276.15	36276.16	36276.17
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**	**% Rec.**	**% Rec.**	**% Rec.**
Tetrachloro-m-xylene	30-150		124	108	104	111	98

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 8

Project ID: 32486-005
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
36276	02/20/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 022206-1

Our Lab I.D.			**36276.18**
Client Sample I.D.			CS0201-CC-0 00-01
Date Sampled			02/20/2006
Date Prepared			02/22/2006
Preparation Method			3550B
Date Analyzed			02/24/2006
Matrix			Solid Waste
Units			ug/Kg
Dilution Factor			5
Analytes	**MDL**	**PQL**	**Results**
Aroclor-1016 (PCB-1016)	175	350	ND
Aroclor-1221 (PCB-1221)	175	350	ND
Aroclor-1232 (PCB-1232)	175	350	ND
Aroclor-1242 (PCB-1242)	175	350	ND
Aroclor-1248 (PCB-1248)	175	350	3,500
Aroclor-1254 (PCB-1254)	175	350	ND
Aroclor-1260 (PCB-1260)	175	350	ND
Aroclor-1262 (PCB-1262)	175	350	ND
Aroclor-1268 (PCB-1268)	175	350	ND
Our Lab I.D.			**36276.18**
Surrogates	**%Rec.Limit**		**% Rec.**
Tetrachloro-m-xylene	30-150		110

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Telephone: (714)985-3434
Attn: Tom Tatnall

Page: 9

Project ID: 32486-005
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
36276	02/20/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 022206-1

Our Lab I.D.			**36276.19**
Client Sample I.D.			CS0202-CC-000-01
Date Sampled			02/20/2006
Date Prepared			02/22/2006
Preparation Method			3550B
Date Analyzed			02/24/2006
Matrix			Solid Waste
Units			ug/Kg
Dilution Factor			1
Analytes	**MDL**	**PQL**	**Results**
Aroclor-1016 (PCB-1016)	35.0	70.0	ND
Aroclor-1221 (PCB-1221)	35.0	70.0	ND
Aroclor-1232 (PCB-1232)	35.0	70.0	ND
Aroclor-1242 (PCB-1242)	35.0	70.0	ND
Aroclor-1248 (PCB-1248)	35.0	70.0	186
Aroclor-1254 (PCB-1254)	35.0	70.0	ND
Aroclor-1260 (PCB-1260)	35.0	70.0	ND
Aroclor-1262 (PCB-1262)	35.0	70.0	ND
Aroclor-1268 (PCB-1268)	35.0	70.0	ND
Our Lab I.D.			**36276.19**
Surrogates	**%Rec.Limit**		**% Rec.**
Tetrachloro-m-xylene	30-150		113

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Telephone: (714)985-3434
Attn: Tom Tatnall

Page: 10

Project ID: 32486-005
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
36276	02/20/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 022206-1

Our Lab I.D.			**36276.20**
Client Sample I.D.			CS0203-CC-0 00-01
Date Sampled			02/20/2006
Date Prepared			02/22/2006
Preparation Method			3550B
Date Analyzed			02/24/2006
Matrix			Solid Waste
Units			ug/Kg
Dilution Factor			1000
Analytes	**MDL**	**PQL**	**Results**
Aroclor-1016 (PCB-1016)	35000	70000	ND
Aroclor-1221 (PCB-1221)	35000	70000	ND
Aroclor-1232 (PCB-1232)	35000	70000	ND
Aroclor-1242 (PCB-1242)	35000	70000	ND
Aroclor-1248 (PCB-1248)	35000	70000	1,260,000
Aroclor-1254 (PCB-1254)	35000	70000	ND
Aroclor-1260 (PCB-1260)	35000	70000	ND
Aroclor-1262 (PCB-1262)	35000	70000	ND
Aroclor-1268 (PCB-1268)	35000	70000	ND
Our Lab I.D.			**36276.20**
Surrogates	**%Rec.Limit**		**% Rec.**
Tetrachloro-m-xylene	30-150		0 S8

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Telephone: (714)985-3434
Attn: Tom Tatnall

Page: **11**

Project ID: 32486-005
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
36276	02/20/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 022206-1

Our Lab I.D.			36276.21	36276.22	36276.23	36276.24	36276.25
Client Sample I.D.			CS0204-CC-000-01	CS0205-CC-000-01	CS0206-CC-000-01	CS0207-CC-000-01	CS0208-CC-000-01
Date Sampled			02/20/2006	02/20/2006	02/20/2006	02/20/2006	02/20/2006
Date Prepared			02/22/2006	02/22/2006	02/22/2006	02/22/2006	02/22/2006
Preparation Method			3550B	3550B	3550B	3550B	3550B
Date Analyzed			02/24/2006	02/24/2006	02/24/2006	02/24/2006	02/24/2006
Matrix			Solid Waste	Solid Waste	Solid Waste	Solid Waste	Solid Waste
Units			ug/Kg	ug/Kg	ug/Kg	ug/Kg	ug/Kg
Dilution Factor			1	1	1	1	1
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**	**Results**	**Results**
Aroclor-1016 (PCB-1016)	35.0	70.0	ND	ND	ND	ND	ND
Aroclor-1221 (PCB-1221)	35.0	70.0	ND	ND	ND	ND	ND
Aroclor-1232 (PCB-1232)	35.0	70.0	ND	ND	ND	ND	ND
Aroclor-1242 (PCB-1242)	35.0	70.0	ND	ND	ND	ND	ND
Aroclor-1248 (PCB-1248)	35.0	70.0	41.9J	1,360	343	ND	128
Aroclor-1254 (PCB-1254)	35.0	70.0	ND	ND	ND	ND	ND
Aroclor-1260 (PCB-1260)	35.0	70.0	ND	ND	ND	ND	ND
Aroclor-1262 (PCB-1262)	35.0	70.0	ND	ND	ND	ND	ND
Aroclor-1268 (PCB-1268)	35.0	70.0	ND	ND	ND	ND	ND
Our Lab I.D.			**36276.21**	**36276.22**	**36276.23**	**36276.24**	**36276.25**
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**	**% Rec.**	**% Rec.**	**% Rec.**
Tetrachloro-m-xylene	30-150		108	113	113	114	115

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Telephone: (714)985-3434
Attn: Tom Tatnall

Page: **12**

Project ID: 32486-005
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
36276	02/20/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 022206-1

Our Lab I.D.			36276.26	36276.27			
Client Sample I.D.			CS0209-CC-000-01	CS0210-CC-000-01			
Date Sampled			02/20/2006	02/20/2006			
Date Prepared			02/22/2006	02/22/2006			
Preparation Method			3550B	3550B			
Date Analyzed			02/24/2006	02/24/2006			
Matrix			Solid Waste	Solid Waste			
Units			ug/Kg	ug/Kg			
Dilution Factor			1	1			
Analytes	**MDL**	**PQL**	**Results**	**Results**			
Aroclor-1016 (PCB-1016)	35.0	70.0	ND	ND			
Aroclor-1221 (PCB-1221)	35.0	70.0	ND	ND			
Aroclor-1232 (PCB-1232)	35.0	70.0	ND	ND			
Aroclor-1242 (PCB-1242)	35.0	70.0	ND	ND			
Aroclor-1248 (PCB-1248)	35.0	70.0	895	243			
Aroclor-1254 (PCB-1254)	35.0	70.0	ND	ND			
Aroclor-1260 (PCB-1260)	35.0	70.0	ND	ND			
Aroclor-1262 (PCB-1262)	35.0	70.0	ND	ND			
Aroclor-1268 (PCB-1268)	35.0	70.0	ND	ND			
Our Lab I.D.			**36276.26**	**36276.27**			
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**			
Tetrachloro-m-xylene	30-150		111	127			

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Telephone: (714)985-3434
Attn: Tom Tatnall

Page: 13

Project ID: 32486-005
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
36276	02/20/2006	H&A

Method: 8082, Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 022306

Our Lab I.D.			Method Blank	**36276.28**			
Client Sample I.D.				EB-022006			
Date Sampled				02/20/2006			
Date Prepared			02/23/2006	02/23/2006			
Preparation Method			3510C	3510C			
Date Analyzed			02/24/2006	02/24/2006			
Matrix			Aqueous	Aqueous			
Units			ug/L	ug/L			
Dilution Factor			1	1			
Analytes	**MDL**	**PQL**	**Results**	**Results**			
Aroclor-1016 (PCB-1016)	1.0	2.0	ND	ND			
Aroclor-1221 (PCB-1221)	2.0	4.0	ND	ND			
Aroclor-1232 (PCB-1232)	1.0	2.0	ND	ND			
Aroclor-1242 (PCB-1242)	1.0	2.0	ND	ND			
Aroclor-1248 (PCB-1248)	1.0	2.0	ND	ND			
Aroclor-1254 (PCB-1254)	1.0	2.0	ND	ND			
Aroclor-1260 (PCB-1260)	1.0	2.0	ND	ND			
Aroclor-1262 (PCB-1262)	1.0	2.0	ND	ND			
Aroclor-1268 (PCB-1268)	1.0	2.0	ND	ND			
Our Lab I.D.				**36276.28**			
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**			
Tetrachloro-m-xylene	30-150		91	89			

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: **14**
Project ID: 32486-005
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
36276	02/20/2006	H&A

Method: 8082, Polychlorinated Biphenyls (PCBs) by GC

QUALITY CONTROL REPORT

QC Batch No: 022306 Sample Spiked: 022306 QC Prepared: 02/23/2006 QC Analyzed: 02/24/2006 Units: ug/L

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Aroclor-1260 (PCB-1260)	0.0	2.50	2.75	110	2.50	2.70	108	1.8	75-125	<20

QC Batch No: 022306 Sample Spiked: 022306 QC Prepared: 02/23/2006 QC Analyzed: 02/24/2006 Units: ug/L

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Aroclor-1260 (PCB-1260)	2.50	2.65	106	75-125						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: **15**
Project ID: 32486-005
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
36276	02/20/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QUALITY CONTROL REPORT

QC Batch No: 022206 Sample Spiked: 022206 QC Prepared: 02/22/2006 QC Analyzed: 02/23/2006 Units: ug/Kg

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Aroclor-1260 (PCB-1260)	0.0	500.00	550.00	110	500.00	580.00	116	5.3	75-125	<20

QC Batch No: 022206 Sample Spiked: 022206 QC Prepared: 02/22/2006 QC Analyzed: 02/23/2006 Units: ug/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Aroclor-1260 (PCB-1260)	500.00	500.00	100	75-125						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 16
Project ID: 32486-005
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
36276	02/20/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QUALITY CONTROL REPORT

QC Batch No: 022206-1 Sample Spiked: 022206 QC Prepared: 02/22/2006 QC Analyzed: 02/24/2006 Units: ug/Kg

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Aroclor-1260 (PCB-1260)	0.0	500.00	505.00	101	500.00	510.00	102	<1	75-125	<20

QC Batch No: 022206-1 Sample Spiked: 022206 QC Prepared: 02/22/2006 QC Analyzed: 02/24/2006 Units: ug/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Aroclor-1260 (PCB-1260)	500.00	565.00	113	75-125						

American Environmental Testing Laboratory Inc.
2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

Data Qualifiers and Descriptors

Data Qualifier:

*:	In the QC section, sample results have been taken directly from the ICP reading. No preparation factor has been applied.
B:	Analyte was present in the Method Blank.
D:	Result is from a diluted analysis.
E:	Result is beyond calibration limits and is estimated.
H:	Analysis was performed over the allowed holding time due to circumstances which were beyond laboratory control.
J:	Analyte was detected . However, the analyte concentration is an estimated value, which is between the Method Detection Limit (MDL) and the Practical Quantitation Limit (PQL).
M:	Matrix spike recovery is outside control limits due to matrix interference. Laboratory Control Sample recovery was acceptable.
S6:	Surrogate recovery is outside control limits due to matrix interference.
S8:	The analysis of the sample required a dilution such that the surrogate concentration was diluted below the method acceptance criteria.
X:	Results represent LCS and LCSD data.

Definition:

%Limi:	Percent acceptable limits.
%REC:	Percent recovery.
Con.L:	Acceptable Control Limits
Conce:	Added concentration to the sample.
LCS:	Laboratory Control Sample
MDL:	Method Detection Limit is a statistically derived number which is specific for each instrument, each method, and each compound. It indicates a distinctively detectable quantity with 99% probability.
MS:	Matrix Spike
MS DU:	Matrix Spike Duplicate

American Environmental Testing Laboratory Inc.
2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

Data Qualifiers and Descriptors

ND: Analyte was not detected in the sample at or above MDL.

PQL: Practical Quantitation Limit or ML (Minimum Level as per RWQCB) is the minimum concentration that can be quantified with more than 99% confidence. Taking into account all aspects of the entire analytical instrumentation and practice.

Recov: Recovered concentration in the sample.

RPD: Relative Percent Difference

American Environmental Testing Laboratory Inc.
2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

RECEIVED
MAY 24 2006
Haley & Aldrich, Inc.

Ordered By

Haley & Aldrich
500 South Kraemer Blvd. Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attention: Tom Tatnall

Number of Pages	**14**
Date Received	**05/12/2006**
Date Reported	**05/17/2006**

Job Number	Order Date	Client
37388	05/12/2006	H&A

Project ID: 32486-006
Project Name: Delphi System Corp.
Site: 1201 N. Magnolia Avenue
Anaheim, CA 92801

Enclosed please find results of analyses of 1 water and 8 solid waste samples which were analyzed as specified on the attached chain of custody. If there are any questions, please do not hesitate to call.

Checked By: _____ Approved By:

Cyrus Razmara, Ph.D.
Laboratory Director

American Environmental Testing Laboratory Inc.
2834 North Naomi Street Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840

CHAIN OF CUSTODY RECORD

№ 38019

AETL JOB No. 37388

Page 1 of 1

COMPANY: Haley & Aldrich
PHONE: 714-985-3434
PROJECT MANAGER: Tom Tatnall
FAX:
PROJECT NAME: Delphi
PROJECT #:
SITE NAME AND ADDRESS: 1201 N. Magnolia Ave Anaheim

	SAMPLE ID	LAB ID	DATE	TIME	MATRIX	CONTAINER NUMBER/SIZE	PRES.	8082 PCB's	8260 VOC's	Metals								TEST INSTRUCTIONS & COMMENTS
1	CS0234_CC_000-01		5-12-06	1210	Concrete	1		X										37388.01
2	CS0233_CC_000-01			1206		1		X										37388.02
3	CS0235_CC_000-01			1313		1		X										37388.03
4	CS0236_CC_000-01			1216		1		X										37388.04
5	CS0237_CC_000-01			1230		1		X										37388.05
6	CS0238_CC_000-01			1235		1		X										37388.06
7	CS0239_CC_000-01			1240		1		X										37388.07
8	CS0240_CC_000-01			1245		1		X										37388.08
9	EB_051206			1530				X	X	X								37388.09
10																		
11																		
12																		
13																		
14																		
15																		

SAMPLE RECEIPT - TO BE FILLED BY LABORATORY

TOTAL NUMBER OF CONTAINERS	13	PROPERLY COOLED	Y / N / NA
CUSTODY SEALS Y / N	NA	SAMPLES INTACT	Y / N / NA
RECEIVED IN GOOD COND.	Y / N	SAMPLES ACCEPTED	Y / N

TURN AROUND TIME

☐ NORMAL ☒ RUSH ☐ SAME DAY ☐ 24 HRS. ☐ 48 HRS. ☒ 72 HRS.

RELINQUISHED BY SAMPLER: 1.	RELINQUISHED BY: 2.	RELINQUISHED BY: 3.
Signature: Glenn Andrusiki	Signature:	Signature:
Printed Name: Glenn Andrusiki	Printed Name:	Printed Name: Alex Gonzalez
Date: 5-12-06 Time: 1545	Date: Time:	Date: 5/12/06 Time: 1730
RECEIVED BY: 1.	**RECEIVED BY: 2.**	**RECEIVED BY LABORATORY: 3.**
Signature:	Signature:	Signature:
Printed Name: Alex Gonzalez	Printed Name:	Printed Name:
Date: 5/12/06 Time: 1545	Date: Time:	Date: 5/12/06 Time: 1730

DISTRIBUTION: WHITE - Laboratory, CANARY - Laboratory, PINK - Project/Account Manager, YELLOW - Sampler/Originator

TABLE
Summary of Aqueous Analytical Results for 3 Metals(As,Pb,Sb)
1201 N. Magnolia Avenue Anaheim, CA 92801

3 Metals(As,Pb,Sb). Method: 6010BSCAN

Sample ID	STLC Limit mg/L	TCLP Limit mg/L	TTLC Limit mg/Kg	Units	EB-051206
Sample Date					5/12/2006
Laboratory Job Number					37388
Antimony	15		500	mg/L	ND<0.05
Arsenic	5.0	5.0	500	mg/L	ND<0.05
Lead	5.0	5.0	1000	mg/L	ND<0.03

1) "ND<X" INDICATES CONSTITUENT(S) NOT DETECTED AT OR ABOVE METHOD DETECTION LIMIT.
2) "J" INDICATES ANALYTE WAS DETECTED. HOWEVER, ANALYTE CONCENTRATION IS AN ESTIMATED VALUE WHICH IS BETWEEN THE METHOD DETECTION LIMIT (MDL) AND THE PRACTICAL QUANTITATION LIMIT(PQL).
3) "D" INDICATES THE SAMPLE WAS DILUTED TO BRING THE ANALYTE CONCENTRATION WITHIN CALIBRATION RANGE.

File: AQ_6010BSCAN.xls

TABLE
Summary of Aqueous Analytical Results for Polychlorinated Biphenyls (PCBs) by GC
1201 N. Magnolia Avenue Anaheim, CA 92801

Polychlorinated Biphenyls (PCBs) by GC. Method: 8082

Sample ID	Units	EB-051206
Sample Date		5/12/2006
Laboratory Job Number		37388
Aroclor-1016 (PCB-1016)	ug/L	ND<1.0
Aroclor-1221 (PCB-1221)	ug/L	ND<2.0
Aroclor-1232 (PCB-1232)	ug/L	ND<1.0
Aroclor-1242 (PCB-1242)	ug/L	ND<1.0
Aroclor-1248 (PCB-1248)	ug/L	ND<1.0
Aroclor-1254 (PCB-1254)	ug/L	ND<1.0
Aroclor-1260 (PCB-1260)	ug/L	ND<1.0
Aroclor-1262 (PCB-1262)	ug/L	ND<1.0
Aroclor-1268 (PCB-1268)	ug/L	ND<1.0

1) "ND<X" INDICATES CONSTITUENT(S) NOT DETECTED AT OR ABOVE METHOD DETECTION LIMIT.
2) "J" INDICATES ANALYTE WAS DETECTED. HOWEVER, ANALYTE CONCENTRATION IS AN ESTIMATED VALUE WHICH IS BETWEEN THE METHOD DETECTION LIMIT (MDL) AND THE PRACTICAL QUANTITATION LIMIT(PQL).
3) "D" INDICATES THE SAMPLE WAS DILUTED TO BRING THE ANALYTE CONCENTRATION WITHIN CALIBRATION RANGE.

File: AQ_8082.xls

TABLE

Summary of Aqueous Analytical Results for Volatile Organic Compounds by GC/MS (SW846)

1201 N. Magnolia Avenue Anaheim, CA 92801

Volatile Organic Compounds by GC/MS (SW846). Method: 8260B

Sample ID	Units	EB-051206
Sample Date		5/12/2006
Laboratory Job Number		37388
Acetone	ug/L	ND<10
Benzene	ug/L	ND<0.5
Bromobenzene (Phenyl bromide)	ug/L	ND<0.5
Bromochloromethane	ug/L	ND<0.5
Bromodichloromethane	ug/L	ND<0.5
Bromoform (Tribromomethane)	ug/L	ND<2.5
Bromomethane (Methyl bromide)	ug/L	ND<1.5
2-Butanone (MEK)	ug/L	ND<5.0
n-Butylbenzene	ug/L	ND<0.5
sec-Butylbenzene	ug/L	ND<0.5
tert-Butylbenzene	ug/L	ND<0.5
Carbon Disulfide	ug/L	ND<0.5
Carbon tetrachloride	ug/L	ND<0.5
Chlorobenzene	ug/L	ND<0.5
Chloroethane	ug/L	ND<1.5
2-Chloroethyl vinyl ether	ug/L	ND<2.5
Chloroform (Trichloromethane)	ug/L	ND<0.5
Chloromethane (Methyl chloride)	ug/L	ND<1.5
2-Chlorotoluene	ug/L	ND<0.5
4-Chlorotoluene	ug/L	ND<0.5
1,2-Dibromo-3-chloropropane (DBCP)	ug/L	ND<2.5
Dibromochloromethane	ug/L	ND<0.5
1,2-Dibromoethane (EDB)	ug/L	ND<0.5
Dibromomethane	ug/L	ND<0.5
1,2-Dichlorobenzene	ug/L	ND<0.5
1,3-Dichlorobenzene	ug/L	ND<0.5
1,4-Dichlorobenzene	ug/L	ND<0.5
Dichlorodifluoromethane	ug/L	ND<1.5
1,1-Dichloroethane	ug/L	ND<0.5
1,2-Dichloroethane (EDC)	ug/L	ND<0.5
1,1-Dichloroethene	ug/L	ND<0.5

TABLE

Summary of Aqueous Analytical Results for Volatile Organic Compounds by GC/MS (SW846)

1201 N. Magnolia Avenue Anaheim, CA 92801

Volatile Organic Compounds by GC/MS (SW846). Method: 8260B

Sample ID	Units	EB-051206
Sample Date		5/12/2006
Laboratory Job Number		37388
cis-1,2-Dichloroethene	ug/L	ND<0.5
trans-1,2-Dichloroethene	ug/L	ND<0.5
1,2-Dichloropropane	ug/L	ND<0.5
1,3-Dichloropropane	ug/L	ND<0.5
2,2-Dichloropropane	ug/L	ND<0.5
1,1-Dichloropropene	ug/L	ND<0.5
cis-1,3-Dichloropropene	ug/L	ND<0.5
trans-1,3-Dichloropropene	ug/L	ND<0.5
Ethylbenzene	ug/L	ND<0.5
Hexachlorobutadiene	ug/L	ND<1.5
2-Hexanone	ug/L	ND<2.5
Isopropylbenzene	ug/L	ND<0.5
p-Isopropyltoluene	ug/L	ND<0.5
4-Methyl-2-pentanone (MIBK)	ug/L	ND<2.5
Methyl-tert-butyl ether (MTBE)	ug/L	ND<0.5
Methylene chloride (DCM)	ug/L	ND<2.0
Naphthalene	ug/L	ND<0.5
n-Propylbenzene	ug/L	ND<0.5
Styrene	ug/L	ND<0.5
1,1,1,2-Tetrachloroethane	ug/L	ND<0.5
1,1,2,2-Tetrachloroethane	ug/L	ND<0.5
Tetrachloroethene	ug/L	ND<0.5
Toluene (Methyl benzene)	ug/L	ND<0.5
1,2,3-Trichlorobenzene	ug/L	ND<0.5
1,2,4-Trichlorobenzene	ug/L	ND<0.5
1,1,1-Trichloroethane	ug/L	ND<0.5
1,1,2-Trichloroethane	ug/L	ND<0.5
Trichloroethene	ug/L	ND<0.5
Trichlorofluoromethane	ug/L	ND<0.5
1,2,3-Trichloropropane	ug/L	ND<0.5
1,2,4-Trimethylbenzene	ug/L	ND<0.5

TABLE
Summary of Aqueous Analytical Results for Volatile Organic Compounds by GC/MS (SW846)
1201 N. Magnolia Avenue Anaheim, CA 92801

Volatile Organic Compounds by GC/MS (SW846). Method: 8260B

Sample ID	Units	EB-051206
Sample Date		5/12/2006
Laboratory Job Number		37388
1,3,5-Trimethylbenzene	ug/L	ND<0.5
Vinyl Acetate	ug/L	ND<0.5
Vinyl chloride (Chloroethene)	ug/L	ND<0.5
o-Xylene	ug/L	ND<0.5
m,p-Xylenes	ug/L	ND<1.0

1) "ND<X" INDICATES CONSTITUENT(S) NOT DETECTED AT OR ABOVE METHOD DETECTION LIMIT.
2) "J" INDICATES ANALYTE WAS DETECTED. HOWEVER, ANALYTE CONCENTRATION IS AN ESTIMATED VALUE WHICH IS BETWEEN THE METHOD DETECTION LIMIT (MDL) AND THE PRACTICAL QUANTITATION LIMIT(PQL).
3) "D" INDICATES THE SAMPLE WAS DILUTED TO BRING THE ANALYTE CONCENTRATION WITHIN CALIBRATION RANGE.

File: AQ_8260B.xls

TABLE
Summary of Solid Analytical Results for Polychlorinated Biphenyls (PCBs) by GC
1201 N. Magnolia Avenue Anaheim, CA 92801

Polychlorinated Biphenyls (PCBs) by GC. Method: (8082)

Sample ID	Units	CS0233-CC-000-01	CS0234-CC-000-01	CS0235-CC-000-01	CS0236-CC-000-01	CS0237-CC-000-01	CS0238-CC-000-01	CS0239-CC-000-01	CS0240-CC-000-01
Sample Date		5/12/2006	5/12/2006	5/12/2006	5/12/2006	5/12/2006	5/12/2006	5/12/2006	5/12/2006
Laboratory Job Number		37388	37388	37388	37388	37388	37388	37388	37388
Aroclor-1016 (PCB-1016)	ug/Kg	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<1250	ND<2500
Aroclor-1221 (PCB-1221)	ug/Kg	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<1250	ND<2500
Aroclor-1232 (PCB-1232)	ug/Kg	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<1250	ND<2500
Aroclor-1242 (PCB-1242)	ug/Kg	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<1250	ND<2500
Aroclor-1248 (PCB-1248)	ug/Kg	ND<25.0	**25.0J**	ND<25.0	ND<25.0	**56.2**	**440**	**27,700**	**302,000**
Aroclor-1254 (PCB-1254)	ug/Kg	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<1250	ND<2500
Aroclor-1260 (PCB-1260)	ug/Kg	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<1250	ND<2500
Aroclor-1262 (PCB-1262)	ug/Kg	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<1250	ND<2500
Aroclor-1268 (PCB-1268)	ug/Kg	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<1250	ND<2500

1) "ND<X" INDICATES CONSTITUENT(S) NOT DETECTED AT OR ABOVE METHOD DETECTION LIMIT.
2) "J" INDICATES ANALYTE WAS DETECTED. HOWEVER, ANALYTE CONCENTRATION IS AN ESTIMATED VALUE WHICH IS BETWEEN THE METHOD DETECTION LIMIT (MDL) AND THE PRACTICAL QUANTITATION LIMIT(PQL).
3) "D" INDICATES THE SAMPLE WAS DILUTED TO BRING THE ANALYTE CONCENTRATION WITHIN CALIBRATION RANGE.

File: SI_8082.xls

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 2
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37388	05/12/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 051506

Our Lab I.D.			Method Blank	37388.01	37388.02	37388.03	37388.04
Client Sample I.D.				CS0234-CC-000-01	CS0233-CC-000-01	CS0235-CC-000-01	CS0236-CC-000-01
Date Sampled				05/12/2006	05/12/2006	05/12/2006	05/12/2006
Date Prepared			05/15/2006	05/15/2006	05/15/2006	05/15/2006	05/15/2006
Preparation Method			3550B	3550B	3550B	3550B	3550B
Date Analyzed			05/16/2006	05/16/2006	05/16/2006	05/16/2006	05/16/2006
Matrix			Solid Waste	Solid Waste	Solid Waste	Solid Waste	Solid Waste
Units			ug/Kg	ug/Kg	ug/Kg	ug/Kg	ug/Kg
Dilution Factor			1	1	1	1	1
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**	**Results**	**Results**
Aroclor-1016 (PCB-1016)	25.0	50.0	ND	ND	ND	ND	ND
Aroclor-1221 (PCB-1221)	25.0	50.0	ND	ND	ND	ND	ND
Aroclor-1232 (PCB-1232)	25.0	50.0	ND	ND	ND	ND	ND
Aroclor-1242 (PCB-1242)	25.0	50.0	ND	ND	ND	ND	ND
Aroclor-1248 (PCB-1248)	25.0	50.0	ND	25.0J	ND	ND	ND
Aroclor-1254 (PCB-1254)	25.0	50.0	ND	ND	ND	ND	ND
Aroclor-1260 (PCB-1260)	25.0	50.0	ND	ND	ND	ND	ND
Aroclor-1262 (PCB-1262)	25.0	50.0	ND	ND	ND	ND	ND
Aroclor-1268 (PCB-1268)	25.0	50.0	ND	ND	ND	ND	ND

Our Lab I.D.				37388.01	37388.02	37388.03	37388.04
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**	**% Rec.**	**% Rec.**	**% Rec.**
Tetrachloro-m-xylene	30-150		86	86	87	75	85

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 3
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37388	05/12/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 051506

Our Lab I.D.			37388.05	37388.06			
Client Sample I.D.			CS0237-CC-000-01	CS0238-CC-000-01			
Date Sampled			05/12/2006	05/12/2006			
Date Prepared			05/15/2006	05/15/2006			
Preparation Method			3550B	3550B			
Date Analyzed			05/16/2006	05/16/2006			
Matrix			Solid Waste	Solid Waste			
Units			ug/Kg	ug/Kg			
Dilution Factor			1	1			
Analytes	**MDL**	**PQL**	**Results**	**Results**			
Aroclor-1016 (PCB-1016)	25.0	50.0	ND	ND			
Aroclor-1221 (PCB-1221)	25.0	50.0	ND	ND			
Aroclor-1232 (PCB-1232)	25.0	50.0	ND	ND			
Aroclor-1242 (PCB-1242)	25.0	50.0	ND	ND			
Aroclor-1248 (PCB-1248)	25.0	50.0	56.2	440			
Aroclor-1254 (PCB-1254)	25.0	50.0	ND	ND			
Aroclor-1260 (PCB-1260)	25.0	50.0	ND	ND			
Aroclor-1262 (PCB-1262)	25.0	50.0	ND	ND			
Aroclor-1268 (PCB-1268)	25.0	50.0	ND	ND			

Our Lab I.D.			37388.05	37388.06			
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**			
Tetrachloro-m-xylene	30-150		86	84			

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: **4**
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37388	05/12/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 051506

Our Lab I.D.			**37388.07**
Client Sample I.D.			CS0239-CC-000-01
Date Sampled			05/12/2006
Date Prepared			05/15/2006
Preparation Method			3550B
Date Analyzed			05/17/2006
Matrix			Solid Waste
Units			ug/Kg
Dilution Factor			50
Analytes	**MDL**	**PQL**	**Results**
Aroclor-1016 (PCB-1016)	1250	2500	ND
Aroclor-1221 (PCB-1221)	1250	2500	ND
Aroclor-1232 (PCB-1232)	1250	2500	ND
Aroclor-1242 (PCB-1242)	1250	2500	ND
Aroclor-1248 (PCB-1248)	1250	2500	27,700
Aroclor-1254 (PCB-1254)	1250	2500	ND
Aroclor-1260 (PCB-1260)	1250	2500	ND
Aroclor-1262 (PCB-1262)	1250	2500	ND
Aroclor-1268 (PCB-1268)	1250	2500	ND

Our Lab I.D.		**37388.07**
Surrogates	**%Rec.Limit**	**% Rec.**
Tetrachloro-m-xylene	30-150	0 S8

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 5
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37388	05/12/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 051506

Our Lab I.D.			**37388.08**
Client Sample I.D.			CS0240-CC-0 00-01
Date Sampled			05/12/2006
Date Prepared			05/15/2006
Preparation Method			3550B
Date Analyzed			05/17/2006
Matrix			Solid Waste
Units			ug/Kg
Dilution Factor			100
Analytes	**MDL**	**PQL**	**Results**
Aroclor-1016 (PCB-1016)	2500	5000	ND
Aroclor-1221 (PCB-1221)	2500	5000	ND
Aroclor-1232 (PCB-1232)	2500	5000	ND
Aroclor-1242 (PCB-1242)	2500	5000	ND
Aroclor-1248 (PCB-1248)	2500	5000	302,000
Aroclor-1254 (PCB-1254)	2500	5000	ND
Aroclor-1260 (PCB-1260)	2500	5000	ND
Aroclor-1262 (PCB-1262)	2500	5000	ND
Aroclor-1268 (PCB-1268)	2500	5000	ND

Our Lab I.D.		**37388.08**
Surrogates	**%Rec.Limit**	**% Rec.**
Tetrachloro-m-xylene	30-150	0 S8

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 6
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37388	05/12/2006	H&A

Method: 8260B, Volatile Organic Compounds by GC/MS (SW846)

QC Batch No: 051506

Our Lab I.D.			Method Blank	**37388.09**			
Client Sample I.D.				EB-051206			
Date Sampled				05/12/2006			
Date Prepared			05/15/2006	05/15/2006			
Preparation Method			5030B	5030B			
Date Analyzed			05/15/2006	05/15/2006			
Matrix			Aqueous	Aqueous			
Units			ug/L	ug/L			
Dilution Factor			1	1			
Analytes	**MDL**	**PQL**	**Results**	**Results**			
Acetone	10	10	ND	ND			
Benzene	0.5	1.0	ND	ND			
Bromobenzene (Phenyl bromide)	0.5	1.0	ND	ND			
Bromochloromethane	0.5	1.0	ND	ND			
Bromodichloromethane	0.5	1.0	ND	ND			
Bromoform (Tribromomethane)	2.5	5.0	ND	ND			
Bromomethane (Methyl bromide)	1.5	3.0	ND	ND			
2-Butanone (MEK)	5.0	5.0	ND	ND			
n-Butylbenzene	0.5	1.0	ND	ND			
sec-Butylbenzene	0.5	1.0	ND	ND			
tert-Butylbenzene	0.5	1.0	ND	ND			
Carbon Disulfide	0.5	1.0	ND	ND			
Carbon tetrachloride	0.5	1.0	ND	ND			
Chlorobenzene	0.5	1.0	ND	ND			
Chloroethane	1.5	3.0	ND	ND			
2-Chloroethyl vinyl ether	2.5	5.0	ND	ND			
Chloroform (Trichloromethane)	0.5	1.0	ND	ND			
Chloromethane (Methyl chloride)	1.5	3.0	ND	ND			
2-Chlorotoluene	0.5	1.0	ND	ND			
4-Chlorotoluene	0.5	1.0	ND	ND			
1,2-Dibromo-3-chloropropane (DBCP)	2.5	5.0	ND	ND			
Dibromochloromethane	0.5	1.0	ND	ND			
1,2-Dibromoethane (EDB)	0.5	1.0	ND	ND			
Dibromomethane	0.5	1.0	ND	ND			
1,2-Dichlorobenzene	0.5	1.0	ND	ND			
1,3-Dichlorobenzene	0.5	1.0	ND	ND			
1,4-Dichlorobenzene	0.5	1.0	ND	ND			
Dichlorodifluoromethane	1.5	3.0	ND	ND			

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Page: 7
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submittd	Client
37388	05/12/2006	H&A

Method: 8260B, Volatile Organic Compounds by GC/MS (SW846)

QC Batch No: 051506

Our Lab I.D.			Method Blank	**37388.09**			
Client Sample I.D.				EB-051206			
Date Sampled				05/12/2006			
Date Prepared			05/15/2006	05/15/2006			
Preparation Method			5030B	5030B			
Date Analyzed			05/15/2006	05/15/2006			
Matrix			Aqueous	Aqueous			
Units			ug/L	ug/L			
Dilution Factor			1	1			
Analytes	**MDL**	**PQL**	**Results**	**Results**			
1,1-Dichloroethane	0.5	1.0	ND	ND			
1,2-Dichloroethane (EDC)	0.5	1.0	ND	ND			
1,1-Dichloroethene	0.5	1.0	ND	ND			
cis-1,2-Dichloroethene	0.5	1.0	ND	ND			
trans-1,2-Dichloroethene	0.5	1.0	ND	ND			
1,2-Dichloropropane	0.5	1.0	ND	ND			
1,3-Dichloropropane	0.5	1.0	ND	ND			
2,2-Dichloropropane	0.5	1.0	ND	ND			
1,1-Dichloropropene	0.5	1.0	ND	ND			
cis-1,3-Dichloropropene	0.5	1.0	ND	ND			
trans-1,3-Dichloropropene	0.5	1.0	ND	ND			
Ethylbenzene	0.5	1.0	ND	ND			
Hexachlorobutadiene	1.5	3.0	ND	ND			
2-Hexanone	2.5	5.0	ND	ND			
Isopropylbenzene	0.5	1.0	ND	ND			
p-Isopropyltoluene	0.5	1.0	ND	ND			
4-Methyl-2-pentanone (MIBK)	2.5	5.0	ND	ND			
Methyl-tert-butyl ether (MTBE)	0.5	1.0	ND	ND			
Methylene chloride (DCM)	2.0	4.0	ND	ND			
Naphthalene	0.5	1.0	ND	ND			
n-Propylbenzene	0.5	1.0	ND	ND			
Styrene	0.5	1.0	ND	ND			
1,1,1,2-Tetrachloroethane	0.5	1.0	ND	ND			
1,1,2,2-Tetrachloroethane	0.5	1.0	ND	ND			
Tetrachloroethene	0.5	1.0	ND	ND			
Toluene (Methyl benzene)	0.5	1.0	ND	ND			
1,2,3-Trichlorobenzene	0.5	1.0	ND	ND			
1,2,4-Trichlorobenzene	0.5	1.0	ND	ND			
1,1,1-Trichloroethane	0.5	1.0	ND	ND			
1,1,2-Trichloroethane	0.5	1.0	ND	ND			
Trichloroethene	0.5	1.0	ND	ND			
Trichlorofluoromethane	0.5	1.0	ND	ND			
1,2,3-Trichloropropane	0.5	1.0	ND	ND			
1,2,4-Trimethylbenzene	0.5	1.0	ND	ND			
1,3,5-Trimethylbenzene	0.5	1.0	ND	ND			
Vinyl Acetate	0.5	5.0	ND	ND			

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submittd	Client
37388	05/12/2006	H&A

Method: 8260B, Volatile Organic Compounds by GC/MS (SW846)

QC Batch No: 051506

Our Lab I.D.			Method Blank	**37388.09**			
Client Sample I.D.				EB-051206			
Date Sampled				05/12/2006			
Date Prepared			05/15/2006	05/15/2006			
Preparation Method			5030B	5030B			
Date Analyzed			05/15/2006	05/15/2006			
Matrix			Aqueous	Aqueous			
Units			ug/L	ug/L			
Dilution Factor			1	1			
Analytes	**MDL**	**PQL**	**Results**	**Results**			
Vinyl chloride (Chloroethene)	0.5	3.0	ND	ND			
o-Xylene	0.5	1.0	ND	ND			
m,p-Xylenes	1.0	2.0	ND	ND			

Our Lab I.D.				**37388.09**			
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**			
Bromofluorobenzene	75-125		97	98			
Dibromofluoromethane	75-125		103	105			
Toluene-d8	75-125		100	97			

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 9
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37388	05/12/2006	H&A

Method: 8082, Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 051706

Our Lab I.D.			Method Blank	**37388.09**			
Client Sample I.D.				EB-051206			
Date Sampled				05/12/2006			
Date Prepared			05/17/2006	05/17/2006			
Preparation Method			3510C	3510C			
Date Analyzed			05/17/2006	05/17/2006			
Matrix			Aqueous	Aqueous			
Units			ug/L	ug/L			
Dilution Factor			1	1			
Analytes	**MDL**	**PQL**	**Results**	**Results**			
Aroclor-1016 (PCB-1016)	1.0	5.0	ND	ND			
Aroclor-1221 (PCB-1221)	2.0	10.0	ND	ND			
Aroclor-1232 (PCB-1232)	1.0	5.0	ND	ND			
Aroclor-1242 (PCB-1242)	1.0	5.0	ND	ND			
Aroclor-1248 (PCB-1248)	1.0	5.0	ND	ND			
Aroclor-1254 (PCB-1254)	1.0	5.0	ND	ND			
Aroclor-1260 (PCB-1260)	1.0	5.0	ND	ND			
Aroclor-1262 (PCB-1262)	1.0	5.0	ND	ND			
Aroclor-1268 (PCB-1268)	1.0	5.0	ND	ND			

Our Lab I.D.				**37388.09**			
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**			
Tetrachloro-m-xylene	30-150		65	40			

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 10
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37388	05/12/2006	H&A

Method: 6010BSCAN, 3 Metals(As,Pb,Sb)

QC Batch No: 051706

Our Lab I.D.			Method Blank	**37388.09**			
Client Sample I.D.				EB-051206			
Date Sampled				05/12/2006			
Date Prepared			05/17/2006	05/17/2006			
Preparation Method			3005A	3005A			
Date Analyzed			05/17/2006	05/17/2006			
Matrix			Aqueous	Aqueous			
Units			mg/L	mg/L			
Dilution Factor			1	1			
Analytes	**MDL**	**PQL**	**Results**	**Results**			
Antimony	0.05	0.10	ND	ND			
Arsenic	0.05	0.10	ND	ND			
Lead	0.03	0.10	ND	ND			

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: **11**
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37388	05/12/2006	H&A

Method: 6010BSCAN, 3 Metals(As,Pb,Sb)

QUALITY CONTROL REPORT

QC Batch No: 051706 Sample Spiked: 37358.19 QC Prepared: 05/17/2006 QC Analyzed: 05/17/2006 Units: mg/L

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Antimony	0.019	1.00	0.86	84	1.00	0.88	86	2.4	80-120	<15
Arsenic	0.007	1.00	0.98	97	1.00	0.99	98	1.0	80-120	<15
Lead	0.006	1.00	0.92	91	1.00	0.93	92	1.1	80-120	<15

QC Batch No: 051706 Sample Spiked: 37358.19 QC Prepared: 05/17/2006 QC Analyzed: 05/17/2006 Units: mg/L

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Antimony	1.00	0.87	87	80-120						
Arsenic	1.00	1.03	103	80-120						
Lead	1.00	1.00	100	80-120						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: **12**
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37388	05/12/2006	H&A

Method: 8082, Polychlorinated Biphenyls (PCBs) by GC

QUALITY CONTROL REPORT

QC Batch No: 051706 Sample Spiked: 051706 QC Prepared: 05/17/2006 QC Analyzed: 05/17/2006 Units: ug/L

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Aroclor-1260 (PCB-1260)	0.0	2.50	2.78	111	2.50	2.68	107	3.7	75-125	<20

QC Batch No: 051706 Sample Spiked: 051706 QC Prepared: 05/17/2006 QC Analyzed: 05/17/2006 Units: ug/L

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Aroclor-1260 (PCB-1260)	2.50	2.70	108	75-125						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 13
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37388	05/12/2006	H&A

Method: 8260B, Volatile Organic Compounds by GC/MS (SW846)

QUALITY CONTROL REPORT

QC Batch No: 051506 Sample Spiked: 051506 QC Prepared: 05/15/2006 QC Analyzed: 05/15/2006 Units: ug/L

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Benzene	0.0	50.00	47.00	94	50.00	46.00	92	2.2	75-125	<20
Chlorobenzene	0.0	50.00	43.50	87	50.00	42.00	84	3.5	75-125	<20
1,1-Dichloroethene	0.0	50.00	47.00	94	50.00	45.00	90	4.3	75-125	<20
Methyl-tert-butyl ether (MTBE)	0.0	50.00	60.00	120	50.00	61.00	122	1.7	75-125	<20
Toluene (Methyl benzene)	0.0	50.00	43.50	87	50.00	41.50	83	4.7	75-125	<20
Trichloroethene	0.0	50.00	44.00	88	50.00	43.00	86	2.3	75-125	<20

QC Batch No: 051506 Sample Spiked: 051506 QC Prepared: 05/15/2006 QC Analyzed: 05/15/2006 Units: ug/L

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Benzene	50.00	48.50	97	75-125						
Chlorobenzene	50.00	46.00	92	75-125						
1,1-Dichloroethene	50.00	50.50	101	75-125						
Methyl-tert-butyl ether (MTBE)	50.00	60.50	121	75-125						
Toluene (Methyl benzene)	50.00	46.00	92	75-125						
Trichloroethene	50.00	48.50	97	75-125						
LCS										
Chloroform (Trichloromethane)	50.00	45.00	90	75-125						
Ethylbenzene	50.00	49.00	98	75-125						
1,1,1-Trichloroethane	50.00	46.00	92	75-125						
o-Xylene	50.00	48.00	96	75-125						
m,p-Xylenes	100.00	97.00	97	75-125						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: **14**
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37388	05/12/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QUALITY CONTROL REPORT

QC Batch No: 051506 Sample Spiked: 051506 QC Prepared: 05/15/2006 QC Analyzed: 05/16/2006 Units: ug/Kg

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Aroclor-1260 (PCB-1260)	0.0	500.00	485.00	97	500.00	460.00	92	5.3	50-150	<50

QC Batch No: 051506 Sample Spiked: 051506 QC Prepared: 05/15/2006 QC Analyzed: 05/16/2006 Units: ug/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Aroclor-1260 (PCB-1260)	500.00	485.00	97	50-150						

American Environmental Testing Laboratory Inc.
2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

Data Qualifiers and Descriptors

Data Qualifier:

*:	In the QC section, sample results have been taken directly from the ICP reading. No preparation factor has been applied.
B:	Analyte was present in the Method Blank.
D:	Result is from a diluted analysis.
E:	Result is beyond calibration limits and is estimated.
H:	Analysis was performed over the allowed holding time due to circumstances which were beyond laboratory control.
J:	Analyte was detected . However, the analyte concentration is an estimated value, which is between the Method Detection Limit (MDL) and the Practical Quantitation Limit (PQL).
M:	Matrix spike recovery is outside control limits due to matrix interference. Laboratory Control Sample recovery was acceptable.
S6:	Surrogate recovery is outside control limits due to matrix interference.
S8:	The analysis of the sample required a dilution such that the surrogate concentration was diluted below the method acceptance criteria.
X:	Results represent LCS and LCSD data.

Definition:

%Limi:	Percent acceptable limits.
%REC:	Percent recovery.
Con.L:	Acceptable Control Limits
Conce:	Added concentration to the sample.
LCS:	Laboratory Control Sample
MDL:	Method Detection Limit is a statistically derived number which is specific for each instrument, each method, and each compound. It indicates a distinctively detectable quantity with 99% probability.
MS:	Matrix Spike
MS DU:	Matrix Spike Duplicate

American Environmental Testing Laboratory Inc.
2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

Data Qualifiers and Descriptors

ND: Analyte was not detected in the sample at or above MDL.

PQL: Practical Quantitation Limit or ML (Minimum Level as per RWQCB) is the minimum concentration that can be quantified with more than 99% confidence. Taking into account all aspects of the entire analytical instrumentation and practice.

Recov: Recovered concentration in the sample.

RPD: Relative Percent Difference