

Notice of DTSC Determination
Kettleman Hills Landfill

English

In April 2017, Chemical Waste Management, Inc. notified DTSC of their intent to transfer 45,000 cubic yards of hazardous waste within landfill B-18 at the Kettleman Hills Facility. The transfer would allow the Facility additional capacity to dispose of waste containing poly-chlorinated biphenyls (PCBs). DTSC thoroughly evaluated the waste transfer plan and determined that the proposed activity requires DTSC approval. If the Facility would like to transfer the waste, it must request a permit modification from DTSC that includes public input. DTSC communicated this decision to the Facility in a letter dated September 14, 2017. If the Facility requests a permit modification from DTSC, the public will be notified and invited to participate in DTSC's decision.

Español

En abril de 2017, Chemical Waste Management, Inc. notificó al DTSC su intención de transferir 45,000 yardas cúbicas de residuos peligrosos dentro del vertedero B-18 en la Instalación de Kettleman Hills. La transferencia permitiría a la Instalación disponer de capacidad para eliminar los residuos que contengan bifenilos policlorados (PCBs, por sus siglas en inglés). El DTSC evaluó a fondo el plan de transferencia de residuos y determinó que la actividad propuesta necesita la aprobación del DTSC. Si la Instalación quisiera transferir los residuos, debe solicitar una modificación de permiso por parte del DTSC que incluya la opinión del público. El DTSC comunicó esta decisión a la Instalación en una carta de fecha 14 de septiembre de 2017. Si la Instalación solicita una modificación de permiso por parte del DTSC, el público será notificado e invitado a participar en la decisión del DTSC.