


0 60 120
SCALE IN FEET

SITE PLAN
FACILITY BOUNDRIES & DRAINAGE AREAS



KEY

- ↓ ARROWS INDICATE STORM WATER FLOW.
- SECONDARY CONTAINMENT AREAS.
- PARKING LOT AND DRIVEWAY DRAINAGE.
- DRAINAGE TO FACILITY LOW POINT.
- ROOF DRAINAGE TO SLOUGH.
- COVERED AREAS THAT DISCHARGE TO CONVEYANCE SYSTEM.

- NOTES**
- 1) NO PORTION OF THE SITE IS IMPACTED BY RUN-OFF FROM SURROUNDING AREAS.
 - 2) NO MUNICIPAL STORM DRAIN INLETS ARE LOCATED ON SITE.
 - 3) THE NEAREST WATER BODY IS THE UN-NAMED SLOUGH NORTH AND EAST OF THE FACILITY.
 - 4) NO SOIL EROSION.

REV.	DATE	REVISION	APP.
5	12-01	CHANGE MARK	SS
4	06-97	FACILITY ADDED	VP
3	12-96	CONNECT MARK	VP
2	09-96	RELOCATED STORM TANK	VP
1			

ROMIG
CHEMICAL CORPORATION
ENGINEERING DEPARTMENT


SITE DRAINAGE AREAS

DATE: 12-15-00

DRAWING NO. **B-9**

COMMON\PART-B-2000\SITE PLANS\CLAYTON GROUP\B-9 SITE DRAINAGE

Location of Meteorological Stations Romic Facility, East Palo Alto, California



Locations of Meteorological Stations

Romic Environmental Technologies Corp.
2081 Bay Road
East Palo Alto, California
Clayton Project No. 70-01789.00
Date: June 2001

FIGURE

B-10a

