



**California Environmental Protection Agency
Department of Toxic Substances Control**

HAZARDOUS WASTE FACILITY PERMIT

Permit Number: 07-GLN-03

Facility Name:

Southern California Gas Company
Olympic Boulevard Facility
2424 E Olympic Boulevard
Los Angeles, California 90021

Owner Name:

Southern California Gas Company
555 W. Fifth Street
Los Angeles, California 90013-1011

Operator Name:

Southern California Gas Company
555 W. Fifth Street
Los Angeles, California 90013-1011

Facility EPA ID Number:

CAD981422017

Effective Date:

May 4, 2007

Expiration Date:

May 4, 2017

Pursuant to Section 25200 of the California Health and Safety Code, this RCRA-equivalent Hazardous Waste Facility Permit is hereby issued to:

Southern California Gas Company
555 W. Fifth Street
Los Angeles, California 90013-1011

The Issuance of this Permit is subject to the conditions set forth in Attachment A and the Part "B" Application (Operation Plan) dated January 15, 2006. The Attachment A consists of 12 pages.

//original signed by//

Jose Kou, P.E., Chief
Southern California Permitting and
Corrective Action Branch
Hazardous Waste Management Program
Department of Toxic Substances Control

Date: 3/29/07

**SOUTHERN CALIFORNIA GAS COMPANY OLYMPIC BASE
2424 E. OLYMPIC BOULEVARD, LOS ANGELES, CALIFORNIA 90021
HAZARDOUS WASTE FACILITY PERMIT**

ATTACHMENT "A"

TABLE OF CONTENTS

PART I. DEFINITIONS	1
PART II. DESCRIPTION OF THE FACILITY AND OWNERSHIP	2
1. Owner	2
2. Operator	2
3. Location.....	2
4. Description	2
5. Facility History	3
6. Facility Size and Type for Fees	3
PART III. GENERAL CONDITIONS	4
1. PERMIT APPLICATION DOCUMENTS.....	4
2. EFFECT OF PERMIT	4
3. COMPLIANCE WITH CALIFORNIA ENVIRONMENTAL QUALITY ACT (CEQA).....	5
4. WASTE MINIMIZATION CERTIFICATION	5
5. WASTE MINIMIZATION CONDITIONS	5
6. SAMPLING/ACCESS	6
PART IV. PERMITTED UNITS AND ACTIVITIES	8
PART V. SPECIAL CONDITIONS WHICH APPLY TO ALL THE FACILITY'S STORAGE UNITS	12
PART VI. CORRECTIVE ACTION	12

HAZARDOUS WASTE FACILITY PERMIT

SOUTHERN CALIFORNIA GAS COMPANY OLYMPIC BASE
2424 E. OLYMPIC BOULEVARD
LOS ANGELES, CALIFORNIA 90021
CAD 981422017

PART I. DEFINITIONS

All terms used in this Permit shall have the same meaning as those terms have in the California Health and Safety Code, division 20, chapter 6.5 and California Code of Regulations, title 22, division 4.5, unless expressly provided otherwise by this Permit.

1. **"DTSC"** as used in this Permit means the California Department of Toxic Substances Control.
2. **"Permittee"** as used in this Permit means the Owner and Operator.
3. **"Health & Safety Code"** as used in this Permit means the California Health and Safety Code.
4. **"California Code of Regulations"** as used in this Permit means the California Code of Regulations.
5. Unless explicitly stated otherwise, all references to items in this Permit shall refer only to items occurring within the same part.

PART II. DESCRIPTION OF THE FACILITY AND OWNERSHIP

1. Owner

The facility owner is:
Southern California Gas Company
555 W. Fifth Street
Los Angeles, California 90013-1011

2. Operator

The facility operator is:
Southern California Gas Company
555 W. Fifth Street
Los Angeles, California 90013-1011

3. Location

The facility is located at 2424 East Olympic Boulevard, Los Angeles. The Assessor's Parcel Numbers are Lots A, C, and E, Tract Number 8769, Book 52, pages 5 to 8, of Record of Surveys, Recorder of the County of Los Angeles. A site location map and a facility layout are attachments II-1 and II-5, respectively, of the Part B application

4. Description

The Olympic Base facility is a fourteen acre parcel which contains several owner operations and one lessee operations. The owner/operator is a natural gas distribution utility serving nearly all of southern and central California. The owner/operator maintains Gas Transmission and Measurement Sections and two vehicle fleet maintenance garages at Olympic Base. The lessee is involved in recycle of demolition and construction debris.

The Olympic Base facility is used for storage of containers of polychlorinated biphenyls (PCB) containing hazardous waste from off-site owner facilities only. Three hazardous waste management units (HWMU) are permitted at this facility. They are described as follows.

- a) The PCB drum storage building, Building 8, is 55 feet long and 45 feet wide, encompassing 2,475 square feet. The floor is a continuous, smooth surfaced concrete slab with a 6 inch high perimeter curb. Access to the building is facilitated by sloping ramps on either side of the curb. The floor is coated with a wear-and chemically resistant coating. The interior of the building is protected with an automatic foam fire suppression system.

This unit has a maximum permitted capacity of 17,160 gallons or 312 55-gallon drums, whichever is less.

- b) The East Outdoor Storage Pad is 46.5 feet long and 21 feet wide. The area inside the containment trench is 976.5 square feet. The containment trench has a volume of 4,430 gallons. The pad is surrounded by the trench, which is 2.35 feet deep. The trench is covered with a flush grate. This unit has a maximum permitted capacity of 4,400 gallon or 80 55-gallon drums. The hazardous wastes that may be stored in this unit are soils, solids and equipment contaminated from contact with natural gas pipeline condensate which may contain PCB.
- c) The West Outdoor Storage Pad is 46.5 feet long and 21 feet wide. The area inside the containment trench is 976.5 square feet. The containment trench has a volume of 4,430 gallons. The pad is surrounded by the trench, which is 2.35 feet deep. The trench is covered with a flush grate. This unit has a maximum permitted capacity of 4,400 gallon or 80 55-gallon drums. The hazardous wastes that may be stored in this unit are soils, solids and equipment contaminated from contact with natural gas pipeline condensate which may contain PCB.

5. Facility History

The Facility was issued an Interim Status Document (ISD) in May 16, 1983 by the Department of Health Services (DOHS), the predecessor of DTSC. On June 30, 1996, DTSC issued the Facility a Hazardous Waste Facility Permit. The expiration date for that Permit was June 30, 2006. The Facility has been operating pursuant to the terms of the expired permit until the issuance of this permit.

6. Facility Size and Type for Fees

The facility is categorized as a large storage facility for purposes of Health and Safety Code, section 25205.19.

PART III. GENERAL CONDITIONS

1. PERMIT APPLICATION DOCUMENTS

- (a) The Part "A" Application dated January 15, 2006 and the Part "B" Application (Operation Plan) January 15, 2006 are hereby made a part of this Permit by reference.

2. EFFECT OF PERMIT

- (a) The Permittee shall comply with the provisions of the Health and Safety Code (HSC), and division 4.5 of California Code of Regulations, title 22. The issuance of this Permit by DTSC does not release the Permittee from any liability or duty imposed by federal or state statutes or regulations or local ordinances, except the obligation to obtain this Permit. The Permittee shall obtain the permits required by other governmental agencies, including but not limited to, the applicable land use planning, zoning, hazardous waste, air quality, water quality, and solid waste management laws for the construction and/or operation of the Facility.
- (b) The Permittee is permitted to store hazardous wastes in accordance with the conditions of this Permit. Any treatment or storage of hazardous wastes not specifically authorized in this Permit is strictly prohibited.
- (c) Compliance with the terms of this Permit does not constitute a defense to any action brought under any other law governing protection of public health or the environment, including, but not limited to, one brought for any imminent and substantial endangerment to human health or the environment.
- (d) DTSC's issuance of this Permit does not prevent DTSC from adopting or amending regulations that impose additional or more stringent requirements than those in existence at the time this Permit is issued and does not prevent the enforcement of these requirements against the Permittee.
- (e) Failure to comply with any term or condition set forth in the Permit in the time or manner specified herein will subject the Permittee to possible enforcement action including but not limited to penalties pursuant to Health and Safety Code, section 25187.
- (f) In addition, failure to submit any information required in connection with the Permit, or falsification and/or misrepresentation of any submitted information, is grounds for revocation of this Permit (Cal. Code of Regs., title 22, §66270.43).

- (g) In case of conflicts between the Operation Plan and the Permit, the Permit conditions take precedence.
- (h) This Permit includes and incorporates by reference any conditions of waste discharge requirements issued by the State Water Resources Control Board or any of the California Regional Water Quality Control Boards and any conditions imposed pursuant to section 13227 of the Water Code.

3. COMPLIANCE WITH CALIFORNIA ENVIRONMENTAL QUALITY ACT (CEQA)

A Notice of Exemption has been prepared in the accordance with the requirements of Public Resources Code Section 21000 et seq. and the CEQA Guidelines, Section 15070 et seq. of Title 14, California Code of Regulations.

4. WASTE MINIMIZATION CERTIFICATION

Pursuant to HSC, section 25202.9 the Permittee shall annually certify, by March 1 for the previous year ending December 31, that:

- (a) The facility has a program in place to reduce the volume and toxicity of all hazardous wastes which are generated by the facility operations to the degree, determined by the Permittee, to be economically practicable.
- (b) The method of storage or treatment is that practicable method currently available to the facility which minimizes the present and future threat to human health and the environment.

The Permittee shall make this certification, in accordance with Title 22, Cal. Code of Regs., section 66270.11. The Permittee shall submit the certification to Branch Chief, Southern California Permitting and Corrective Action Branch and shall record and maintain onsite such certification in the facility Operating Record.

5. WASTE MINIMIZATION CONDITIONS

- (a) The Permittee shall comply with the Hazardous Waste Source Reduction and Management Review Act (SB 14) requirements that are specified in the HSC, sections 25244.19, 25244.20 and 25244.21, and any subsequent applicable statutes or regulations promulgated thereunder. This includes submittal of SB 14 documents to DTSC upon request. DTSC may require the Permittee to submit a more detailed status report, explaining any deviation from, or changes to, the approved waste minimization plan.

6. SAMPLING/ACCESS

(a) Sampling

- (1) The Permittee shall provide confirmatory samples to DTSC within the time requested by DTSC to determine if there is a threat to human health and/or the environment. The sampling shall be done in accordance with guidance that DTSC supplies to the Permittee.
- (2) The Permittee shall notify DTSC in writing at least fourteen (14) days prior to beginning any confirmatory sampling requested by DTSC. If the Permittee believes it must commence emergency confirmatory sampling without delay, the Permittee may seek emergency telephone authorization from DTSC's Southern California Permitting and Corrective Action Branch Chief or, if the Branch Chief is unavailable, his/her designee to commence such activities immediately. At the request of DTSC, the Permittee shall provide or allow DTSC or its authorized representative to take split or duplicate samples of all samples collected by the Permittee pursuant to Part VI of this Permit.
- (3) The Permittee shall submit to DTSC upon request the results of all sampling and/or tests or other data generated by its employees, divisions, agents, consultants or contractors pursuant to this Permit.
- (4) Notwithstanding any other provisions of this Permit, DTSC retains all information gathering and inspection authority rights including enforcement actions related thereto, under Health & Safety Code and any other applicable State or federal statutes or regulations.

(b) Access

- (1) DTSC, its contractors, employees, agents, and/or any United State Environmental Protection Agency representatives are authorized to enter and freely move about the entire facility pursuant to the Permit for the purposes of interviewing Facility personnel and contractors; inspecting records, operating logs, and contracts relating to the Facility; reviewing progress of the Permittee in carrying out the terms of Part VI of the Permit; conducting such testing, sampling, or monitoring as DTSC deems necessary; using a camera, sound recording, or other documentary-type equipment; verifying the reports and data submitted to DTSC by the Permittee; or confirming any other aspect of compliance with this Permit and Division 20, Chapter 6.5 of the Health and Safety Code. The Permittee shall provide DTSC and its representatives access at all reasonable times to the Permittee's Facility and any other property to which access is required for

implementation of any provision of this Permit and any provision of Division 20, Chapter 6.5 of the Health and Safety Code and shall allow such persons to inspect and copy all records, files, photographs, documents, including all sampling and monitoring data, that pertain to work undertaken pursuant to the entire Permit or undertake any other activity necessary to determine compliance with applicable requirements.

- (2) To the extent that work being performed pursuant to Part VI of the Permit must be done on property not owned or controlled by the Permittee, the Permittee shall use its best efforts to obtain access agreements necessary to complete work required by this Part of the Permit from the present owner(s) of such property within thirty (30) days of approval of any workplan for which access is required. "Best efforts" as used in this paragraph shall include, at a minimum, a certified letter from the Permittee to the present owner(s) of such property requesting access agreement(s) to allow the Permittee and DTSC and its authorized representatives access to such property and the payment of reasonable sums of money in consideration of granting access. The Permittee shall provide DTSC with a copy of any access agreement(s). In the event that agreements for the access are not obtained within thirty (30) days of approval of any workplan for which access is required, or of the date that the need for access becomes known to the Permittee, the Permittee shall notify DTSC in writing within fourteen (14) days thereafter regarding both efforts undertaken to obtain access and its failure to obtain such agreements. In the event DTSC obtains access, the Permittee shall undertake approved work on such property.
- (3) Nothing in Part VI of the Permit shall be construed to limit or otherwise affect the Permittee's liability and obligation to perform corrective action including corrective action beyond the facility boundary, notwithstanding the lack of access. DTSC may determine that additional on-site measures must be taken to address releases beyond the Facility boundary if access to off-site areas cannot be obtained.
- (4) Nothing in Part VI of the Permit shall limit or otherwise affect DTSC's right to access and entry pursuant to any applicable State or federal laws and regulations.

PART IV. PERMITTED UNITS AND ACTIVITIES

This Permit authorizes operation only of the facility units and activities listed below. The Permittee shall not treat or store hazardous waste in any unit other than those specified in this Part III. Any modifications to a unit or activity authorized by this Permit require the written approval of DTSC in accordance with the permit modification procedures set forth in California Title 22, Cal. Code Regs., Division 4.5, Chapter 20.

Units authorized by this Permit to manage hazardous waste are: (1) PCB Drum Storage Building; (2) East Outdoor Storage Pad and (3) West Outdoor Storage Pad.

UNIT NAME:

PCB Drum Storage Building

LOCATION:

The PCB drum storage building is located in Building 8. Building 8 is located near the center of the southern perimeter of the facility.

ACTIVITY TYPE:

Storage of hazardous waste in containers

ACTIVITY DESCRIPTION:

The PCB Drum Storage Building is used for the storage of hazardous waste in United States Department of Transportation (DOT) approved containers prior to transportation to an appropriate permitted treatment/disposal facility. Hazardous wastes are transported to the Facility by registered haulers, most of which are owned by the SCGC, and are accompanied by a uniform hazardous waste manifest. These hazardous wastes may be stored at the Facility for up to one year.

PHYSICAL DESCRIPTION:

The PCB drum storage building, Building 8, is 55 feet in length and 45 feet wide. The area inside the building is 2,475 square feet. The floor is a continuous, smooth surfaced concrete slab with a 6 inch high perimeter curb. Access to the building is facilitated by sloping ramps on either side of the curb. The floor is coated with a wear-and chemically resistant coating. The interior of the building is protected an automatic foam fire suppression system.

MAXIMUM CAPACITY:

The maximum permitted capacity of this unit is 312 55-gallon drums. The maximum volume that can be stored is 17,160 gallons.

WASTE TYPES:

The hazardous waste stored in this unit is called condensate. The condensate is collected from natural gas pipelines and contains a mixture of hydrocarbons, water and glycol that may be contaminated with polychlorinated biphenyls (PCB).

RCRA HAZARDOUS WASTE CODES:

The RCRA waste codes for waste condensate that may be stored in Building 8 are D001 and D018.

CALIFORNIA WASTE CODES

The California waste codes for waste condensate that may be stored in Building 8 are 133, 134, 731 and 261.

UNIT NAME:

East Outdoor Storage Pad

LOCATION:

The East Outdoor Storage Pad is located within 20 feet south of the PCB Drum Storage Building, in the south end of the facility.

ACTIVITY TYPE:

Storage of hazardous waste in containers

ACTIVITY DESCRIPTION:

Storage of hazardous waste in DOT-approved containers prior to transportation to an appropriate permitted treatment/disposal facility. Hazardous wastes are transported to the Facility by registered haulers, most of whom are owned by the SCGC, and are accompanied by a uniform hazardous waste manifest. These hazardous wastes may be stored at the Facility for up to one year.

PHYSICAL DESCRIPTION:

The East Outdoor Storage Pad is 46.5 feet in length and 21 feet wide. The area inside the containment trench is 976.5 square feet. The containment trench has a volume of 4,430 gallons. The pad is surrounded by the trench, which is 2.35 feet deep. The trench is covered with a flush grate.

MAXIMUM CAPACITY:

The maximum permitted capacity of this unit is 80 55-gallon drums. The maximum volume that can be stored is 4,400 gallons.

WASTE TYPES:

The hazardous wastes that may be stored in this unit are soils, solids and equipment contaminated from contact with natural gas pipeline condensate which may contain PCB.

RCRA HAZARDOUS WASTE CODES:

Condensate-contaminated solids may carry RCRA code D018.

CALIFORNIA WASTE CODES

The California waste code for PCB contaminated soils, solids or equipment is 261.

UNIT NAME:

West Outdoor Storage Pad

LOCATION:

The West Outdoor Storage Pad is located within 20 feet south of the PCB Drum Storage Building, in the south end of the facility.

ACTIVITY TYPE:

Storage of hazardous waste in containers

ACTIVITY DESCRIPTION:

Storage of hazardous waste in DOT-approved containers prior to transportation to an appropriate permitted treatment/disposal facility. Hazardous wastes are transported to the Facility by registered haulers, most of which are owned by the SCGC, and are accompanied by a uniform hazardous waste manifest. These hazardous wastes may be stored at the Facility for up to one year.

PHYSICAL DESCRIPTION:

The West Outdoor Storage Pad is 46.5 feet in length and 21 feet wide. The area inside the containment trench is 976.5 square feet. The containment trench has a volume of 4,430 gallons. The pad is surrounded by the trench, which is 2.35 feet deep. The trench is covered with a flush grate.

MAXIMUM CAPACITY:

The maximum permitted capacity of this unit is 80 55-gallon drums. The maximum volume that can be stored is 4,400 gallons.

WASTE TYPES:

The hazardous wastes stored in this unit are soils, solids and equipment contaminated from contact with natural gas pipeline condensate which may contain PCB.

RCRA HAZARDOUS WASTE CODES:

Condensate-contaminated solids may carry RCRA code D018..

CALIFORNIA WASTE CODES

The California waste code for PCB contaminated soils, solids or equipment is 261.

PART V. SPECIAL CONDITIONS WHICH APPLY TO ALL THE FACILITY'S STORAGE UNITS.

The Permittee shall not consolidate any hazardous wastes in the Facility.

PART VI. CORRECTIVE ACTION

1. In the event the Permittee identifies an immediate or potential threat to human health and/or the environment, discovers new releases of hazardous waste and/or hazardous constituents, or discovers new Solid Waste Management Units (SWMUs) not previously identified, the Permittee shall notify DTSC orally within 24 hours of discovery and notify DTSC in writing within 10 days of such discovery summarizing the findings including the immediacy and magnitude of any potential threat to human health and/or the environment.
2. DTSC may require the Permittee to investigate, mitigate and/or take other applicable action to address any immediate or potential threats to human health and/or the environment and newly identified releases of hazardous waste and/or hazardous constituents. For newly identified SWMUs, the Permittee is required to conduct corrective action. Corrective action will be carried out either under the Corrective Action Consent Agreement or Unilateral Corrective Action Order pursuant to Health and Safety Code, §25187.